



PHP (HMO SNP)
2020 Formulary
(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT
THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on June 25, 2020. For more recent information or other questions, please contact PHP Pharmacy Customer Service at (833) 267-6769, 24 hours a day, seven days a week, or visit www.php-ga.org/for-members/drug-benefit/formulary.

Discrimination Is Against the Law

PHP (HMO SNP) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PHP does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PHP:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact Member Services.

If you believe that PHP has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with: Member Services, P.O. Box 46160, Los Angeles, CA 90046, (833) 267-6768, TTY 711, Fax (888) 235-8552, email php@positivehealthcare.org. You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Member Services is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, DC 20201
1-800-368-1019, 1-800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-833-267-6768 (TTY: 711).

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-833-267-6768 (TTY: 711).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-833-267-6768 (TTY: 711) 번으로 전화해 주십시오.

注意 : 如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-833-267-6768 (TTY : 711)

સુચના: જો તમે ગુજરાતી બોલતા હો, તો નિઃશુલ્ક ભાષા સહાય સેવાઓ તમારા માટે ઉપલબ્ધ છે. ફોન કરો 1-833-267-6768 (TTY: 711).

ATTENTION: Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1-833-267-6768 (ATS : 711).

ማስታወሻ: የሚገኘውን ቅጽ አማርኛ ካሸኑ የተርጋም እርዳታ ደርጅቶች፡ በነፃ ለያዝሁዋት ተዘጋጀተዋል፡ ወደ መረጃዎች ቅጽ ይደውሉ 1-833-267-6768 (መስማት ለተሳናቸው፡ 711).

ध्यान दें: यदि आप हिंदी बोलते हैं तो आपके लिए मुफ्त में भाषा सहायता सेवाएं उपलब्ध हैं। 1-833-267-6768 (TTY: 711) पर कॉल करें।

ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Rele 1-833-267-6768 (TTY: 711).

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-833-267-6768 (телефон: 711).

ملحوظة: إذا كنت تتحدث اذنر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1-833-267-6768 (رقم هاتف الصم والبكم: 711).

ATENÇÃO: Se fala português, encontram-se disponíveis serviços linguísticos, grátis. Ligue para 1-833-267-6768 (TTY: 711).

توجه: اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با 1-833-267-6768 (TTY: 711) تماس بگیرید.

ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1-833-267-6768 (TTY: 711).

注意事項 : 日本語を話される場合、無料の言語支援をご利用いただけます。1-833-267-6768 (TTY:711) まで、お電話にてご連絡ください。

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means AHF MCO of Georgia, Inc. When it refers to “plan” or “our plan,” it means PHP.

This document includes a list of the drugs (formulary) for our plan which is current as of June 25, 2020. For an updated formulary, please contact us. Our contract information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2021, and from time to time during the year.

This information is available for free in other languages. Please call our Member Services number at (833) 267-6768, 8:00 a.m. to 8:00 p.m., seven days a week.

Esta información está disponible de forma gratuita en otros idiomas. Por favor, llame a nuestro número del Departamento de servicios para miembros a (833) 267-6768, 8:00 a.m. hasta 8:00 p.m., siete días a la semana.

What is the PHP Formulary?

A formulary is a list of covered drugs selected by PHP in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. PHP will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a PHP network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the PHP Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the PHP Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2020 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of June 25, 2020. To get updated information about the drugs covered by PHP, please contact us. Our contact information appears on the front and back cover pages.

Should we make changes to the formulary during the year, we will notify you by sending a “Notice of Changes to Your Formulary (List of Covered Drugs)” in your Part D Explanation of Benefits (also called a “Part D EOB”). We mail you a Part D Explanation of Benefits when you have had one or more prescriptions filled through the plan during the previous month every month so you can track your Part D out-of-pocket costs and total drug costs for the year. For more information about the Part D Explanation of Benefits, please see your Evidence of Coverage, Chapter 6, Section 3.1.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents.” If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the index that begins on page I-1. The index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the index. Look in the index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the index and find the name of your drug in the first column of the list.

What are generic drugs?

PHP covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** PHP requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from PHP before you fill your prescriptions. If you don't get approval, PHP may not cover the drug.
- **Quantity Limits:** For certain drugs, PHP limits the amount of the drug that PHP will cover. For example, PHP provides 12 tablets per prescription for MAXALT (10 mg). This may be in addition to a standard one month or three month supply.
- **Step Therapy:** In some cases, PHP requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, PHP may not cover Drug B unless you try Drug A first. If Drug A does not work for you, PHP will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask PHP to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to PHP formulary?" on page iv for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Pharmacy Customer Service and ask if your drug is covered.

If you learn that PHP does not cover your drug, you have two options:

- You can ask Pharmacy Customer Service for a list of similar drugs that are covered by PHP. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by PHP.

- You can ask PHP to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the PHP formulary?

You can ask PHP to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, PHP limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, PHP will only approve your request for an exception if the alternative drugs included on the plan's formulary or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you are requesting a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day

supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you are a current member of our plan, an unexpected transition could occur if you experience a level-of-care change. For example, if you are hospitalized and given a drug that is not on our formulary, once you are discharged from the hospital to your home, you will need to talk to your doctor about continuing the drug. If you and your doctor decide you should continue taking the drug, you will need to request a formulary exception for us to cover it. Our plan may provide you a temporary 30-day transition supply of the drug while you decide what action to take. Please contact us about the availability of a transition supply of medication when you experience a level-of-care change.

For more information

For more detailed information about your PHP prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about PHP, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit www.medicare.gov.

PHP's Formulary

The formulary below provides coverage information about the drugs covered by PHP. If you have trouble finding your drug in the list, turn to the index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., KALETRA) and generic drugs are listed in lower-case italics (e.g., *hydrochlorothiazide*).

The information in the “Requirements/Limits” columns tells you if PHP has any special requirements for coverage of your drug.

The following abbreviations may be found within the body of this document.

Coverage Notes Abbreviations

Abbreviation	Description	Explanation
Utilization Management Restrictions		
AGE	Age Restriction	Some drugs on our formulary are not appropriate for and may pose a risk to people of certain ages. If a drug has an age restriction, the maximum age of appropriateness is noted. Drugs that have an age restriction require prior authorization.
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from PHP before you fill your prescription for this drug. Without prior approval, PHP may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from PHP to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, PHP may not cover this drug.

Abbreviation	Description	Explanation
PA-HRM	Prior Authorization Restriction for High-Risk Medication	This drug is considered a high-risk medication for seniors. If you are age 65 or older, you (or your physician) are required to get prior authorization from PHP before you fill your prescription for this drug.
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member, you (or your physician) are required to get prior authorization from PHP before you fill your prescription for this drug. Without prior approval, PHP may not cover this drug.
QL	Quantity Limit Restriction	PHP limits the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy Restriction	Before PHP will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.
Other Special Requirements for Coverage		
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Pharmacy Customer Service at (833) 267-6769, 24 hours a day, seven days a week. TTY users should call 711.

Standard Retail Cost Sharing by Tier

Tier	One-Month Supply	Three-Month Supply
Tier 1 (Generic Drugs)	20% coinsurance	20% coinsurance
Tier 2 (Preferred Brand Drugs)	15% coinsurance	15% coinsurance
Tier 3 (Non-Preferred Brand Drugs)	25% coinsurance	25% coinsurance
Tier 4 (Speciality Drugs)	25% coinsurance	25% coinsurance
Tier 5 (Select Care Drugs)	0% coinsurance	0% coinsurance

Strength and Dosage Form Abbreviations

Abbreviation	Description
adh. patch	adhesive patch
aer br act	aerosol, breath activated
aer pow	aerosol, powder
aer pow ba	aerosol powder, breath activated
aer refill	aerosol refill
aer w/adap	aerosol with adapter
ampul	Ampule
blkbaginj	bulk bag injection
cap dr mp	capsule, delayed release multiphasic
cap ds pk	capsule, dose pack
cap er 12h	capsule, 12 hour extended release
cap er 24h	capsule, 24 hour extended release
cap er deg	capsule, extended release degradable
cap er pel	capsule, extended release pellets
cap mphase	capsule, multiphasic
cap.sa 24h	capsule, 24 hour sustained action
cap.sr 12h	capsule, 12 hour sustained release
cap.sr 24h	capsule, 24 hour sustained release
cap24h pct	capsule, 24 hour controlled-onset pellets
cap24h pel	capsule, 24 hour sustained release pellets
cap sprink	capsule, sprinkle
cap sr pel	capsule sustained release pellets
cap w/dev	capsule with device
capsule dr	capsule, delayed release
capsule er	capsule, extended release
capsule sa	capsule, sustained action
cmb cappad	combination: capsule, pad
cmb ont fm	combination: ointment, foam
cmb ont lt	combination: ointment, lotion
cmb tabpad	combination: tablet, pad
combo. pkg	combination package

Abbreviation	Description
cpmp 12hr	capsule, 12 hour multiphasic
cpmp 24hr	capsule, 24 hour multiphasic
cpmp 30-70	capsule, multiphasic, 30%-70%
cpmp 50-50	capsule, multiphasic, 50%-50%
cream(g), cream(gm)	cream (grams)
cream(ml)	cream (milliliters)
cream/appl	cream with applicator
cream, er (g)	cream, extended release (grams)
cream pack	cream, package
dehp fr bg	di(2-ethylhexyl)phthalate free bag
dis needle	disposable needle
disk w/dev	disk with inhalation device
disp syrin	disposable syringe
drops susp	drops, suspension
drps hpvis	drops, hyperviscous
emul adhes	emulsion adhesive
emul packt	emulsion packet
emulsn(g)	emulsion (grams)
foam/appl.	foam with applicator
froz.piggy	frozen piggyback
g	Gram
gel/pf app	gel with prefilled applicator
gel (gm)	gel (grams)
gel (ml)	gel (milliliters)
gel md pmp	gel in metered dose pump
gel w/appl	gel with applicator
gel w/pump	gel with pump
gran pack	granule pack
hfa aer ad	hfa aerosol adapter
infus. btl	infusion bottle
insuln pen	insulin pen
ip soln	intraperitoneal solution
irrig soln	irrigating solution
iv soln.	intravenous solution
jel	Jelly
jelly/app	jelly with applicator
jel/pf app	jelly with pre-filled applicator
kit cl&crm	kit: cleanser and cream
kt.crm.le	kit: cream, lotion emollient
kt.lotn.ce	kit: lotion, cream emollient
kt.oint.le	kit: ointment, lotion emollient
lotion, er	lotion, extended release
lozenge hd	lozenge handle
m.ht patch	medicated heated patch

Abbreviation	Description
ma buc tab	mucoadhesive buccal tablet
mcg	Microgram
med. pad	medicated pad
med. swab	medicated swab
med. tape	medicated tape
mg	Milligram
ml	Milliliter
muc er 12h	mucoadhesive system, 12 hour extended release
ndl fr inj	needle for injection
nl fm susp	nail film suspension
oint. (g), oint.(gm)	ointment (grams)
oral conc	oral concentrate
oral susp	oral suspension
paste (g)	paste (grams)
patch td24	patch, 24 hour transdermal
patch td72	patch, 72 hour transdermal
patch tdsw	patch, biweekly transdermal
patch tdkw	patch, weekly transdermal
pca syring	patient-controlled analgesic syringe
pca vial	patient-controlled analgesic vial
pellet(ea)	pellet (each)
pen ij kit	pen injector kit
pen injctr	pen injector
pggybk btl	piggyback bottle
plast. bag	plastic bag
powd pack	powder pack
sol md pmp	solution with multi-dose pump
sol w/appl	solution with applicator
sol/pf app	solution with pre-filled applicator
sol-gel	solution, gel-forming
soln recon	solution, reconstituted
soln(gram)	solution (grams)
spray susp	spray, suspension
spray/pump	spray with pump
stick(ea)	stick (each)
supp.rect	suppository, rectal
supp.vag	suppository, vaginal
suppos.	Suppository
sus er 24h	suspension, 24 hour extended release
sus er rec	suspension, extended release reconstituted
sus mc rec	suspension, microcapsule reconstituted
suspdr pkt	suspension, delayed release packet
susp recon	suspension, reconstituted
syringe kit	syringe kit

Abbreviation	Description
tab chew	tablet, chewable
tab er 12h	tablet, 12 hour extended release
tab er 24h	tablet, 24 hour extended release
tab er prt	tablet, extended release particles
tab er seq	tablet, extended release sequels
tab disper	tablet, dispersable
tab ds pk	tablet, dose pack
tab er 24	tablet, 24 hour extended release
tab mphase	tablet, multiphasic
tab part	tablet, particles
tab rap dr	tablet, rapid disintegrating delayed release
tab rapdis	tablet, rapid disintegrating
tab subl	tablet, sublingual
tab.sr 12h	tablet, 12 hour sustained release
tab.sr 24h	tablet, 24 hour sustained release
tabergr24hr	tablet, 24 hour gradual extended release
tablet dr	tablet, delayed release
tablet, er	tablet, extended release
tablet eff	tablet, effervescent
tablet sa	tablet, sustained action
tablet sol	tablet, soluble
tb er dspk	tablet, extended release dosepack
tb mp dspk	tablet, multiphasic dosepack
tb rd dspk	tablet, rapid disintegrating dosepack
tbdspk 3mo	tablet, 3-month dosepack
tbmp 12hr	tablet, 12 hour multiphasic
tbmp 24hr	tablet, 24 hour multiphasic
u	Unit
vag ring	vaginal ring

Blood Glucose Meters and Test Strip

PHP wants to provide you with the best products for your diabetes care. We recently compared the quality and performance of blood glucose meters and test strips available. After a thorough review, PHP selected Abbott Diabetes Care, the maker of FreeStyle® and Precision®-branded products as the supplier for your diabetic testing supplies. Starting January 1, 2020, PHP covers the following diabetic testing supplies:

- FreeStyle Lite® meters
- FreeStyle Freedom Lite® meters
- Precision Xtra® meters
- FreeStyle Lite® test strips
- Precision Xtra® test strips
- Precision Xtra® Beta Ketone test strips

Table of Contents

Analgesics	3
Anesthetics	7
Anti-Addiction/Substance Abuse Treatment Agents	8
Antianxiety Agents	9
Antibacterials	10
Anticancer Agents	17
Anticholinergic Agents	30
Anticonvulsants	31
Antidementia Agents	35
Antidepressants	36
Antidiabetic Agents	39
Antifungals	43
Antigout Agents	45
Antihistamines	45
Anti-Infectives (Skin And Mucous Membrane)	46
Antimigraine Agents	46
Antimycobacterials	47
Antinausea Agents	48
Antiparasite Agents	50
Antiparkinsonian Agents	51
Antipsychotic Agents	52
Antivirals (Systemic)	57
Blood Products/Modifiers/Volume Expanders	64
Caloric Agents	67
Cardiovascular Agents	72
Central Nervous System Agents	82
Contraceptives	86
Dental And Oral Agents	93
Dermatological Agents	93
Devices	98
Enzyme Replacement/Modifiers	98
Eye, Ear, Nose, Throat Agents	100
Gastrointestinal Agents	104
Genitourinary Agents	108
Heavy Metal Antagonists	109
Hormonal Agents, Stimulant/Replacement/Modifying	109

Immunological Agents.....	117
Inflammatory Bowel Disease Agents.....	128
Irrigating Solutions.....	128
Metabolic Bone Disease Agents.....	129
Miscellaneous Therapeutic Agents.....	130
Ophthalmic Agents.....	133
Replacement Preparations.....	134
Respiratory Tract Agents.....	136
Skeletal Muscle Relaxants.....	141
Sleep Disorder Agents.....	141
Vasodilating Agents.....	142
Vitamins And Minerals.....	143

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg</i>	1	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet (Tylenol-Codeine #3) 300-30 mg</i>	1	QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	1	QL (180 per 30 days)
<i>buprenorphine hcl injection solution (Buprenex) 0.3 mg/ml</i>	1	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	1	
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	1	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>codeine sulfate oral tablet 15 mg, 30 mg, 60 mg</i>	1	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	1	QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	1	QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	1	QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>	4	PA; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	1	QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	1	QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i>	1	QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i>	1	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
hydrocodone-acetaminophen oral tablet 5-325 mg (Lorcet (hydrocodone))	1	QL (240 per 30 days)
hydrocodone-acetaminophen oral tablet 7.5-325 mg (Lorcet Plus)	1	QL (180 per 30 days)
hydrocodone-ibuprofen oral tablet 7.5-200 mg	1	QL (150 per 30 days)
hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml	1	
hydromorphone oral liquid 1 mg/ml (Dilaudid)	1	QL (1200 per 30 days)
hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)	1	QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	4	PA; QL (30 per 30 days)
lorcet (hydrocodone) oral tablet 5-325 mg	1	QL (240 per 30 days)
lorcet hd oral tablet 10-325 mg	1	QL (180 per 30 days)
lorcet plus oral tablet 7.5-325 mg	1	QL (180 per 30 days)
methadone injection solution 10 mg/ml	1	
methadone oral solution 10 mg/5 ml	1	QL (600 per 30 days)
methadone oral solution 5 mg/5 ml	1	QL (1200 per 30 days)
methadone oral tablet 10 mg (Dolophine)	1	QL (120 per 30 days)
methadone oral tablet 5 mg (Dolophine)	1	QL (180 per 30 days)
methadose oral tablet, soluble 40 mg	1	QL (30 per 30 days)
morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)	1	QL (180 per 30 days)
MORPHINE INJECTION SYRINGE 10 MG/ML	3	
morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml	1	
morphine oral solution 10 mg/5 ml	1	QL (700 per 30 days)
morphine oral solution 20 mg/5 ml (4 mg/ml)	1	QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	3	QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	3	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	(MS Contin)	1	QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	(MS Contin)	1	QL (90 per 30 days)
NUCYNTA ER ORAL TABLET EXTENDED RELEASE 12 HR 100 MG, 150 MG, 200 MG, 250 MG, 50 MG		2	QL (60 per 30 days)
NUCYNTA ORAL TABLET 100 MG, 50 MG, 75 MG		2	QL (181 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>		1	QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>		1	QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)		1	QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>		1	QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)		1	QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	(OxyContin)	2	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	(Endocet)	1	QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	(Endocet)	1	QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	(Endocet)	1	QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>		1	QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG		2	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)		1	QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	(Ultracet)	1	QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG		2	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG		2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	2	QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	3	
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	1	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	1	PA
<i>diclofenac potassium oral tablet 50 mg</i>	1	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	1	
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	1	
<i>diclofenac sodium topical drops 1.5 %</i>	1	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Voltaren)	1	
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	1	PA; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	
<i>etodolac oral tablet 500 mg</i>	1	
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	1	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	1	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>indomethacin oral capsule 25 mg</i>	1	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>indomethacin oral capsule 50 mg</i>	1	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>ketorolac oral tablet 10 mg</i>	1	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>	1	
<i>meloxicam oral tablet 15 mg, 7.5 mg (Mobic)</i>	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	1	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg (Naprosyn)</i>	1	
<i>naproxen oral tablet, delayed release (EC-Naprosyn) (dr/lec) 375 mg, 500 mg</i>	1	
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	4	PA; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	
VOLTAREN TOPICAL GEL 1 %	1	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	1	QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %) (Xylocaine (Cardiac) (PF))</i>	1	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %) (Xylocaine)</i>	1	
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	
<i>lidocaine topical adhesive patch, medicated 5 % (Lidoderm)</i>	1	PA; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine topical ointment 5 %</i>	1	PA; QL (90 per 30 days)
<i>lidocaine viscous mucous membrane solution 2 %</i>	1	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	PA; QL (30 per 30 days)
PRILOVIXIL TOPICAL KIT 2.5-2.5 %	1	PA; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %	2	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (dr/lec) 333 mg</i>	1	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i>	1	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i>	1	QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	QL (90 per 30 days)
<i>bupropion hcl (smoking deterrent) oral tablet extended release 12 hr 150 mg</i>	1	
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	2	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	2	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)	2	
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	1	
LUCEMYRA ORAL TABLET 0.18 MG	4	QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	
<i>naltrexone oral tablet 50 mg</i>	1	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	2	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	3	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML, 300 MG/1.5 ML	4	
ZUBSOLV SUBLINGUAL TABLET 0.7-0.18 MG, 1.4-0.36 MG, 11.4-2.9 MG, 2.9-0.71 MG, 5.7-1.4 MG	2	QL (30 per 30 days)
ZUBSOLV SUBLINGUAL TABLET 8.6-2.1 MG	2	QL (60 per 30 days)
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)</i>	1	QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg (Xanax)</i>	1	QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)</i>	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg (Klonopin)</i>	1	QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	1	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	1	QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg (Tranxene T-Tab)</i>	1	QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	1	QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	1	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	1	QL (10 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	1	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	1	QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	4	PA BvD
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	
<i>neomycin oral tablet 500 mg</i>	1	
<i>streptomycin intramuscular recon soln 1 gram</i>	1	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	4	QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	4	PA BvD
<i>tobramycin sulfate injection solution 40 mg/ml</i>	1	
Antibacterials, Miscellaneous		
<i>bacitracin intramuscular recon soln 50,000 unit</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	
<i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i>	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	1	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	
<i>clindamycin phosphate injection (Cleocin) solution 150 mg/ml</i>	1	
<i>clindamycin phosphate intravenous (Cleocin) solution 600 mg/4 ml</i>	1	
<i>colistin (colistimethate na) injection (Coly-Mycin M recon soln 150 mg Parenteral)</i>	4	PA BvD
<i>daptomycin intravenous recon soln (Cubicin) 500 mg</i>	4	
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	3	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	4	
<i>linezolid in dextrose 5% intravenous (Zyvox) piggyback 600 mg/300 ml</i>	4	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	4	
<i>linezolid oral tablet 600 mg (Zyvox)</i>	1	
<i>methenamine hippurate oral tablet 1 gram (Hiprex)</i>	1	
<i>metronidazole in nacl (iso-os) (Metro I.V.) intravenous piggyback 500 mg/100 ml</i>	1	
<i>metronidazole oral tablet 250 mg, (Flagyl) 500 mg</i>	1	
<i>nitrofurantoin macrocrystal oral (Macrodantin) capsule 100 mg, 25 mg, 50 mg</i>	1	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral (Macrobid) capsule 100 mg</i>	1	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	
SYNERCID INTRAVENOUS RECON SOLN 500 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i>	1	
<i>vancomycin oral capsule 125 mg, (Vancocin) 250 mg</i>	1	
XIFAXAN ORAL TABLET 200 MG	4	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	4	PA
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	
<i>cefadroxil oral capsule 500 mg</i>	1	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	
<i>cefdinir oral capsule 300 mg</i>	1	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefditoren pivoxil oral tablet 200 mg</i>	3	
<i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>	3	
<i>cefepime injection recon soln 1 (Maxipime) gram, 2 gram</i>	1	
<i>cefixime oral capsule 400 mg (Suprax)</i>	1	
<i>cefotaxime injection recon soln 1 gram</i>	1	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i>	1	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	
<i>cephalexin oral capsule 250 mg, 500 mg (Keflex)</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	4	
Macrolides		
<i>azithromycin intravenous recon soln 500 mg (Zithromax)</i>	1	
<i>azithromycin oral packet 1 gram (Zithromax)</i>	3	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Zithromax)</i>	1	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg (Zithromax)</i>	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	
DIFICID ORAL TABLET 200 MG	4	ST; QL (20 per 10 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	(E.E.S. Granules)	1	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i>	(EryPed 400)	1	
<i>erythromycin oral tablet 250 mg, 500 mg</i>		1	
Miscellaneous B-Lactam Antibiotics			
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	(Azactam)	1	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML		4	PA; LA
<i>ertapenem injection recon soln 1 gram</i>	(Invanz)	1	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>		1	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i>	(Primaxin IV)	1	
<i>meropenem intravenous recon soln 1 gram</i>	(Merrem)	1	
<i>meropenem intravenous recon soln 500 mg</i>	(Merrem)	1	
<i>meropenem-0.9% nacl 500 mg/50 ml</i>		1	
Penicillins			
<i>amoxicillin oral capsule 250 mg, 500 mg</i>		1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>		1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>		1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>		1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	(Augmentin ES-600)	1	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	(Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>		1	
<i>ampicillin oral capsule 250 mg, 500 mg</i>		1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>		1	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	(Unasyn)	1	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML		3	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>		1	
<i>nafcillin 1 gml/ 50 ml inj 1 gram/50 ml</i>		1	
<i>nafcillin injection recon soln 1 gram</i>		1	
<i>nafcillin injection recon soln 10 gram</i>		4	
<i>nafcillin injection recon soln 2 gram</i>		1	
<i>penicillin g potassium injection recon soln 20 million unit</i>	(Pfizerpen-G)	1	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>		1	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>		1	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>		1	
<i>pfiizerpen-g injection recon soln 20 million unit</i>		1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	(Zosyn)	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Quinolones		
BAXDELA ORAL TABLET 450 MG	4	PA; QL (28 per 14 days)
ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg	1	
ciprofloxacin hcl oral tablet 750 mg	1	
ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml	1	
ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml	1	
levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml	1	
levofloxacin intravenous solution 25 mg/ml	1	
levofloxacin oral solution 250 mg/10 ml	1	
levofloxacin oral tablet 250 mg	1	
levofloxacin oral tablet 500 mg, 750 (Levaquin) mg	1	
moxifloxacin oral tablet 400 mg	1	
Sulfonamides		
sulfadiazine oral tablet 500 mg	1	
sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml	1	
sulfamethoxazole-trimethoprim oral (Sulfatrim) suspension 200-40 mg/5 ml	1	
sulfamethoxazole-trimethoprim oral (Bactrim) tablet 400-80 mg	1	
sulfamethoxazole-trimethoprim oral (Bactrim DS) tablet 800-160 mg	1	
sulfatrim oral suspension 200-40 mg/5 ml	3	
Tetracyclines		
doxy-100 intravenous recon soln 100 mg	1	
doxycycline hyclate intravenous (Doxy-100) recon soln 100 mg	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline hyclate oral capsule 100 (Morgidox) mg, 50 mg</i>	1	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	
<i>doxycycline monohydrate oral capsule 100 mg (Mondoxyne NL)</i>	1	
<i>doxycycline monohydrate oral capsule 50 mg (Monodox)</i>	1	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml (Vibramycin)</i>	1	
<i>doxycycline monohydrate oral tablet 100 mg (Avidoxy)</i>	1	
<i>doxycycline monohydrate oral tablet 50 mg</i>	1	
<i>minocycline oral capsule 100 mg, 75 mg</i>	1	
<i>minocycline oral capsule 50 mg (Minocin)</i>	1	
<i>monodoxine nl oral capsule 100 mg, 50 mg</i>	1	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	
<i>tigecycline intravenous recon soln 50 (Tygacil) mg</i>	4	
Anticancer Agents		
Anticancer Agents		
<i>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG</i>	4	
<i>ADCETRIS INTRAVENOUS RECON SOLN 50 MG</i>	4	PA NSO
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	1	PA BvD
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	1	PA BvD
<i>AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG</i>	4	PA NSO; QL (112 per 28 days)
<i>AFINITOR ORAL TABLET 10 MG</i>	4	PA NSO; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	4	PA NSO; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	4	PA NSO; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	4	
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	4	PA NSO; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	4	PA NSO; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	4	PA NSO; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS, DOSE PACK 90 MG (7)- 180 MG (23)	4	PA NSO
<i>anastrozole oral tablet 1 mg (Arimidex)</i>	1	
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	4	
<i>arsenic trioxide intravenous solution (Trisenox) 2 mg/ml</i>	4	
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	4	PA NSO
AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG	4	PA NSO; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg (Vidaza)</i>	4	
BALVERSA ORAL TABLET 3 MG	4	PA NSO; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	4	PA NSO; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	4	PA NSO; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	4	PA NSO
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	4	PA NSO
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	4	PA NSO
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>bexarotene oral capsule 75 mg</i>	(Targretin)	4	PA NSO; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i>	(Casodex)	1	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>		1	
BLINCYTO INTRAVENOUS KIT 35 MCG		4	PA NSO
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG		4	PA NSO
BOSULIF ORAL TABLET 100 MG		4	PA NSO; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG		4	PA NSO; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG		4	QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG		4	PA NSO; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG		4	PA NSO
CABOMETYX ORAL TABLET 20 MG, 60 MG		4	PA NSO; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG		4	PA NSO; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG		4	PA NSO; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG		4	PA NSO; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG		4	PA NSO; QL (30 per 30 days)
<i>clofarabine intravenous solution 20 mg/20 ml</i>	(Clolar)	4	
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)		4	PA NSO; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG		4	PA NSO; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG		4	PA NSO; LA; QL (63 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg	4	PA BvD
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	1	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	4	PA NSO
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	4	PA NSO; LA
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	4	PA NSO; LA
DAURISMO ORAL TABLET 100 MG	4	PA NSO; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	4	PA NSO; QL (60 per 30 days)
decitabine intravenous recon soln 50 (Dacogen) mg	4	
doxorubicin intravenous solution 10 (Adriamycin) mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml	1	PA BvD
doxorubicin, peg-liposomal (Doxil) intravenous suspension 2 mg/ml	4	PA BvD
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	3	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	3	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	3	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	3	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	3	
EMCYT ORAL CAPSULE 140 MG	4	
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	4	PA NSO
ENHERTU INTRAVENOUS RECON SOLN 100 MG	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ERIVEDGE ORAL CAPSULE 150 MG	4	PA NSO; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG <i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	4	PA NSO; QL (120 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	4	PA NSO; QL (60 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG <i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	3	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG <i>floxuridine injection recon soln 0.5 gram</i>	4	PA NSO
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	1	PA BvD
<i>flutamide oral capsule 125 mg</i>	1	
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	4	
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	4	PA NSO
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG <i>gleostine oral capsule 10 MG, 40 MG, 5 MG</i>	4	PA NSO; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 100 MG	3	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	4	PA NSO; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	4	PA NSO
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	4	PA NSO
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	4	PA NSO; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	4	PA NSO; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	4	PA NSO; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	4	PA NSO; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	4	PA NSO; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	1	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	1	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	PA NSO; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	4	PA NSO; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	4	PA NSO; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	4	PA NSO; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	4	PA NSO
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	4	PA NSO; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	4	PA NSO; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	4	PA NSO; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	4	PA NSO; QL (60 per 30 days)
INREBIC ORAL CAPSULE 100 MG	4	PA NSO; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	4	PA NSO; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	4	
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	4	PA NSO; QL (60 per 30 days)
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	4	PA NSO
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	4	PA NSO; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	4	PA NSO; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	4	PA NSO; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	4	PA NSO; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	4	PA NSO; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	4	PA NSO; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	4	PA NSO; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	4	PA NSO; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	4	PA NSO; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	4	PA NSO
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	4	PA NSO
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	4	PA NSO; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	4	PA NSO; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	4	PA NSO; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	4	PA NSO; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	4	PA NSO; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	4	PA NSO
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	4	
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	4	
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	4	
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	4	
LYNPARZA ORAL TABLET 100 MG, 150 MG	4	PA NSO; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	4	
MATULANE ORAL CAPSULE 50 MG	4	
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL TABLET 0.5 MG	4	PA NSO; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	4	PA NSO; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	4	PA NSO; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	PA BvD
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	PA BvD
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	4	PA NSO
NERLYNX ORAL TABLET 40 MG	4	PA NSO; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	4	PA NSO; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg (Nilandron)</i>	4	
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	4	PA NSO; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	4	PA NSO; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	4	PA NSO; LA
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	4	PA NSO
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	4	PA NSO
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	4	
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	4	PA NSO
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	4	PA NSO
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	4	PA NSO
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	4	PA NSO; QL (14 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	4	PA NSO; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	4	PA NSO; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG	4	PA NSO
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	4	PA NSO; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	4	PA NSO; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	4	
PURIXAN ORAL SUSPENSION 20 MG/ML	4	
QINLOCK ORAL TABLET 50 MG	4	PA NSO; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	4	PA NSO; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	4	PA NSO; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	4	PA NSO; LA; QL (28 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	4	PA NSO
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	4	PA NSO
ROZLYTREK ORAL CAPSULE 100 MG	4	PA NSO; QL (30 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	4	PA NSO; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	4	PA NSO; QL (120 per 30 days)
RUXIENCE INTRAVENOUS CONCENTRATE 10 MG/ML	4	PA NSO
RYDAPT ORAL CAPSULE 25 MG	4	PA NSO; QL (224 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	4	PA NSO
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	4	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	4	PA NSO; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	4	PA NSO; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	4	PA NSO; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	4	PA NSO; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	4	PA NSO
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	4	PA NSO
TABLOID ORAL TABLET 40 MG	3	
TABRECTA ORAL TABLET 150 MG, 200 MG	4	PA NSO; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	4	PA NSO; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	4	PA NSO; LA; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	4	PA NSO; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	4	PA NSO; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TARGETIN TOPICAL GEL 1 %	4	PA NSO; QL (60 per 28 days)
TASIGNA ORAL CAPSULE 150 MG, 200 MG	4	PA NSO; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	4	PA NSO; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	4	PA NSO; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	4	PA NSO
TEMODAR INTRAVENOUS RECON SOLN 100 MG	4	PA NSO
<i>thiotepa injection recon soln 100 mg, (Tepadina) 15 mg</i>	4	
TIBSOVO ORAL TABLET 250 MG	4	PA NSO; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	1	
<i>toremifene oral tablet 60 mg (Fareston)</i>	4	
TRAZIMERA INTRAVENOUS RECON SOLN 420 MG	4	PA NSO
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	4	PA NSO
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	4	QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	4	QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	4	QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	4	
TRUXIMA INTRAVENOUS CONCENTRATE 10 MG/ML	4	PA NSO
TUKYSA ORAL TABLET 150 MG	4	PA NSO; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	4	PA NSO; QL (360 per 30 days)
TURALIO ORAL CAPSULE 200 MG	4	PA NSO; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	4	PA NSO
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	4	
VELCADE INJECTION RECON SOLN 3.5 MG	4	PA NSO
VENCLEXTA ORAL TABLET 10 MG	2	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	4	PA NSO; LA; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	2	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	4	PA NSO; LA
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	4	PA NSO; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	1	
VITRAKVI ORAL CAPSULE 100 MG	4	PA NSO; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	4	PA NSO; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	4	PA NSO; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	4	PA NSO; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	4	PA NSO; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	4	PA BvD
XALKORI ORAL CAPSULE 200 MG, 250 MG	4	PA NSO; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	3	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	4	PA NSO; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	4	PA NSO; QL (20 per 28 days)
XPOVIO ORAL TABLET 160 MG/WEEK (20 MG X 8)	4	PA NSO; QL (32 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	4	PA NSO; QL (12 per 28 days)
XPOVIO ORAL TABLET 80 MG/WEEK (20 MG X 4)	4	PA NSO; QL (16 per 28 days)
XTANDI ORAL CAPSULE 40 MG	4	PA NSO; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	4	PA NSO
YONDELIS INTRAVENOUS RECON SOLN 1 MG	4	PA NSO
YONSA ORAL TABLET 125 MG	4	PA NSO; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	4	PA NSO; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	4	PA NSO; QL (240 per 30 days)
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	4	PA NSO
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	3	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	3	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	4	
ZYDELIG ORAL TABLET 100 MG, 150 MG	4	PA NSO; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	4	PA NSO; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	4	PA NSO; QL (84 per 28 days)
ZYTIGA ORAL TABLET 250 MG, 500 MG	4	PA NSO; QL (120 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	4	ST; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	4	ST; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	4	ST
BANZEL ORAL TABLET 200 MG, 400 MG	4	ST
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	4	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	4	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	1	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	1	
<i>carbamazepine oral tablet 200 mg</i>	1	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	1	
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	
CELONTIN ORAL CAPSULE 300 MG	3	
<i>clobazam oral suspension 2.5 mg/ml</i>	1	PA NSO; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i>	1	PA NSO; QL (60 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	3	
DIASTAT RECTAL KIT 2.5 MG	3	
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i>	3	
<i>diazepam rectal kit 2.5 mg</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	(Depakote Sprinkles)	1	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	1	
<i>divalproex oral tablet, delayed release (dr/lec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	1	
EPIDIOLEX ORAL SOLUTION 100 MG/ML		4	PA NSO
<i>epitol oral tablet 200 mg</i>		1	
<i>ethosuximide oral capsule 250 mg</i>	(Zarontin)	1	
<i>ethosuximide oral solution 250 mg/5 ml</i>	(Zarontin)	1	
<i>felbamate oral suspension 600 mg/5 ml</i>	(Felbatol)	1	
<i>felbamate oral tablet 400 mg, 600 mg</i>	(Felbatol)	1	
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	(Cerebyx)	1	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML		3	ST; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG		4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG		3	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG		4	ST; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i>	(Neurontin)	1	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i>	(Neurontin)	1	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i>	(Neurontin)	1	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i>	(Neurontin)	1	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i>	(Neurontin)	1	QL (120 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	(Subvenite)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i>	(Lamictal)	1	
<i>levetiracetam intravenous solution 500 mg/5 ml</i>	(Keppra)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	3	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	3	ST
PEGANONE ORAL TABLET 250 MG	3	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	1	QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	1	QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SABRIL ORAL TABLET 500 MG	4	PA NSO; QL (180 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	3	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	3	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG	4	PA NSO; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	3	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg (Gabitril)</i>	1	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)</i>	1	
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg (Qudexy XR)</i>	3	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)</i>	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	1	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	
<i>valproic acid oral capsule 250 mg</i>	1	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	3	
<i>vigabatrin oral powder in packet 500 mg (Vigadron)</i>	4	PA NSO; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg (Sabril)</i>	4	PA NSO; QL (180 per 30 days)
<i>vigadron oral powder in packet 500 mg</i>	4	PA NSO; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	2	QL (200 per 5 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIMPAT ORAL SOLUTION 10 MG/ML	2	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	PA NSO; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 150 MG, 50 MG	4	PA NSO; QL (30 per 30 days)
XCOPRI ORAL TABLET 200 MG	4	PA NSO; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)	3	PA NSO
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	PA NSO
<i>zonisamide oral capsule 100 mg, 25 mg (Zonegran)</i>	1	
<i>zonisamide oral capsule 50 mg</i>	1	
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg (Aricept)</i>	1	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	1	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	1	QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i>	1	QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg (Namenda)</i>	1	QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	2	QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule</i> 1.5 mg, 3 mg, 4.5 mg, 6 mg	1	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour</i> (Exelon) 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr	1	QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet</i> 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	1	
<i>amoxapine oral tablet</i> 100 mg, 150 mg, 25 mg, 50 mg	1	
<i>bupropion hcl oral tablet</i> 100 mg, 75 mg	1	
<i>bupropion hcl oral tablet extended release</i> 24 hr 150 mg, 300 mg	1	
<i>bupropion hcl oral tablet sustained-release</i> 12 hr 100 mg, 150 mg, 200 mg	1	
<i>citalopram oral solution</i> 10 mg/5 ml	1	QL (600 per 30 days)
<i>citalopram oral tablet</i> 10 mg, 20 mg, (Celexa) 40 mg	1	QL (30 per 30 days)
<i>clomipramine oral capsule</i> 25 mg, 50 mg, 75 mg (Anafranil)	1	
<i>desipramine oral tablet</i> 10 mg, 25 mg (Norpramin)	1	
<i>desipramine oral tablet</i> 100 mg, 150 mg, 50 mg, 75 mg	1	
<i>desvenlafaxine succinate oral tablet extended release</i> 24 hr 100 mg, 25 mg, 50 mg	1	QL (30 per 30 days)
<i>doxepin oral capsule</i> 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	1	
<i>doxepin oral concentrate</i> 10 mg/ml	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	3	ST; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	3	ST; QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR <i>escitalopram oxalate oral solution 5 mg/5 ml</i>	4	QL (30 per 30 days)
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>	1	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) <i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i>	3	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	3	ST; QL (30 per 30 days)
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	
MARPLAN ORAL TABLET 10 MG <i>mirtazapine oral tablet 15 mg, 30 mg</i>	3	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i>	1	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/ml</i>	1	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	PA NSO-HRM; AGE (Max 64 Years)
PAXIL ORAL SUSPENSION 10 MG/5 ML	3	PA NSO-HRM; AGE (Max 64 Years)
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	1	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	4	PA NSO
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	1	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i>	1	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i>	1	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	2	QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	2	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
acarbose oral tablet 100 mg, 25 mg, (Precose) 50 mg	1	QL (90 per 30 days)
GLYXAMBI ORAL TABLET 10- 5 MG, 25-5 MG	2	ST; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50- 1,000 MG	2	ST; QL (60 per 30 days)
INVOKAMET ORAL TABLET 50-500 MG	2	ST; QL (120 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	2	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 100 MG	2	ST; QL (60 per 30 days)
INVOKANA ORAL TABLET 300 MG	2	ST; QL (30 per 30 days)
JANUMET ORAL TABLET 50- 1,000 MG, 50-500 MG	2	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100- 1,000 MG	2	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50- 1,000 MG, 50-500 MG	2	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	2	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	ST; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5- 850 MG	3	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	ST; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KORLYM ORAL TABLET 300 MG	4	PA; QL (112 per 28 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	5	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	5	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	5	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	5	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	5	QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML)	2	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	5	QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	1	QL (120 per 30 days)
<i>repaglinide oral tablet 1 mg</i> (Prandin)	1	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Prandin)	1	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	2	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	4	PA; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	4	PA; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	2	ST; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	ST; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	ST; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	ST; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	2	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	2	QL (9 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	2	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	2	QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	2	QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	2	QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	1	QL (40 per 28 days)
NOVOLOG MIX 70- 30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	1	QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	1	QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	2	ST; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	2	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	2	QL (13.5 per 28 days)
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	QL (30 per 28 days)
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	2	QL (18 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	QL (40 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	ST; QL (15 per 28 days)
Sulfonylureas		
glimepiride oral tablet 1 mg, 2 mg (Amaryl)	5	QL (30 per 30 days)
glimepiride oral tablet 4 mg (Amaryl)	5	QL (60 per 30 days)
glipizide oral tablet 10 mg (Glucotrol)	5	QL (120 per 30 days)
glipizide oral tablet 5 mg (Glucotrol)	5	QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg	1	QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg	1	QL (30 per 30 days)
glipizide-metformin oral tablet 2.5- 250 mg	1	QL (240 per 30 days)
glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg	1	QL (120 per 30 days)
glyburide micronized oral tablet 1.5 (Glynase) mg, 3 mg, 6 mg	1	PA-HRM; AGE (Max 64 Years)
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	1	PA-HRM; AGE (Max 64 Years)
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg	5	PA-HRM; AGE (Max 64 Years)
tolazamide oral tablet 250 mg	1	QL (120 per 30 days)
tolazamide oral tablet 500 mg	1	QL (60 per 30 days)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	4	PA BvD
amphotericin b injection recon soln 50 mg	1	PA BvD
caspofungin intravenous recon soln (Cancidas) 50 mg, 70 mg	4	
ciclopirox topical cream 0.77% (Ciclodan)	1	
ciclopirox topical solution 8% (Ciclodan)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clotrimazole mucous membrane troche 10 mg</i>	1	
<i>clotrimazole topical cream 1 % (Antifungal (clotrimazole))</i>	1	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	1	
<i>econazole topical cream 1 %</i>	1	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	1	PA BvD
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml (Diflucan)</i>	1	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg (Diflucan)</i>	1	
<i>flucytosine oral capsule 250 mg, 500 mg (Ancobon)</i>	4	
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	1	
<i>griseofulvin microsize oral tablet 500 mg</i>	1	
<i>itraconazole oral capsule 100 mg (Sporanox)</i>	1	
<i>ketoconazole oral tablet 200 mg</i>	1	
<i>ketoconazole topical cream 2 %</i>	1	
<i>ketoconazole topical shampoo 2 % (Nizoral)</i>	1	
<i>miconazole-3 vaginal suppository 200 mg</i>	1	
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	4	
<i>nyamyc topical powder 100,000 unit/gram</i>	1	
<i>nystatin oral suspension 100,000 unit/ml</i>	1	
<i>nystatin oral tablet 500,000 unit</i>	1	
<i>nystatin topical cream 100,000 unit/gram</i>	1	
<i>nystatin topical ointment 100,000 unit/gram</i>	1	
<i>nystatin topical powder 100,000 (Nyamyc) unit/gram</i>	1	
<i>nystop topical powder 100,000 unit/gram</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	4	
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	4	PA BvD
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	4	
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	4	
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg, 300 mg</i> (Zyloprim)	1	
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	3	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	1	QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	1	QL (60 per 30 days)
<i>probencid oral tablet 500 mg</i>	1	
<i>probencid-colchicine oral tablet 500-0.5 mg</i>	1	
Antihistamines		
Antihistamines		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	1	PA-HRM; AGE (Max 64 Years)
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	1	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	1	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levocetirizine oral tablet 5 mg (24HR Allergy Relief)</i>	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	PA-HRM; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i>	1	
<i>metronidazole vaginal gel 0.75 %</i>	1	(Metrogel Vaginal)
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	
<i>terconazole vaginal suppository 80 mg</i>	1	
Antimigraine Agents		
Antimigraine Agents		
<i>AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML</i>	2	PA; QL (2 per 30 days)
<i>AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML</i>	2	PA; QL (1 per 30 days)
<i>AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML</i>	2	PA; QL (1.5 per 30 days)
<i>AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML</i>	2	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution (D.H.E.45) 1 mg/ml</i>	4	QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	4	(Migranal) QL (8 per 28 days)
<i>EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML</i>	2	PA; QL (2 per 30 days)
<i>EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML</i>	2	PA; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	2	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	1	QL (20 per 28 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	1	QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	1	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> (Imitrex)	1	QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> (Imitrex)	1	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	1	QL (4 per 28 days)
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	3	PA; QL (3 per 90 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	3	
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	
<i>ethambutol oral tablet 100 mg</i>	1	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	
<i>isoniazid oral solution 50 mg/5 ml</i>	1	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	3	
PRETOMANID ORAL TABLET 200 MG	3	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	3	
<i>pyrazinamide oral tablet 500 mg</i>	1	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	1	
SIRTURO ORAL TABLET 100 MG	4	PA
TRECATOR ORAL TABLET 250 MG	3	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	3	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	3	PA BvD
<i>aprepitant oral capsule 125 mg</i>	1	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i> (Emend)	1	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	PA BvD; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	3	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	1	
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	1	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	3	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln</i> (Emend 150 mg (fosaprepitant))	1	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	1	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	1	
<i>granisetron hcl oral tablet 1 mg</i>	1	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	
<i>ondansetron hcl oral tablet 24 mg</i>	1	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i> (Zofran)	1	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>	1	PA BvD
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	1	
<i>prochlorperazine maleate oral tablet</i> (Compazine) 10 mg, 5 mg	1	
<i>prochlorperazine rectal suppository</i> (Compro) 25 mg	1	
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i> (Phenergan)	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository</i> (Promethegan) 12.5 mg, 25 mg, 50 mg	1	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>scopolamine base transdermal patch (Transderm-Scop) 3 day 1 mg over 3 days</i>	1	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	3	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg (Albenza)</i>	4	
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	4	
ALINIA ORAL TABLET 500 MG	4	
<i>atovaquone oral suspension 750 mg/5 ml (Mepron)</i>	4	
<i>atovaquone-proguanil oral tablet 250-100 mg (Malarone)</i>	1	
<i>atovaquone-proguanil oral tablet 62.5-25 mg (Malarone Pediatric)</i>	1	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	1	
COARTEM ORAL TABLET 20-120 MG	3	
DARAPRIM ORAL TABLET 25 MG	4	PA
<i>hydroxychloroquine oral tablet 200 mg (Plaquenil)</i>	1	
IMPAVIDO ORAL CAPSULE 50 MG	4	PA; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg (Stromectol)</i>	1	
KRINTAFEL ORAL TABLET 150 MG	3	
<i>mefloquine oral tablet 250 mg</i>	1	
<i>paromomycin oral capsule 250 mg</i>	1	
<i>pentamidine inhalation recon soln 300 mg (Nebupent)</i>	1	PA BvD
<i>pentamidine injection recon soln 300 mg (Pentam)</i>	1	
PRIMAQUINE ORAL TABLET 26.3 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	4	PA
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	1	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	4	PA; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i> (Cogentin)	1	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	
<i>cabergoline oral tablet 0.5 mg</i>	1	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	1	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	3	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	3	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	3	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	3	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	3	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	3	
<i>entacapone oral tablet 200 mg</i> (Comtan)	1	
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 137 MG	4	PA; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 68.5 MG	4	PA; QL (30 per 30 days)
INBRIJA 42 MG INHALATION CAP 42 MG	4	PA; QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	4	PA; QL (300 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	2	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	3	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	3	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	1	
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i>	1	
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	1	
<i>selegiline hcl oral capsule 5 mg</i>	1	
<i>selegiline hcl oral tablet 5 mg</i>	1	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	
XADAGO ORAL TABLET 100 MG, 50 MG	4	PA; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	4	QL (1 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	4	QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aripiprazole oral solution 1 mg/ml</i>	4	QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg (Abilify)</i>	1	QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg (Abilify)</i>	1	QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	4	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	4	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	4	QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	4	QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	4	QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	4	QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	4	QL (3.2 per 28 days)
CAPLYTA ORAL CAPSULE 42 MG	4	ST; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	1	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	1	
<i>clozapine oral tablet 100 mg (Clozaril)</i>	1	QL (270 per 30 days)
<i>clozapine oral tablet 200 mg (Clozaril)</i>	1	QL (135 per 30 days)
<i>clozapine oral tablet 25 mg, 50 mg (Clozaril)</i>	1	QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>	1	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating 150 mg</i>	1	ST; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clozapine oral tablet,disintegrating 200 mg</i>	4	ST; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG	3	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	3	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	3	QL (6 per 28 days)
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 100 mg/ml</i>	1	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	1	
<i>haloperidol decanoate intramuscular (Haldol Decanoate) solution 50 mg/ml</i>	1	
<i>haloperidol lactate injection solution (Haldol) 5 mg/ml</i>	1	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	4	QL (0.75 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	4	QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	4	QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	4	QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	4	QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	4	QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	4	QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	4	QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	2	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	2	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	
<i>molindone oral tablet 10 mg</i>	1	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	4	PA NSO; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	4	PA NSO; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	1	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg</i> (Invega)	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	QL (60 per 30 days)
<i>paliperidone oral tablet extended release 24hr 9 mg</i> (Invega)	4	QL (30 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG	4	QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	1	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	1	QL (90 per 30 days)
REXULTI ORAL TABLET 0.25 MG	4	ST; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	4	ST; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	4	ST; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	3	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	4	QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	1	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	1	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 3 mg, 4 mg</i>	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	4	ST; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	4	ST; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	4	ST; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	4	ST; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	3	ST
<i>ziprasidone hcl oral capsule 20 mg, (Geodon) 40 mg, 60 mg, 80 mg</i>	1	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular (Geodon) recon soln 20 mg/ml (final conc.)</i>	1	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	3	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	4	QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml (Ziagen)</i>	1	
<i>abacavir oral tablet 300 mg (Ziagen)</i>	1	
<i>abacavir-lamivudine oral tablet 600- 300 mg (Epzicom)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	4	
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	4	
APTIVUS ORAL CAPSULE 250 MG	4	
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	4	
ATRIPLA ORAL TABLET 600-200-300 MG	4	
BIKTARVY ORAL TABLET 50-200-25 MG	4	
CIMDUO ORAL TABLET 300-300 MG	4	
COMPLERA ORAL TABLET 200-25-300 MG	4	
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	3	
DELSTRIGO ORAL TABLET 100-300-300 MG	4	
DESCOVY ORAL TABLET 200-25 MG	4	
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i>	1	
DOVATO ORAL TABLET 50-300 MG	4	
EDURANT ORAL TABLET 25 MG	4	
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	4	
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	1	
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	4	
EMTRIVA ORAL CAPSULE 200 MG	3	
EMTRIVA ORAL SOLUTION 10 MG/ML	3	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	3	
EVOTAZ ORAL TABLET 300-150 MG	4	
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	4	
GENVOYA ORAL TABLET 150- 150-200-10 MG	4	
INTELENCE ORAL TABLET 100 MG, 200 MG	4	
INTELENCE ORAL TABLET 25 MG	3	
INVIRASE ORAL TABLET 500 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	4	
ISENTRESS ORAL POWDER IN PACKET 100 MG	3	
ISENTRESS ORAL TABLET 400 MG	4	
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	4	
KALETRA ORAL TABLET 100- 25 MG	3	
KALETRA ORAL TABLET 200- 50 MG	4	
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	1	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	1	
LEXIVA ORAL SUSPENSION 50 MG/ML	3	
<i>lopinavir-ritonavir oral solution 400- 100 mg/5 ml</i> (Kaletra)	1	
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	1	
<i>nevirapine oral tablet 200 mg</i> (Viramune)	1	
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>nevirapine oral tablet extended release 24 hr 400 mg</i>	(Viramune XR)	1	
NORVIR ORAL POWDER IN PACKET 100 MG		3	
NORVIR ORAL SOLUTION 80 MG/ML		3	
ODEFSEY ORAL TABLET 200-25-25 MG		4	
PIFELTRO ORAL TABLET 100 MG		4	
PREZCOBIX ORAL TABLET 800-150 MG-MG		4	
PREZISTA ORAL SUSPENSION 100 MG/ML		4	
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG		4	
PREZISTA ORAL TABLET 75 MG		3	
RESCRIPTOR ORAL TABLET 200 MG		3	
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG		3	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML		3	
REYATAZ ORAL POWDER IN PACKET 50 MG		4	
<i>ritonavir oral tablet 100 mg</i>	(Norvir)	1	
SELZENTRY ORAL SOLUTION 20 MG/ML		3	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG		4	
SELZENTRY ORAL TABLET 25 MG		3	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>		1	
STRIBILD ORAL TABLET 150-150-200-300 MG		4	
SYMFLO ORAL TABLET 400-300-300 MG		4	
SYMFLO ORAL TABLET 600-300-300 MG		4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMTUZA ORAL TABLET 800-150-200-10 MG	4	
TEMIXYS ORAL TABLET 300-300 MG	4	
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	
TIVICAY ORAL TABLET 10 MG	3	
TIVICAY ORAL TABLET 25 MG, 50 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	4	
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	4	
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	4	
VEMLIDY ORAL TABLET 25 MG	4	QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	3	
VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG	3	
VIRACEPT ORAL TABLET 250 MG, 625 MG	4	
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	4	
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	
<i>zidovudine oral tablet 300 mg</i>	1	
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	QL (42 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	4	PA; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	4	PA; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	4	PA; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	3	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	4	PA
XOFLUZA ORAL TABLET 20 MG, 40 MG	3	QL (4 per 180 days)
Hcv Antivirals		
EPCLUSIA ORAL TABLET 400-100 MG	4	PA; QL (28 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	4	PA; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	4	PA; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	4	PA; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa)	4	PA; QL (28 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	4	PA; QL (28 per 28 days)
TECHNIVIE ORAL TABLET 12.5-75-50 MG	4	PA; QL (56 per 28 days)
VIEKIRA PAK ORAL TABLETS, DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	4	PA
VOSEVI ORAL TABLET 400-100-100 MG	4	PA; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	4	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	4	PA NSO
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	4	PA NSO
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	4	
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	4	
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	4	
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	4	
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	4	PA NSO
Nucleosides And Nucleotides		
acyclovir oral capsule 200 mg	1	
acyclovir oral suspension 200 mg/5 ml (Zovirax)	1	
acyclovir oral tablet 400 mg, 800 mg	1	
acyclovir sodium intravenous recon soln 1,000 mg, 500 mg	1	PA BvD
acyclovir sodium intravenous solution 50 mg/ml	1	PA BvD
adefovir oral tablet 10 mg (Hepsera)	4	
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	1	
famciclovir oral tablet 125 mg, 250 mg, 500 mg	1	
ganciclovir sodium intravenous recon soln 500 mg (Cytovene)	1	PA BvD
ganciclovir sodium intravenous solution 50 mg/ml	1	PA BvD
ribasphere oral capsule 200 mg	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ribasphere oral tablet 600 mg</i>	4	
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	4	PA BvD
<i>ribavirin oral capsule 200 mg</i>	1	
<i>ribavirin oral tablet 200 mg</i>	1	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	4	
Blood		
Products/Modifiers/Volume		
Expanders		
Anticoagulants		
<i>BEVYXXA ORAL CAPSULE 40 MG, 80 MG</i>	3	QL (43 per 42 days)
<i>ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</i>	2	
<i>ELIQUIS ORAL TABLET 2.5 MG, 5 MG</i>	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	1	
<i>enoxaparin subcutaneous syringe 100 mg/ml, 120 mg/0.8 ml, 150 mg/ml, 30 mg/0.3 ml, 40 mg/0.4 ml, 60 mg/0.6 ml, 80 mg/0.8 ml</i> (Lovenox)	1	
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml</i> (Arixtra)	4	
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	1	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	1	
<i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	1	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	1	
<i>heparin, porcine (pf) injection solution 1,000 unit/ml</i>	1	
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	3	ST; QL (60 per 30 days)
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)	1	
XARELTO ORAL TABLET 10 MG, 20 MG	2	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	2	QL (60 per 30 days)
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	2	
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	4	PA; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	4	PA; QL (15 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	4	PA; QL (15 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	4	PA; QL (15 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	4	PA
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	4	PA
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	4	PA
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	4	PA; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	4	PA; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	4	
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MULPLETA ORAL TABLET 3 MG	4	PA; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	4	PA
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	4	PA
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	4	PA
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	4	
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	4	PA
PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 20,000 UNIT/ML	4	PA; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 40,000 UNIT/ML	4	PA; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	4	PA; QL (360 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	4	PA; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG, 50 MG	4	PA; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	4	PA; QL (120 per 30 days)
PROMACTA ORAL TABLET 75 MG	4	PA; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	1	PA; QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	4	PA
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	4	
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	4	PA
Hematologic Agents, Miscellaneous		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	4	PA
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	
<i>anagrelide oral capsule 1 mg</i>	1	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	4	PA
<i>protamine intravenous solution 10 mg/ml</i>	1	
SIKLOS ORAL TABLET 1,000 MG, 100 MG	3	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	4	PA; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i>	1	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	QL (30 per 30 days)
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er</i> (Aggrenox) <i>multiphase 12 hr 25-200 mg</i>	1	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	2	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	3	PA BvD
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	3	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	3	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	3	PA BvD
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	3	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	3	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	3	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	3	PA BvD
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	3	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	3	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	3	PA BvD
CLINIMIX 4.25%-D25W SULF- FREE INTRAVENOUS PARENTERAL SOLUTION 4.25	3	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	3	PA BvD
CLINIMIX E 2.75%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	3	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	3	PA BvD
CLINIMIX E 4.25%/D25W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	3	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	3	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	3	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	3	PA BvD
CLINIMIX E 5%/D25W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	3	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 %	3	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	3	PA BvD
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	3	PA BvD
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	3	PA BvD
<i>dextrose 30 % in water (d30w) intravenous parenteral solution</i>	3	PA BvD
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	3	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	3	PA BvD
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	3	PA BvD
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	3	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	3	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	3	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	3	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	3	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	3	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	3	PA BvD
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	3	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	3	PA BvD
<i>smoflipid intravenous emulsion 20 %</i>	3	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> (Catapres)	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	4	PA; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	1	
Angiotensin II Receptor Antagonists		
EDARBI ORAL TABLET 40 MG, 80 MG	2	
EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG	2	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	2	QL (60 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	5	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	5	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	5	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-25 mg</i>	1	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	1	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>	1	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>	1	
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i>	5	
<i>benazepril oral tablet 5 mg</i>	5	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	1	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	5	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	5	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	5	
<i>lisinopril oral tablet 10 mg, 20 mg</i>	5	
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg, 5 mg</i>	5	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	5	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	5	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>	5	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antiarrhythmic Agents		
<i>amiodarone oral tablet 200 mg, 400 mg (Pacerone)</i>	1	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg (Norpace)</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)</i>	1	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	
MULTAQ ORAL TABLET 400 MG	2	
<i>pacerone oral tablet 200 mg, 400 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	
<i>procainamide intravenous syringe 100 mg/ml</i>	1	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>	1	
<i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>	1	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg (Ziac)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	2	
BYVALSON ORAL TABLET 5-80 MG	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	1	
<i>labetalol intravenous solution 5 mg/ml</i>	1	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i>	1	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	1	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	1	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i>	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>propranolol intravenous solution 1 mg/ml</i>	1	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i>	1	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
sotalol af oral tablet 120 mg, 160 mg, 80 mg	1	
sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg (Sorine)	1	
timolol maleate oral tablet 10 mg, 20 mg, 5 mg	1	
Calcium-Channel Blocking Agents		
cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	1	
diltiazem hcl intravenous solution 5 mg/ml	1	
diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg	1	
diltiazem hcl oral capsule,extended release 24 hr 420 mg (Tiadylt ER)	1	
diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cartia XT)	1	
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)	1	
diltiazem hcl oral tablet 90 mg	1	
dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg	1	
taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg	1	
tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	1	
verapamil intravenous syringe 2.5 mg/ml	1	
verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg (Verelan PM)	1	
verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg (Verelan)	1	
verapamil oral capsule,ext rel. pellets 24 hr 360 mg (Verelan)	3	
verapamil oral tablet 120 mg, 40 mg, 80 mg	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	
Cardiovascular Agents, Miscellaneous		
Miscellaneous		
CORLANOR ORAL SOLUTION 5 MG/5 ML	2	QL (560 per 28 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	2	QL (60 per 30 days)
DEMSER ORAL CAPSULE 250 MG	4	
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	1	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	1	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	1	
DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)	3	
<i>digoxin oral tablet 125 mcg (0.125 mg) (Digitek)</i>	1	
<i>digoxin oral tablet 250 mcg (0.25 mg) (Digitek)</i>	1	
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml (EpiPen Jr)</i>	1	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml (Auvi-Q)</i>	1	QL (4 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	1	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml (Firazyr)</i>	4	PA; QL (18 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg (Ranexa)</i>	1	
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	2	QL (4 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	4	PA; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	4	PA; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Dihydropyridines		
<i>afeditab cr oral tablet extended release 30 mg</i>	1	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg (Norvasc)</i>	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg (Lotrel)</i>	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	1	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge)</i>	1	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)</i>	1	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg (Adalat CC)</i>	1	
Diuretics		
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	
<i>bumetanide injection solution 0.25 mg/ml</i>	1	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	1	
<i>chlorothiazide sodium intravenous recon soln 500 mg (Diuril IV)</i>	1	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
hydrochlorothiazide oral capsule 12.5 mg	1	
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	
indapamide oral tablet 1.25 mg, 2.5 mg	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG	4	PA; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	4	PA; QL (56 per 28 days)
methyclothiazide oral tablet 5 mg	1	
spironolactone oral tablet 100 mg, (Aldactone) 25 mg, 50 mg	1	
torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg	1	
triamterene-hydrochlorothiazid oral (Dyazide) capsule 37.5-25 mg	1	
triamterene-hydrochlorothiazid oral capsule 50-25 mg	1	
triamterene-hydrochlorothiazid oral (Maxzide-25mg) tablet 37.5-25 mg	1	
triamterene-hydrochlorothiazid oral (Maxzide) tablet 75-50 mg	1	
Dyslipidemics		
atorvastatin oral tablet 10 mg, 20 (Lipitor) mg, 40 mg, 80 mg	5	
cholestyramine (with sugar) oral (Questran) powder in packet 4 gram	1	
cholestyramine light oral powder 4 gram	1	
cholestyramine light packet 4 gram	1	
colesevelam oral tablet 625 mg (WelChol)	1	
colestipol oral packet 5 gram (Colestid)	1	
colestipol oral tablet 1 gram (Colestid)	1	
ezetimibe oral tablet 10 mg (Zetia)	1	QL (30 per 30 days)
fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPIID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	4	PA; QL (30 per 30 days)
JUXTAPIID ORAL CAPSULE 20 MG	4	PA; QL (90 per 30 days)
JUXTAPIID ORAL CAPSULE 5 MG	4	PA; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	2	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	5	
NEXLETOL ORAL TABLET 180 MG	3	PA; QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	1	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	1	
<i>niacor oral tablet 500 mg</i>	1	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	PA; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	5	
<i>pravastatin oral tablet 20 mg, 40 mg</i> (Pravachol)	5	
<i>prevalite oral powder in packet 4 gram</i>	1	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	PA; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	PA; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	PA; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>	(Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	(Zocor)	5	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>		5	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM		2	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM		2	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM		1	
WELCHOL ORAL TABLET 625 MG		1	
Renin-Angiotensin-Aldosterone System Inhibitors			
<i>aliskiren oral tablet 150 mg, 300 mg</i>	(Tekturna)	1	
<i>eplerenone oral tablet 25 mg, 50 mg</i>	(Inspira)	1	
TEKTURNNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG		2	ST
Vasodilators			
BIDIL ORAL TABLET 20-37.5 MG		2	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>		1	
<i>isosorbide dinitrate oral tablet 5 mg</i>	(Isordil Titradoser)	1	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i>	(ISOCHRON)	1	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>		1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>		1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>		1	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>		1	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>		1	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i>	(Nitrostat)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i>	1	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>	1	QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	4	PA; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	4	PA; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	4	PA; QL (60 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	4	PA; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR 30 MCG/0.5 ML	4	PA; QL (1 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	4	PA; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	4	PA; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	4	PA; QL (15 per 30 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>	1	PA BvD
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	1	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	4	PA; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	4	PA; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	4	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	QL (60 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i>	1	QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i>	(Adderall XR)	1	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i>	(Adderall XR)	1	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	1	QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG		4	PA; QL (15 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>		1	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG		4	PA; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Copaxone)	4	PA; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Copaxone)	4	PA; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>		4	PA; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>		4	PA; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	1	
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)		4	PA
INGREZZA ORAL CAPSULE 40 MG, 80 MG		4	PA; QL (30 per 30 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML		4	PA; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>		1	
<i>lithium carbonate oral tablet 300 mg</i>		1	
<i>lithium carbonate oral tablet extended release 300 mg</i>	(Lithobid)	1	
<i>lithium carbonate oral tablet extended release 450 mg</i>		1	
<i>lithium citrate oral solution 8 meq/5 ml</i>		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	4	PA
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	4	PA
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	4	PA
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	4	PA
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	4	PA
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	4	PA
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	4	PA
MAYZENT ORAL TABLET 0.25 MG	4	PA; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	4	PA; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	1	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	1	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er (Ritalin LA) biphasic 50-50 10 mg, 20 mg, 40 mg</i>	1	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er (Ritalin LA) biphasic 50-50 30 mg</i>	1	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	1	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	1	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	1	QL (90 per 30 days)
<i>methylphenidate la 30 mg cap 30 mg (Ritalin LA)</i>	1	QL (60 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	2	PA; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	4	PA; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	4	PA; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	4	PA
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	4	PA; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	4	PA
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	4	PA; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	4	PA; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN Injector 22 MCG/0.5 ML, 44 MCG/0.5 ML	4	PA; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN Injector 8.8MCG/0.2ML-22 MCG/0.5ML (6)	4	PA
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	4	PA
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	2	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	2	
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG	4	PA; QL (14 per 7 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	4	PA
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 240 MG	4	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
tetrabenazine oral tablet 12.5 mg, (Xenazine) 25 mg	4	PA; QL (112 per 28 days)
VUMERTY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	4	PA; QL (120 per 30 days)
Contraceptives		
Contraceptives		
afirmelle oral tablet 0.1-20 mg-mcg	1	
altavera (28) oral tablet 0.15-0.03 mg	1	
alyacen 1/35 (28) oral tablet 1-35 mg-mcg	1	
alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)	1	QL (91 per 84 days)
amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	1	QL (91 per 84 days)
apri oral tablet 0.15-0.03 mg	1	
aranelle (28) oral tablet 0.5/1/0.5- 35 mg-mcg	1	
ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	1	QL (91 per 84 days)
aubra oral tablet 0.1-20 mg-mcg	1	
aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg	1	
aurovela 1/20 (21) oral tablet 1-20 mg-mcg	1	
aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	1	
aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	1	
aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	
aviane oral tablet 0.1-20 mg-mcg	1	
ayuna oral tablet 0.15-0.03 mg	1	
azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>balziva</i> (28) oral tablet 0.4-35 mg-mcg	1	
<i>bekyree</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	
<i>blisovi fe</i> 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	1	
<i>blisovi fe</i> 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	1	
<i>blisovi fe</i> 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	
<i>briellyn</i> oral tablet 0.4-35 mg-mcg	1	
<i>camila</i> oral tablet 0.35 mg	1	
<i>caziant</i> (28) oral tablet 0.1/.125/.15-25 mg-mcg	1	
<i>cryselle</i> (28) oral tablet 0.3-30 mg-mcg	1	
<i>cyclafem</i> 1/35 (28) oral tablet 1-35 mg-mcg	1	
<i>cyclafem</i> 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
<i>cyred</i> oral tablet 0.15-0.03 mg	1	
<i>dasetta</i> 1/35 (28) oral tablet 1-35 mg-mcg	1	
<i>dasetta</i> 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	1	
<i>daysee</i> oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)	1	QL (91 per 84 days)
<i>deblitane</i> oral tablet 0.35 mg	1	
<i>delyla</i> (28) oral tablet 0.1-20 mg-mcg	1	
<i>desog-e.estradiol</i> (Azurette (28)) tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	
<i>desogestrel-ethinyl estradiol</i> (Aprि) tablet 0.15-0.03 mg	1	
<i>drospirenone-ethinyl estradiol</i> (Jasmiel (28)) tablet 3-0.02 mg	1	
<i>drospirenone-ethinyl estradiol</i> (Syeda) tablet 3-0.03 mg	1	
<i>elonest</i> oral tablet 0.3-30 mg-mcg	1	
ELLA ORAL TABLET 30 MG	3	QL (6 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	1	QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	1	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>enskyce oral tablet 0.15-0.03 mg</i>	1	
<i>errin oral tablet 0.35 mg</i>	1	
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	1	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	1	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	1	
<i>heather oral tablet 0.35 mg</i>	1	
<i>incassia oral tablet 0.35 mg</i>	1	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	1	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	1	
<i>jencycla oral tablet 0.35 mg</i>	1	
<i>jolivette oral tablet 0.35 mg</i>	3	
<i>juleber oral tablet 0.15-0.03 mg</i>	1	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	1	
<i>kalliga oral tablet 0.15-0.03 mg</i>	1	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	1	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	1	
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	QL (91 per 84 days)
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/175 mg (4)</i>	1	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/175 mg (7)</i>	1	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/175 mg (7)</i>	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	1	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	3	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	1	
<i>levonest (28) oral tablet 50-30 (6)/175-40 (5)/125-30(10)</i>	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	(Introvale)	1	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	1	
<i>levora-28 oral tablet 0.15-0.03 mg</i>		1	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>		1	
<i>lojaimies oral tablets, dose pack, 3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>		1	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>		1	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>		1	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>		1	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>		1	
<i>lyza oral tablet 0.35 mg</i>		1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>		1	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>		1	
<i>mihi oral tablet 0.25-35 mg-mcg</i>		1	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>		1	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>		3	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>		1	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		1	
<i>nikki (28) oral tablet 3-0.02 mg</i>		1	
<i>nora-be oral tablet 0.35 mg</i>		3	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	1	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(Aurovela 24 Fe)	1	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri Femynor)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Estarylla)	1	
<i>norlyda oral tablet 0.35 mg</i>		1	
<i>norlyroc oral tablet 0.35 mg</i>		1	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		1	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>		1	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>		1	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>		1	
<i>philith oral tablet 0.4-35 mg-mcg</i>		1	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>		1	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg</i>		1	
<i>portia 28 oral tablet 0.15-0.03 mg</i>		1	
<i>previfem oral tablet 0.25-35 mg-mcg</i>		1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>		1	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>		1	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>		1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>simpesse oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	1	
<i>syeda oral tablet 3-0.03 mg</i>	1	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
tulana oral tablet 0.35 mg	1	
velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg	1	
vienna oral tablet 0.1-20 mg-mcg	1	
viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	
volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	1	
vyfemla (28) oral tablet 0.4-35 mg-mcg	1	
vylibra oral tablet 0.25-35 mg-mcg	1	
wera (28) oral tablet 0.5-35 mg-mcg	1	
xulane transdermal patch weekly 150-35 mcg/24 hr	1	QL (3 per 28 days)
zarah oral tablet 3-0.03 mg	1	
zenchent (28) oral tablet 0.4-35 mg-mcg	1	
zovia 1/35e (28) oral tablet 1-35 mg-mcg	1	
zumandimine (28) oral tablet 3-0.03 mg	1	

Dental And Oral Agents

Dental And Oral Agents

chlorhexidine gluconate mucous membrane mouthwash 0.12 %	(Paroex Oral Rinse)	1	
oralone dental paste 0.1 %		1	
paroex oral rinse mucous membrane mouthwash 0.12 %		1	
periogard mucous membrane mouthwash 0.12 %		1	
pilocarpine hcl oral tablet 5 mg, 7.5 mg	(Salagen (pilocarpine))	1	
triamicinolone acetonide dental paste 0.1 %	(Oralone)	1	

Dermatological Agents

Dermatological Agents, Other

acitretin oral capsule 10 mg, 25 mg	(Soriatane)	1	
acitretin oral capsule 17.5 mg		1	
acyclovir topical ointment 5 %	(Zovirax)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	
<i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)	1	
<i>ammonium lactate topical lotion 12 %</i> (Geri-Hydrolac)	1	
<i>calcipotriene scalp solution 0.005 %</i>	1	
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	1	
<i>fluorouracil topical cream 0.5 %</i> (Carac)	4	
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	
<i>fluorouracil topical solution 2 %, 5 %</i>	1	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	1	QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	4	
PANRETIN TOPICAL GEL 0.1 %	4	
PICATO TOPICAL GEL 0.015 %	2	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	2	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	1	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	3	
TOLAK TOPICAL CREAM 4 %	3	
VALCHLOR TOPICAL GEL 0.016 %	4	
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	
Dermatological Antibacterials		
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	1	
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	1	
<i>ery pads topical swab 2 %</i>	1	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	1	
<i>erythromycin with ethanol topical solution 2 %</i>	1	
<i>erythromycin with ethanol topical swab 2 %</i> (Ery Pads)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gentamicin topical cream 0.1 %</i>	1	
<i>gentamicin topical ointment 0.1 %</i>	1	
<i>metronidazole topical cream 0.75 % (Rosadan)</i>	1	
<i>metronidazole topical gel 0.75 % (Rosadan)</i>	1	
<i>metronidazole topical gel 1 % (Metrogel)</i>	1	
<i>metronidazole topical lotion 0.75 % (MetroLotion)</i>	1	
<i>mupirocin topical ointment 2 % (Centany)</i>	1	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	
<i>rosadan topical cream 0.75 %</i>	1	
<i>selenium sulfide topical lotion 2.5 %</i>	1	
<i>silver sulfadiazine topical cream 1 % (SSD)</i>	1	
<i>ssd topical cream 1 %</i>	3	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	1	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	1	
<i>alclometasone topical cream 0.05 %</i>	1	
<i>alclometasone topical ointment 0.05 %</i>	1	
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	
<i>betamethasone valerate topical cream 0.1 %</i>	1	
<i>betamethasone valerate topical lotion 0.1 %</i>	1	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	
<i>betamethasone, augmented topical cream 0.05 %</i>	1	
<i>betamethasone, augmented topical gel 0.05 %</i>	1	
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>betamethasone, augmented topical ointment 0.05 %</i>	(Diprolene)	1	
<i>clobetasol scalp solution 0.05 %</i>		1	
<i>clobetasol topical cream 0.05 %</i>	(Temovate)	1	
<i>clobetasol-emollient topical cream 0.05 %</i>		1	
<i>clocortolone pivalate topical cream 0.1 %</i>	(Cloderm)	3	
<i>cormax scalp solution 0.05 %</i>		1	
<i>desoximetasone topical cream 0.25 %</i>	(Topicort)	1	
EUCRISA TOPICAL OINTMENT 2 %		2	
<i>fluocinolone topical cream 0.01 %</i>		1	
<i>fluocinolone topical cream 0.025 %</i>	(Synalar)	1	
<i>fluocinolone topical ointment 0.025 %</i>	(Synalar)	1	
<i>fluocinonide topical cream 0.05 %</i>		1	
<i>fluocinonide topical solution 0.05 %</i>		1	
<i>fluocinonide-e topical cream 0.05 %</i>		1	
<i>fluticasone propionate topical cream 0.05 %</i>	(Cutivate)	1	
<i>fluticasone propionate topical ointment 0.005 %</i>		1	
<i>halobetasol propionate topical cream 0.05 %</i>		1	
<i>halobetasol propionate topical ointment 0.05 %</i>		1	
<i>hydrocortisone topical cream 1 %</i>	(Ala-Cort)	1	
<i>hydrocortisone topical cream 2.5 %</i>		1	
<i>hydrocortisone topical lotion 2.5 %</i>		1	
<i>hydrocortisone topical ointment 1 %</i>	(Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>		1	
<i>mometasone topical cream 0.1 %</i>		1	
<i>mometasone topical ointment 0.1 %</i>		1	
<i>mometasone topical solution 0.1 %</i>		1	
<i>pimecrolimus topical cream 1 %</i>	(Elidel)	1	
<i>prednicarbate topical cream 0.1 %</i>		3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednicarbate topical ointment 0.1 %</i>	1	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	1	
<i>procosol hc topical cream with perineal applicator 2.5 %</i>	1	
<i>protozone-hc topical cream with perineal applicator 2.5 %</i>	1	
<i>tacrolimus topical ointment 0.03 %, 0.1 % (Protopic)</i>	1	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 % (Triderm)</i>	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.05 % (Trianex)</i>	1	
Dermatological Retinoids		
<i>adapalene topical cream 0.1 % (Differin)</i>	1	
<i>adapalene topical gel 0.1 % (Differin)</i>	1	
<i>ALTRENO TOPICAL LOTION 0.05 %</i>	3	PA
<i>tazarotene topical cream 0.1 % (Tazorac)</i>	1	
<i>TAZORAC TOPICAL CREAM 0.05 %</i>	3	
<i>tretinoin topical cream 0.025 % (Avita)</i>	1	PA
<i>tretinoin topical cream 0.05 %, 0.1 % (Retin-A)</i>	1	PA
<i>tretinoin topical gel 0.01 % (Retin-A)</i>	1	PA
<i>tretinoin topical gel 0.025 % (Avita)</i>	1	PA
<i>tretinoin topical gel 0.05 % (Atralin)</i>	1	PA
Scabicides And Pediculicides		
<i>malathion topical lotion 0.5 % (Ovide)</i>	1	
<i>permethrin topical cream 5 % (Elimite)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	1	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	1	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	1	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	1
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Advocate Syringes)	1
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Lite Touch Insulin Syringe)	1
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips)	1
V-GO 40 DISPOSABLE DEVICE		1
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	4	
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	4	
CERDELGA ORAL CAPSULE 84 MG	4	PA
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	2	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	4	
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	4	
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	4	PA
GALAFOLD ORAL CAPSULE 123 MG	4	PA; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	4	PA
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	4	PA BvD
KUVAN ORAL TABLET,SOLUBLE 100 MG	4	
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	4	PA
<i>miglustat oral capsule 100 mg</i> (Zavesca)	4	PA; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	4	
<i>nitisinone oral capsule 10 mg, 2 mg,</i> (Orfadin) 5 mg	4	PA
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	4	PA
ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG	4	PA
ORFADIN ORAL SUSPENSION 4 MG/ML	4	PA
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	4	PA
PULMOZYME INHALATION SOLUTION 1 MG/ML	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REVCOVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	4	PA
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	4	PA; LA
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	4	PA
VPRIIV INTRAVENOUS RECON SOLN 400 UNIT	4	
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	2	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	1	
<i>atropine ophthalmic (eye) drops 1 % (Isopto Atropine)</i>	3	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	1	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	
<i>cyclopentolate ophthalmic (eye) (Cyclogyl) drops 0.5 %, 1 %, 2 %</i>	1	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	4	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ipratropium bromide nasal spray, non-aerosol 0.03 %</i>	1	QL (30 per 28 days)
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>	1	QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops (Pataday) 0.1 %, 0.2 %</i>	1	
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	3	
<i>proparacaine ophthalmic (eye) (Alcaine) drops 0.5 %</i>	1	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	4	PA
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	1	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	
<i>bacitracin-polymyxin b ophthalmic (Polycin) (eye) ointment 500-10,000 unit/gram</i>	1	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	1	
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	2	
<i>ciprofloxacin hcl ophthalmic (eye) (Ciloxan) drops 0.3 %</i>	1	
<i>ciprofloxacin hcl otic (ear) (Cetraxal) dropperette 0.2 %</i>	3	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	1	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	1	
MOXEZA OPHTHALMIC (EYE) DROPS, VISCOUS 0.5 %	2	
<i>moxifloxacin ophthalmic (eye) (Vigamox) drops 0.5 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	3	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	1	
<i>neomycin-polymyxin b-dexameth (Maxitrol) ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	1	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	1	
<i>ofloxacin ophthalmic (eye) drops (Ocuflax) 0.3 %</i>	1	
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	
<i>polymyxin b sulf-trimethoprim (Polytrim) ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	1	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	
<i>tobramycin ophthalmic (eye) drops 0.3 % (Tobrex)</i>	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 % (TobraDex)</i>	1	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	3	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	2	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
<i>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</i>	2	ST
<i>BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %</i>	2	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	2	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 % (FML Liquifilm)</i>	3	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation (24 Hour Allergy Relief)</i>	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	
<i>ketorolac ophthalmic (eye) drops</i> (Acular) 0.5 %	1	
LOTEMAX OPHTHALMIC (EYE) DROPS,GEL 0.5 %	2	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	2	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	2	
<i>mometasone nasal spray,non-aerosol</i> (Nasonex) 50 mcg/actuation	1	QL (34 per 28 days)
<i>prednisolone acetate ophthalmic</i> (Pred Forte) (eye) drops,suspension 1 %	3	
<i>prednisolone sodium phosphate</i> <i>ophthalmic (eye) drops</i> 1 %	1	
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	2	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	2	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	2	ST; QL (32 per 30 days)
XiIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	2	QL (60 per 30 days)
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
<i>cimetidine hcl oral solution</i> 300 mg/5 ml	1	
<i>esomeprazole sodium intravenous</i> <i>recon soln</i> 20 mg	1	
<i>esomeprazole sodium intravenous</i> (Nexium IV) <i>recon soln</i> 40 mg	1	
<i>famotidine (pf) intravenous solution</i> 20 mg/2 ml	1	
<i>famotidine (pf)-nacl (iso-os)</i> <i>intravenous piggyback</i> 20 mg/50 ml	1	
<i>famotidine intravenous solution</i> 10 mg/ml	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>famotidine oral tablet 20 mg</i>	(Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i>	(Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(dr/lec) 15 mg</i>	(Heartburn Treatment 24 Hour)	1	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/lec) 30 mg</i>	(Prevacid)	1	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	(Cytotec)	1	
<i>nizatidine oral capsule 150 mg, 300 mg</i>		1	
<i>omeprazole oral capsule, delayed release(dr/lec) 10 mg, 20 mg, 40 mg</i>		1	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i>	(Zegerid)	1	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	(Protonix)	1	
<i>pantoprazole oral tablet, delayed release (dr/lec) 20 mg</i>	(Protonix)	1	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/lec) 40 mg</i>	(Protonix)	1	QL (60 per 30 days)
<i>ranitidine hcl injection solution 25 mg/ml, 50 mg/2 ml (25 mg/ml)</i>		1	
<i>ranitidine hcl oral syrup 15 mg/ml</i>		1	
<i>ranitidine hcl oral tablet 150 mg, 300 mg</i>		1	
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	1	
Gastrointestinal Agents, Other			
<i>AMITIZA ORAL CAPSULE 24 MCG, 8 MCG</i>		2	QL (60 per 30 days)
<i>CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG</i>		4	
<i>constulose oral solution 10 gram/15 ml</i>		1	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	1	
<i>dicyclomine oral capsule 10 mg</i>		1	
<i>dicyclomine oral solution 10 mg/5 ml</i>		1	
<i>dicyclomine oral tablet 20 mg</i>		1	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>		1	PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
diphenoxylate-atropine oral tablet (Lomotil) 2.5-0.025 mg	1	PA-HRM; AGE (Max 64 Years)
enulose oral solution 10 gram/15 ml	1	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	4	PA
generlac oral solution 10 gram/15 ml	1	
glycopyrrolate injection solution 0.2 mg/ml	1	
glycopyrrolate oral tablet 1 mg, 2 mg	1	
kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml	1	
lactulose oral solution 10 gram/15 ml (Constulose)	1	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	2	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	2	QL (90 per 30 days)
loperamide oral capsule 2 mg (Anti-Diarrheal (loperamide))	1	
methscopolamine oral tablet 2.5 mg, 5 mg	1	
metoclopramide hcl injection solution 5 mg/ml	1	
metoclopramide hcl injection syringe 5 mg/ml	1	
metoclopramide hcl oral solution 5 mg/5 ml	1	
metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	2	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	4	PA; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	4	PA
RELISTOR ORAL TABLET 150 MG	4	PA; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	4	PA; QL (16.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	4	PA; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	4	PA; QL (11.2 per 28 days)
sodium phenylbutyrate oral tablet (Buphenyl) 500 mg	4	
sodium polystyrene (sorb free) oral suspension 15 gram/60 ml	1	
sodium polystyrene sulfonate oral powder	1	
sps (with sorbitol) oral suspension 15-20 gram/60 ml	1	
ursodiol oral capsule 300 mg (Actigall)	1	
ursodiol oral tablet 250 mg (URSO 250)	1	
ursodiol oral tablet 500 mg (URSO Forte)	1	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	2	QL (30 per 30 days)
VIBERZI ORAL TABLET 100 MG, 75 MG	4	ST; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	4	PA; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	2	
gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram	1	
gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram	1	
gavilyte-n oral recon soln 420 gram	1	
peg 3350-electrolytes oral recon soln (Gavilyte-C) 240-22.72-6.72 -5.84 gram	3	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	2	
trilyte with flavor packets oral recon soln 420 gram	1	
Phosphate Binders		
calcium acetate(phosphat bind) oral capsule 667 mg	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
calcium acetate(<i>phosphat bind</i>) oral tablet 667 mg	1	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	3	
sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram	4	
sevelamer carbonate oral tablet 800 mg	1	
sevelamer hcl oral tablet 400 mg	1	
sevelamer hcl oral tablet 800 mg (Renagel)	1	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	2	
Genitourinary Agents		
Antispasmodics, Urinary		
bethanechol chloride oral tablet 10 mg, 5 mg	1	
bethanechol chloride oral tablet 25 mg, 50 mg	1	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	
oxybutynin chloride oral syrup 5 mg/5 ml	1	
oxybutynin chloride oral tablet 5 mg	1	
oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg	1	
oxybutynin chloride oral tablet extended release 24hr 15 mg	1	
tolterodine oral capsule,extended release 24hr 2 mg, 4 mg	1	
tolterodine oral tablet 1 mg, 2 mg (Detrol)	1	
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	2	
Genitourinary Agents, Miscellaneous		
alfuzosin oral tablet extended release 24 hr 10 mg	1	
dutasteride oral capsule 0.5 mg (Avodart)	1	
finasteride oral tablet 5 mg (Proscar)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	4	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg,</i> <i>2 mg, 5 mg</i>	1	
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG	4	PA
THIOLA ORAL TABLET 100 MG	4	
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>clovique oral capsule 250 mg</i>	4	PA; QL (240 per 30 days)
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	4	PA
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	4	PA
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)	1	PA
FERRIPROX ORAL SOLUTION 100 MG/ML	4	PA
FERRIPROX ORAL TABLET 1,000 MG, 500 MG	4	PA
JADENU ORAL TABLET 180 MG	4	PA
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	4	PA
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	4	PA
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	4	PA
<i>trientine oral capsule 250 mg</i> (Clovique)	4	PA; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	
<i>testosterone cypionate (Depo-Testosterone) intramuscular oil 100 mg/ml, 200 mg/ml</i>	1	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	1	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	1	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	1	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	1	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	2	PA; QL (2 per 28 days)
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	1	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG	2	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch (Dotti) semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	1	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	1	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	1	
<i>estradiol vaginal tablet 10 mcg (Yuvafem)</i>	1	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	1	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	1	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	3	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	1	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	2	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	2	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	2	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG- 5MG(14)	2	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3- 1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	2	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	
<i>yuvafem vaginal tablet 10 mcg</i>	1	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>betamethasone acet, sod phos injection suspension 6 mg/ml</i>	(Celestone Soluspan)	1	
<i>cortisone oral tablet 25 mg</i>		1	
<i>decadron oral elixir 0.5 mg/5 ml</i>		1	PA BvD
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>		1	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i>	(Decadron)	1	PA BvD
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>		1	PA BvD
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>		1	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>		1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>		1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>		1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML		4	PA; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG		4	PA; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG		4	PA; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>		1	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	(Cortef)	1	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>	(Depo-Medrol)	1	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	(Medrol)	1	
<i>methylprednisolone oral tablets, dose pack 4 mg</i>	(Medrol (Pak))	1	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>		1	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i>	(Solu-Medrol)	1	
<i>prednisolone 15 mg/5 ml soln alf, dlf 15 mg/5 ml (3 mg/ml)</i>		1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	1	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	1	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	3	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i>	1	
Pituitary		
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	1	
<i>desmopressin injection solution 4 mcg/ml</i>	1	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	1	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	1	
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	4	PA; QL (60 per 30 days)
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML	3	PA
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	4	PA
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	4	PA
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	4	PA
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	4	
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	4	
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	4	
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	4	
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	4	
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	2	QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	2	QL (30 per 30 days)
NORDITROPIN FLEXPEN SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML)	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN Injector 5 MG/1.5 ML (3.3 MG/ML)	3	PA
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN Injector 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	4	PA
<i>octreotide acetate injection solution</i> 1,000 mcg/ml, 200 mcg/ml	1	
<i>octreotide acetate injection solution</i> (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml	1	
<i>octreotide acetate injection syringe</i> 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)	1	
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	4	PA
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	4	PA
ORILISSA ORAL TABLET 150 MG	4	PA; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	4	PA; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	4	PA
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	4	PA
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	4	
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	4	PA; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	4	PA NSO; QL (1 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	4	PA; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	4	PA
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	4	QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	4	
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	4	QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	4	PA
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	3	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	4	PA
Progestins		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	3	QL (10 per 28 days)
<i>hydroxyprogesterone cap (ppres) (Makena) intramuscular oil 250 mg/ml</i>	4	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml (Depo-Provera)</i>	1	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml (Depo-Provera)</i>	1	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg (Provera)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	1	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	1	
<i>progesterone intramuscular oil 50 mg/ml</i>	1	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	
Thyroid And Antithyroid Agents		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
<i>liothyronine oral tablet 25 mcg, 50 mcg</i> (Cytomel)	1	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	1	
Immunological Agents		
Immunological Agents		
<i>ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML</i>	4	PA
<i>ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)</i>	4	PA
<i>ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML</i>	4	PA
<i>ARCALYST SUBCUTANEOUS RECON SOLN 220 MG</i>	4	
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD
<i>CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)</i>	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	4	PA
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	4	PA
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	4	PA
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	1	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	1	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	1	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	1	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	1	PA BvD
DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	4	PA
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	4	PA
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	4	PA
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	4	PA
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	4	PA
<i>everolimus (immunosuppressive) oral tablet 0.25 mg</i> (Zortress)	1	PA BvD
<i>everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg</i> (Zortress)	4	PA BvD
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	3	PA BvD
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	4	PA BvD
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	4	PA BvD
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	4	PA BvD
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	4	PA BvD
<i>gengraf oral capsule 100 mg, 25 mg</i>	1	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	1	PA BvD
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	4	PA
HUMIRA PEN CROHNS-UC- HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	4	PA
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	4	PA
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	4	PA
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	4	PA
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	4	PA
HUMIRA(CF) PEN CROHNS- UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	4	PA
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	4	PA
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	4	PA
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	3	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	3	
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	4	PA BvD
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	4	PA
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	4	PA
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	4	PA
IMOGRAB RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	3	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	4	PA
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	3	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	4	PA
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	4	PA
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	1	
<i>mycophenolate mofetil (hcl) (CellCept Intravenous) intravenous recon soln 500 mg</i>	1	PA BvD
<i>mycophenolate mofetil oral capsule (CellCept) 250 mg</i>	1	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	4	PA BvD
<i>mycophenolate mofetil oral tablet (CellCept) 500 mg</i>	1	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	4	PA BvD
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	4	PA BvD
OLUMIANT ORAL TABLET 1 MG, 2 MG	4	PA
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	4	PA
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	4	PA
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	4	PA
OTEZLA ORAL TABLET 30 MG	4	PA
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	4	PA
PRIVIGEN INTRAVENOUS SOLUTION 10 %	4	PA BvD
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	3	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	3	PA BvD; ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	2	
REMICADE INTRAVENOUS RECON SOLN 100 MG	4	PA
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	4	PA
RIDAURA ORAL CAPSULE 3 MG	4	
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	4	PA
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	4	PA
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	4	PA
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	4	PA
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	4	PA
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	4	PA BvD
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	1	PA BvD
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	4	PA BvD
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	4	PA
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	4	PA
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	4	PA
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg (Prograf)	1	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	4	PA
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	4	PA
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	3	
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	4	PA
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	4	PA
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	4	PA; LA
XELJANZ ORAL TABLET 10 MG, 5 MG	4	PA
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	4	PA
ZORTRESS ORAL TABLET 0.25 MG, 0.5 MG, 0.75 MG, 1 MG	4	PA BvD
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	
ADACEL(TDAP) ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	
ADACEL(TDAP) ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	2	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	2	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	2	
DAPTACEL (DTAP) PEDIATRIC (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	2	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	2	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	2	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	2	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	2	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	2	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	2	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	2	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	2	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 62 DU/0.5 ML	2	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	2	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	2	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	2	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	2	
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	2	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	2	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	2	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	2	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	2	QL (1 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg, 1 mg (Lotronex)</i>	4	
<i>balsalazide oral capsule 750 mg (Colazal)</i>	1	
<i>budesonide oral capsule,delayed,extend.release 3 mg (Entocort EC)</i>	1	
<i>colocort rectal enema 100 mg/60 ml</i>	1	
DIPENTUM ORAL CAPSULE 250 MG	4	ST
<i>hydrocortisone rectal enema 100 mg/60 ml (Colocort)</i>	3	
LIALDA ORAL TABLET,DELAYED RELEASE (DR/EC) 1.2 GRAM	1	
<i>mesalamine oral capsule (with delayed tablets) 400 mg (Delzicol)</i>	1	
<i>mesalamine oral capsule,extended release 24hr 0.375 gram (Apriso)</i>	1	
<i>mesalamine oral tablet,delayed release (drlec) 1.2 gram (Lialda)</i>	1	
<i>mesalamine oral tablet,delayed release (drlec) 800 mg (Asacol HD)</i>	1	
<i>mesalamine rectal suppository 1,000 mg (Canasa)</i>	4	
<i>sulfasalazine oral tablet 500 mg (Azulfidine)</i>	1	
<i>sulfasalazine oral tablet,delayed release (drlec) 500 mg (Azulfidine EN-tabs)</i>	1	
UCERIS RECTAL FOAM 2 MG/ACTUATION	2	
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	3	
LACTATED RINGERS IRRIGATION SOLUTION	3	
<i>sodium chloride irrigation solution 0.9 % (Aqua Care Sodium Chloride)</i>	3	
<i>water for irrigation, sterile irrigation solution (Aqua Care Sterile Water)</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg (Fosamax)</i>	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	1	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg (Rocaltrol)</i>	1	
<i>calcitriol oral solution 1 mcg/ml (Rocaltrol)</i>	1	
<i>cinacalcet oral tablet 30 mg, 60 mg (Sensipar)</i>	4	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg (Sensipar)</i>	4	QL (120 per 30 days)
<i>doxercalciferol intravenous solution (Hectorol) 4 mcg/2 ml</i>	1	
EVENITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML	4	PA; QL (2.34 per 30 days)
EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)	4	PA; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	2	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml (Boniva)</i>	1	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg (Boniva)</i>	1	QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	4	
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	4	PA; QL (2 per 28 days)
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	1	
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar)	1	
paricalcitol oral capsule 4 mcg	1	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	2	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	2	QL (60 per 30 days)
teriparatide subcutaneous pen injector 20 mcg/dose - 620 mcg/2.48 ml	2	PA; QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	2	PA; QL (1.56 per 30 days)
zoledronic acid intravenous recon soln 4 mg	1	
zoledronic acid intravenous solution 4 mg/5 ml	1	
zoledronic acid-mannitol-water (Reclast) intravenous piggyback 5 mg/100 ml	1	QL (100 per 300 days)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	4	
amifostine crystalline intravenous (Ethyol) recon soln 500 mg	1	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	4	PA
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	4	PA; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	4	PA; QL (4 per 28 days)
CABLIVI INJECTION KIT 11 MG	4	PA; QL (30 per 30 days)
CETYLEV ORAL TABLET, EFFERVESCENT 2.5 GRAM, 500 MG	3	
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diazoxide oral suspension 50 mg/ml (Proglycem)</i>	1	
<i>droperidol injection solution 2.5 mg/ml</i>	1	
ELMIRON ORAL CAPSULE 100 MG	3	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	4	PA; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	4	PA; LA
<i>fomepizole intravenous solution 1 gram/ml</i>	4	
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	2	
<i>guanidine oral tablet 125 mg</i>	3	
GVOKE HYPOPEN SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	2	
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	2	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	2	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	2	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	
<i>hydroxyzine pamoate oral capsule (Vistaril) 25 mg, 50 mg</i>	1	
KEVEYIS ORAL TABLET 50 MG	4	PA; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	1	
<i>leucovorin calcium injection solution 10 mg/ml</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	1	
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	3	
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	4	
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	1	
MESNEX ORAL TABLET 400 MG	4	
MESTINON ORAL SYRUP 60 MG/5 ML	4	
PROCYSBIR ORAL GRANULES DEL RELEASE IN PACKET 300 MG, 75 MG	4	
PROGLYCEM ORAL SUSPENSION 50 MG/ML	3	
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	1	
<i>pyridostigmine bromide oral tablet 30 mg</i>	1	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	1	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	3	QL (30 per 30 days)
TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	4	PA; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	4	PA NSO; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	4	
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	4	QL (24 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	4	PA; QL (120 per 30 days)
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	2	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	2	
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	1	
<i>dorzolamide-timolol ophthalmic (Cosopt) (eye) drops 22.3-6.8 mg/ml</i>	1	
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	2	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	1	
<i>pilocarpine hcl ophthalmic (eye) (Isopto Carpine) drops 1 %, 2 %, 4 %</i>	1	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	2	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	2	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1- 0.2 %	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	3	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	1	QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	1	
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	3	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	3	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	3	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	3	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	1	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	1	
<i>klor-con sprinkle oral capsule, extended release 8 meq</i>	1	
K-SOL ORAL LIQUID 20 MEQ/15 ML	1	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	1	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	1	PA BvD
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	1	PA BvD
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	PA BvD
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	3	
NORMOSOL-R IV SOLUTION L/F, SINGLE-USE	3	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	3	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	3	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	3	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	PA BvD
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	1	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	1	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 8 meq</i>	1	
<i>potassium chloride oral tablet (K-Tab) extended release 20 meq</i>	3	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i>	1	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i>	1	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium citrate oral tablet (Urocit-K 10) extended release 10 meq (1,080 mg)</i>	1	
<i>potassium citrate oral tablet (Urocit-K 15) extended release 15 meq</i>	1	
<i>potassium citrate oral tablet (Urocit-K 5) extended release 5 meq (540 mg)</i>	1	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled		
Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	1	QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115- 21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	2	QL (12 per 28 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	2	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	1	PA BvD
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	2	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	2	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	2	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	2	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	2	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	2	QL (21.2 per 28 days)
SYMBICORT 160-4.5 MCG INHALER 160-4.5 MCG/ACTUATION	2	QL (12 per 30 days)
SYMBICORT 80-4.5 MCG INHALER 80-4.5 MCG/ACTUATION	2	QL (13.8 per 30 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160- 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	2	QL (10.2 per 30 days)
Antileukotrienes		
montelukast oral tablet 10 mg (Singulair)	1	
montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)	1	
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	1	
Bronchodilators		
albuterol 5 mg/ml solution 5 mg/ml	1	PA BvD
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (ProAir HFA)	1	QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)	1	QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)	1	QL (36 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	1	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	2	
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	QL (25.8 per 28 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	QL (8 per 30 days)
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	2	
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD
LONHALA MAGNAIR 25 MCG STARTER 25 MCG/ML	2	QL (60 per 30 days)
LONHALA MAGNAIR REFILL INHALATION SOLUTION FOR NEBULIZATION 25 MCG/ML	2	QL (60 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	1	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	2	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	4	
<i>theophylline oral solution 80 mg/15 ml</i>	1	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	1	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	2	
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION	2	QL (1 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION (30 ACTUAT)	2	QL (2 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)</i>	1	PA
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	4	PA
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	PA BvD
DALIRESP ORAL TABLET 250 MCG	2	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	2	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	4	PA; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	4	PA; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	4	PA; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	4	PA; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	4	PA; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	4	PA; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	4	PA; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	4	PA; LA; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	4	PA; LA; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	4	PA; LA; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	4	PA; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	4	PA; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	4	PA; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	4	PA; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N)	4	PA; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	4	PA
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	4	PA
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg</i>	1	
<i>chlorzoxazone oral tablet 500 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg</i>	1	
<i>dantrolene oral capsule 25 mg, 50 (Dantrium) mg</i>	1	
<i>methocarbamol oral tablet 500 mg</i>	1	PA-HRM; AGE (Max 64 Years)
<i>methocarbamol oral tablet 750 mg (Robaxin-750)</i>	1	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i>	1	
<i>tizanidine oral tablet 2 mg</i>	1	
<i>tizanidine oral tablet 4 mg (Zanaflex)</i>	1	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 (Nuvigil) mg, 250 mg, 50 mg</i>	1	PA; QL (30 per 30 days)
<i>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</i>	2	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 (Lunesta) mg</i>	1	QL (30 per 30 days)
<i>HETLIOZ ORAL CAPSULE 20 MG</i>	4	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SILENOR ORAL TABLET 3 MG, 6 MG	2	QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	3	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	4	PA; LA; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg (Ambien)</i>	1	QL (30 per 30 days)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	4	PA; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	4	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg (Letairis)</i>	4	PA; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i>	1	PA
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i>	4	PA
OPSUMIT ORAL TABLET 10 MG	4	PA; QL (30 per 30 days)
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG	2	PA
ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG	4	PA
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i>	4	PA; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	1	PA; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	4	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	4	PA; LA; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	4	PA; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>treprostinil sodium injection solution (Remodulin) 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	4	PA
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	4	PA
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	4	PA; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	4	PA; QL (240 per 30 days)
UPTRAVI ORAL TABLETS, DOSE PACK 200 MCG (140)- 800 MCG (60)	4	PA
Vitamins And Minerals		
Vitamins And Minerals		
<i>pnv prenatal plus multivit tab slf, gluten-free (rx) 27 mg iron- 1 mg</i>	2	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

<i>abacavir</i>	57	<i>a-hydrocort</i>	111	<i>ambrisentan</i>	142
<i>abacavir-lamivudine</i>	57	AIMOVIG		<i>amethia</i>	86
<i>abacavir-lamivudine-</i>		AUTOINJECTOR	46	<i>amethia lo</i>	86
<i>zidovudine</i>	58	AIMOVIG		<i>amifostine crystalline</i>	130
ABELCET	43	AUTOINJECTOR (2 PACK)	46	<i>amiloride</i>	78
ABILIFY MAINTENA	52	AJOVY AUTOINJECTOR	46	<i>amiloride-hydrochlorothiazide</i> ..	78
ABRAXANE	17	AJOVY SYRINGE	46	AMINOSYN 10 %	67
<i>acamprosate</i>	8	AKYNZEO		AMINOSYN 7 % WITH	
<i>acarbose</i>	39	(FOSNETUPITANT)	48	ELECTROLYTES	68
<i>acebutolol</i>	74	AKYNZEO		AMINOSYN 8.5 %	68
<i>acetaminophen-codeine</i>	3	(NETUPITANT)	48	AMINOSYN 8.5 %-	
<i>acetazolamide</i>	133	<i>ala-cort</i>	95	ELECTROLYTES	68
<i>acetazolamide sodium</i>	133	<i>albendazole</i>	50	AMINOSYN II 10 %	68
<i>acetic acid</i>	101, 128	<i>albuterol sulfate</i>	137, 138	AMINOSYN II 15 %	68
<i>acetylcysteine</i>	139	<i>alclometasone</i>	95	AMINOSYN II 7 %	68
<i>acitretin</i>	93	ALCOHOL PADS	94	AMINOSYN II 8.5 %	68
ACTEMRA	117	ALDURAZYME	98	AMINOSYN II 8.5 %-	
ACTEMRA ACTPEN	117	ALECENSA	18	ELECTROLYTES	68
ACTHIB (PF)	123	<i>alendronate</i>	129	AMINOSYN M 3.5 %	68
ACTIMMUNE	130	<i>alfuzosin</i>	108	AMINOSYN-HBC 7%	68
<i>acyclovir</i>	63, 93	ALIMTA	18	AMINOSYN-PF 10 %	69
<i>acyclovir sodium</i>	63	ALINIA	50	AMINOSYN-PF 7 %	
ADACEL(TDAP		ALIQOPA	18	(SULFITE-FREE)	69
ADOLESN/ADULT)(PF)	123	<i>aliskiren</i>	81	AMINOSYN-RF 5.2 %	69
ADAGEN	98	<i>allopurinol</i>	45	<i>amiodarone</i>	74
ADAKVEO	67	<i>alosetron</i>	128	AMITIZA	105
<i>adapalene</i>	97	ALPHAGAN P	133	<i>amitriptyline</i>	36
ADCETRIS	17	<i>alprazolam</i>	9	<i>amlodipine</i>	78
<i>adefovir</i>	63	ALREX	103	<i>amlodipine-benazepril</i>	78
ADEMPAS	142	<i>altavera (28)</i>	86	<i>amlodipine-valsartan</i>	78
<i>adriamycin</i>	17	ALTRENO	97	<i>ammonium lactate</i>	94
<i>adrucil</i>	17	ALUNBRIG	18	<i>amoxapine</i>	36
ADVAIR DISKUS	136	<i>alyacen 1/35 (28)</i>	86	<i>amoxicillin</i>	14
ADVAIR HFA	136	<i>alyacen 7/7/7 (28)</i>	86	<i>amoxicillin-pot clavulanate</i> .14, 15	
<i>afeditab cr</i>	78	<i>alyq</i>	142	<i>amphotericin b</i>	43
AFINITOR	17, 18	amabelz	110	ampicillin	15
AFINITOR DISPERZ	17	<i>amantadine hcl</i>	51	<i>ampicillin sodium</i>	15
<i>afirmelle</i>	86	AMBISOME	43	<i>ampicillin-sulbactam</i>	15

ANADROL-50.....	109	<i>aurovela fe 1-20 (28)</i>	86	<i>benztropine</i>	51
<i>anagrelide.....</i>	67	AUSTEDO.....	82	BESPONSA.....	18
<i>anastrozole.....</i>	18	AVASTIN.....	18	<i>betamethasone acet,sod phos..</i>	112
ANORO ELLIPTA.....	138	<i>aviane</i>	86	<i>betamethasone dipropionate</i>	95
APOKYN.....	51	AVONEX.....	82	<i>betamethasone valerate</i>	95
<i>apraclonidine</i>	100	AVONEX (WITH ALBUMIN).....	82	<i>betamethasone, augmented.</i>	95, 96
<i>aprepitant</i>	48	<i>ayuna</i>	86	BETASERON.....	82
<i>apri.....</i>	86	AYVAKIT.....	18	<i>betaxolol.....</i>	74
APTIOM.....	31	<i>azacitidine</i>	18	<i>bethanechol chloride</i>	108
APTIVUS.....	58	<i>azathioprine</i>	117	BETHKIS.....	10
APTIVUS (WITH VITAMIN E).....	58	<i>azathioprine sodium</i>	117	BEVYXXA.....	64
<i>aranelle (28)</i>	86	<i>azelastine</i>	100	<i>bexarotene</i>	19
ARCALYST.....	117	<i>azithromycin</i>	13	BEXSERO.....	124
<i>aripiprazole</i>	53	AZOPT.....	133	<i>bicalutamide</i>	19
ARISTADA.....	53	<i>aztreonam</i>	14	BICILLIN L-A.....	15
ARISTADA INITIO.....	53	<i>azurette (28)</i>	86	BIDIL.....	81
<i>armodafinil</i>	141	<i>baciim</i>	10	BIKTARVY.....	58
ARNUITY ELLIPTA.....	136	<i>bacitracin</i>	101	<i>bisoprolol fumarate</i>	74
<i>arsenic trioxide</i>	18	<i>bacitracin-polymyxin b</i>	101	<i>bisoprolol-hydrochlorothiazide</i>	74
<i>ashlyna</i>	86	<i>baclofen</i>	141	<i>bleomycin</i>	19
<i>aspirin-dipyridamole</i>	67	<i>balsalazide</i>	128	<i>bleph-10</i>	101
ASSURE ID INSULIN SAFETY	98	BALVERSA.....	18	BLINCYTO.....	19
<i>atazanavir</i>	58	<i>balziva (28)</i>	87	<i>blisovi 24 fe</i>	87
<i>atenolol</i>	74	BANZEL.....	31	<i>blisovi fe 1.5/30 (28)</i>	87
<i>atenolol-chlorthalidone</i>	74	BAVENCIO.....	18	<i>blisovi fe 1/20 (28)</i>	87
<i>atomoxetine</i>	82	BAXDELA.....	16	BOOSTRIX TDAP.....	124
<i>atorvastatin</i>	79	BCG VACCINE, LIVE (PF)	123	BORTEZOMIB.....	19
<i>atovaquone</i>	50	BD ULTRA-FINE NANO PEN NEEDLE	98	BOSULIF.....	19
<i>atovaquone-proguanil</i>	50	BD VEO INSULIN SYR HALF UNIT	98	BRAFTOVI.....	19
ATRIPLA.....	58	BD VEO INSULIN SYRINGE UF	98	BREO ELLIPTA.....	136
<i>atropine</i>	30, 100	<i>bekyree (28)</i>	87	<i>briellyn</i>	87
ATROVENT HFA.....	138	BELEODAQ.....	18	BRILINTA.....	67
AUBAGIO.....	82	BELSOMRA.....	141	<i>brimonidine</i>	133
<i>aubra</i>	86	<i>benazepril</i>	73	BRIVIACT.....	31
<i>aurovela 1.5/30 (21)</i>	86	BENDEKA.....	18	<i>bromocriptine</i>	51
<i>aurovela 1/20 (21)</i>	86	BENLYSTA.....	130	BROMSITE.....	103
<i>aurovela 24 fe</i>	86			BRUKINSA.....	19
<i>aurovela fe 1.5/30 (28)</i>	86			<i>budesonide</i>	128, 136

buprenorphine-naloxone	8	cefditoren pivoxil	12	cinacalcet	129
bupropion hcl	36	cefepime	12	CINQAIR	140
bupropion hcl (smoking deter) ...	8	cefixime	12	CINRYZE	65
buspirone	9	cefotaxime	12	CINVANTI	48
butalbital-acetaminophen-caff ...	3	cefoxitin	12	CIPRODEX	101
butalbital-aspirin-caffeine	3	cefpodoxime	12	ciprofloxacin	16
BYSTOLIC	75	cefprozil	13	ciprofloxacin hcl	16, 101
BYVALSON	75	ceftazidime	13	ciprofloxacin in 5 % dextrose ...	16
cabergoline	51	ceftriaxone	13	citalopram	36
CABLIVI	130	cefuroxime axetil	13	clarithromycin	13
CABOMETYX	19	cefuroxime sodium	13	CLENPIQ	107
caffeine citrate	82	celecoxib	6	clindamycin hcl	11
calcipotriene	94	CELONTIN	31	clindamycin in 5 % dextrose	11
calcitonin (salmon)	129	cephalexin	13	clindamycin phosphate ..	11, 46, 94
calcitriol	129	CERDELGA	98	CLINIMIX 5%/D15W	
calcium acetate(phosphat bind)	107, 108	CEREZYME	98	SULFITE FREE	69
calcium chloride	134	CETYLEV	130	CLINIMIX 5%/D25W	
CALDOLOR	6	CHANTIX	8	SULFITE-FREE	69
CALQUENCE	19	CHANTIX CONTINUING		CLINIMIX 4.25%/D10W	
camila	87	MONTH BOX	8	SULF FREE	69
CAPASTAT	47	CHANTIX STARTING		CLINIMIX 4.25%/D5W	
CAPLYTA	53	MONTH BOX	8	SULFIT FREE	69
CAPRELSA	19	chloramphenicol sod succinate ..	11	CLINIMIX 4.25%-D25W	
captopril	73	chlordiazepoxide hcl	9	SULF-FREE	69
CARBAGLU	105	chlorhexidine gluconate	93	CLINIMIX 5%-	
carbamazepine	31	chloroquine phosphate	50	D20W(SULFITE-FREE)	69
carbidopa-levodopa	51	chlorothiazide	78	CLINIMIX E 2.75%/D10W	
carbidopa-levodopa-entacapone	51	chlorothiazide sodium	78	SUL FREE	69
carteolol	133	chlorpromazine	53	CLINIMIX E 2.75%/D5W	
cartia xt	76	chlorthalidone	78	SULF FREE	69
carvedilol	75	chlorzoxazone	141	CLINIMIX E 4.25%/D10W	
caspofungin	43	cholestyramine (with sugar)	79	SUL FREE	70
CAYSTON	14	cholestyramine light	79	CLINIMIX E 4.25%/D25W	
caziant (28)	87	ciclopirox	43	SUL FREE	70
cefaclor	12	cilostazol	67	CLINIMIX E 4.25%/D5W	
cefadroxil	12	CIMDUO	58	SULF FREE	70
cefazolin	12	cimetidine hcl	104	CLINIMIX E 5%/D15W	
cefdinir	12	CIMZIA	118	SULFIT FREE	70
		CIMZIA POWDER FOR RECONST	117	CLINIMIX E 5%/D20W	
				SULFIT FREE	70

CLINIMIX E 5%/D25W		CREON	99	DEPO-PROVERA	116
SULFIT FREE	70	CRIXIVAN	58	DESCOVY	58
CLINOLIPID	70	<i>cromolyn</i>	100, 105, 140	<i>desipramine</i>	36
<i>clobazam</i>	31	<i>cryselle</i> (28)	87	<i>desmopressin</i>	113
<i>clobetasol</i>	96	<i>cyclafem</i> 1/35 (28)	87	<i>desog-e.estradiolle.estriadiol</i>	87
<i>clobetasol-emollient</i>	96	<i>cyclafem</i> 7/7/7 (28)	87	<i>desogestrel-ethinyl estradiol</i>	87
<i>clocortolone pivalate</i>	96	<i>cyclobenzaprine</i>	141	<i>desoximetasone</i>	96
<i>clofarabine</i>	19	<i>cyclopentolate</i>	100	<i>desvenlafaxine succinate</i>	36
<i>clomipramine</i>	36	<i>cyclophosphamide</i>	20	<i>dexamethasone</i>	112
<i>clonazepam</i>	9	CYCLOPHOSPHAMIDE	20	<i>dexamethasone sodium phos</i> (<i>pf</i>)	112
<i>clonidine</i>	72	<i>cyclosporine</i>	118	<i>dexamethasone sodium</i> <i>phosphate</i>	103, 112
<i>clonidine hcl</i>	72	<i>cyclosporine modified</i>	118	<i>dexamethylphenidate</i>	82
<i>clopidogrel</i>	67	<i>cyproheptadine</i>	45	<i>dextroamphetamine</i>	82
<i>clorazepate dipotassium</i>	9	CYRAMZA	20	<i>dextroamphetamine-</i> <i>amphetamine</i>	83
<i>clotrimazole</i>	44	cyred	87	<i>dextrose 10 % in water</i> (<i>d10w</i>)	70
<i>clotrimazole-betamethasone</i>	44	CYSTADANE	130	<i>dextrose 20 % in water</i> (<i>d20w</i>)	70
<i>clovique</i>	109	CYSTARAN	100	<i>dextrose 25 % in water</i> (<i>d25w</i>)	70
<i>clozapine</i>	53, 54	<i>dalfampridine</i>	82	<i>dextrose 30 % in water</i> (<i>d30w</i>)	70
COARTEM	50	DALIRESP	140	<i>dextrose 40 % in water</i> (<i>d40w</i>)	70
<i>codeine sulfate</i>	3	<i>danazol</i>	110	<i>dextrose 5 % in water</i> (<i>d5w</i>)	70
<i>colchicine</i>	45	<i>dantrolene</i>	141	<i>dextrose 50 % in water</i> (<i>d50w</i>)	70
<i>colesevelam</i>	79	<i>dapsone</i>	47	<i>dextrose 70 % in water</i> (<i>d70w</i>)	70
<i>colestipol</i>	79	DAPTACEL (DTAP PEDIATRIC) (PF)	124	DIASTAT	31
<i>colistin (colistimethate na)</i>	11	<i>daptomycin</i>	11	DIASTAT ACUDIAL	31
<i>cocolcort</i>	128	DARAPRIM	50	<i>diazepam</i>	9, 10, 31
COMBIGAN	133	DARZALEX	20	<i>diazepam intensol</i>	9
COMBIVENT RESPIMAT	138	DARZALEX FASPRO	20	<i>diazoxide</i>	131
COMETRIQ	19	<i>dasetta</i> 1/35 (28)	87	<i>diclofenac epolamine</i>	6
COMPLERA	58	<i>dasetta</i> 7/7/7 (28)	87	<i>diclofenac potassium</i>	6
<i>compro</i>	48	DAURISMO	20	<i>diclofenac sodium</i>	6, 103
<i>constulose</i>	105	<i>daysee</i>	87	<i>dicloxacillin</i>	15
COPAXONE	82	<i>deblitane</i>	87	<i>dicyclomine</i>	105
COPIKTRA	19	<i>decadron</i>	112	<i>didanosine</i>	58
CORLANOR	77	<i>decitabine</i>	20	DIFICID	13
<i>cormax</i>	96	<i>deferasirox</i>	109	<i>digitek</i>	77
<i>cortisone</i>	112	<i>deferoxamine</i>	109	<i>digox</i>	77
COSENTYX (2 SYRINGES)		DELSTRIGO	58	<i>digoxin</i>	77
.....	118	<i>delyla</i> (28)	87		
COSENTYX PEN (2 PENS)	118	DEMSER	77		
COTELLIC	19				

DIGOXIN	77	EDARBI	72	enpresse	88
dihydroergotamine	46	EDARBYCLOR	72	enskyce	88
diltiazem hcl	76	EDURANT	58	entacapone	51
dilt-xr	76	efavirenz	58	entecavir	63
dimenhydrinate	48	EGRIFTA	113	ENTRESTO	72
DIPENTUM	128	ELAPRASE	99	enulose	106
diphenhydramine hcl	45	ELIGARD	20	EPCLUSA	62
diphenoxylate-atropine	105, 106	ELIGARD (3 MONTH)	20	EPIDIOLEX	32
dipyridamole	67	ELIGARD (4 MONTH)	20	epinastine	100
disopyramide phosphate	74	ELIGARD (6 MONTH)	20	epinephrine	77
disulfiram	8	elinest	87	epitol	32
divalproex	32	ELIQUIS	64	EPIVIR HBV	58
dofetilide	74	ELIQUIS DVT-PE TREAT		eplerenone	81
donepezil	35	30D START	64	epoprostenol (glycine)	142
DOPTELET (10 TAB PACK)	65	ELITEK	99	ergoloid	131
DOPTELET (15 TAB PACK)	65	ELLA	87	ERGOMAR	47
DOPTELET (30 TAB PACK)	65	ELMIRON	131	ERIVEDGE	21
dorzolamide	133	eluryng	88	ERLEADA	21
dorzolamide-timolol	133	EMCYT	20	erlotinib	21
dotti	110	EMEND	49	errin	88
DOVATO	58	EMFLAZA	112	ertapenem	14
doxazosin	72	EMGALITY PEN	46	ery pads	94
doxepin	36	EMGALITY SYRINGE	46, 47	erythromycin	14, 101
doxercalciferol	129	emoquette	88	erythromycin ethylsuccinate	14
doxorubicin	20	EMPLICITI	20	erythromycin with ethanol	94
doxorubicin, peg-liposomal	20	EMSAM	37	ESBRIET	140
doxy-100	16	EMTRIVA	58	escitalopram oxalate	37
doxycycline hyclate	16, 17	enalapril maleate	73	esomeprazole sodium	104
doxycycline monohydrate	17	enalaprilat	73	estarrylla	88
DRIZALMA SPRINKLE	36, 37	ENBREL	118	estradiol	110, 111
dronabinol	48	ENBREL MINI	118	estradiol valerate	111
droperidol	131	ENBREL SURECLICK	118	estradiol-norethindrone acet	111
drospirenone-ethinyl estradiol	87	ENDARI	131	eszopiclone	141
DROXIA	20	endocet	3	ethambutol	47
DUAVEE	110	ENGERIX-B (PF)	124	ethosuximide	32
duloxetine	37	ENGERIX-B PEDIATRIC		ethynodiol diac-eth estradiol	88
DUPIXENT	118	(PF)	124	etodolac	6
DUREZOL	103	ENHERTU	20	etonogestrel-ethinyl estradiol	88
dutasteride	108	enoxaparin	64	ETOPOPHOS	21
econazole	44			etoposide	21

EUCRISA	96	FLOVENT HFA	137	GAMASTAN	119
EVENITY	129	<i>flouxuridine</i>	21	GAMMAGARD LIQUID	119
<i>everolimus</i>		<i>fluconazole</i>	44	GAMMAGARD S-D (IGA <	
(immunosuppressive)	118	<i>fluconazole in nacl (iso-osm)</i>	44	1 MCG/ML)	119
EVOTAZ	58	<i>flucytosine</i>	44	GAMMAPLEX	119
<i>exemestane</i>	21	<i>fludrocortisone</i>	112	GAMMAPLEX (WITH	
EXONDYS-51	131	<i>flumazenil</i>	83	SORBITOL)	119
EXTAVIA	83	<i>flunisolide</i>	103	<i>ganciclovir sodium</i>	63
<i>ezetimibe</i>	79	<i>fluocinolone</i>	96	GARDASIL 9 (PF)	124
FABRAZYME	99	<i>fluocinonide</i>	96	GATTEX 30-VIAL	106
<i>falmina (28)</i>	88	<i>fluocinonide-e</i>	96	GAUZE PAD	98
famciclovir	63	<i>fluorometholone</i>	103	<i>gavilyte-c</i>	107
<i>famotidine</i>	104, 105	<i>fluorouracil</i>	21, 94	<i>gavilyte-g</i>	107
<i>famotidine (pf)</i>	104	<i>fluoxetine</i>	37	<i>gavilyte-n</i>	107
<i>famotidine (pf)-nacl (iso-os)</i>	104	<i>fluphenazine decanoate</i>	54	GAZYVA	21
FANAPT	54	<i>fluphenazine hcl</i>	54	<i>gemfibrozil</i>	80
FARYDAK	21	<i>flurbiprofen</i>	6	<i>generlac</i>	106
FASENRA	140	<i>flurbiprofen sodium</i>	103	<i>genograf</i>	119
FASENRA PEN	140	<i>flutamide</i>	21	GENOTROPIN	114
<i>febuxostat</i>	45	<i>fluticasone propionate</i>	96, 103	GENOTROPIN	
<i>felbamate</i>	32	<i>fluvoxamine</i>	37	MINIQUICK	113
FEMRING	111	<i>fomepizole</i>	131	<i>gentak</i>	101
<i>femynor</i>	88	<i>fondaparinux</i>	64	<i>gentamicin</i>	10, 95, 101
<i>fenofibrate</i>	80	FORTEO	129	<i>gentamicin sulfate (ped) (pf)</i>	10
<i>fenofibrate micronized</i>	79	<i>fosamprenavir</i>	58	<i>gentamicin sulfate (pf)</i>	10
<i>fenofibrate nanocrystallized</i>	80	<i>fosaprepitant</i>	49	GENVOYA	59
<i>fentanyl</i>	3	<i>foscarnet</i>	61	GEODON	54
<i>fentanyl citrate</i>	3	<i>fosinopril</i>	73	GILENYA	83
FERRIPROX	109	<i>fosphenytoin</i>	32	GILOTrif	21
FETZIMA	37	FREAMINE HBC 6.9 %	71	GIVLAARI	67
FIASP FLEXTOUCH U-100		FREAMINE III 10 %	71	<i>glatiramer</i>	83
INSULIN	41	FULPHILA	65	<i>glatopa</i>	83
FIASP PENFILL U-100		<i>fulvestrant</i>	21	GLEOSTINE	21
INSULIN	41	<i>furosemide</i>	78	<i>glimepiride</i>	43
FIASP U-100 INSULIN	41	FUZEON	59	<i>glipizide</i>	43
<i>finasteride</i>	108	<i>fyavolv</i>	111	<i>glipizide-metformin</i>	43
FIRVANQ	11	FYCOMPRA	32	GLUCAGEN HYPOKIT	131
FLEBOGAMMA DIF	118	<i>gabapentin</i>	32	<i>glyburide</i>	43
<i>flecainide</i>	74	GALAFOLD	99	<i>glyburide micronized</i>	43
FLOVENT DISKUS	136, 137	<i>galantamine</i>	35	<i>glyburide-metformin</i>	43

<i>glycopyrrolate</i>	106	HUMIRA PEN PSOR-	ILEVRO	103
<i>glydo</i>	7	UVEITS-ADOL HS	ILUMYA	120
GLYXAMBI	39	HUMIRA(CF)	<i>imatinib</i>	22
GOCOVRI	51	HUMIRA(CF) PEDI	IMBRUVICA	22
<i>granisetron (pf)</i>	49	CROHNS STARTER	IMFINZI	22
<i>granisetron hcl</i>	49	HUMIRA(CF) PEN	<i>imipenem-cilastatin</i>	14
GRANIX	65	HUMIRA(CF) PEN	<i>imipramine hcl</i>	37
<i>griseofulvin microsize</i>	44	CROHNS-UC-HS	<i>imiquimod</i>	94
<i>guanfacine</i>	72, 83	HUMIRA(CF) PEN PSOR-	IMLYGIC	22
<i>guanidine</i>	131	UV-ADOL HS	IMO GAM RABIES-HT (PF)	120
GVOKE HYPOEN	131	HUMULIN R U-500	IMO VAX RABIES	
GVOKE PFS 1-PACK		(CONC) INSULIN	VACCINE (PF)	125
SYRINGE	131	HUMULIN R U-500	IMPAVIDO	50
GVOKE PFS 2-PACK		(CONC) KWIKPEN	INBRIJA	51, 52
SYRINGE	131	<i>hydralazine</i>	<i>incassia</i>	88
HAEGARDA	65	<i>hydrochlorothiazide</i>	INCRELEX	114
<i>hailey</i>	88	<i>hydrocodone-acetaminophen</i>	INCRUSE ELLIPTA	138
<i>hailey 24 fe</i>	88	<i>hydrocodone-ibuprofen</i>	<i>indapamide</i>	79
<i>halobetasol propionate</i>	96	<i>hydrocortisone</i>	<i>indomethacin</i>	6, 7
<i>haloperidol</i>	54	<i>hydromorphone</i>	INFANRIX (DTAP) (PF)	125
<i>haloperidol decanoate</i>	54	<i>hydromorphone (pf)</i>	INFLECTRA	120
<i>haloperidol lactate</i>	54	<i>hydroxychloroquine</i>	INGREZZA	83
HARVONI	62	<i>hydroxyprogesterone</i>	INGREZZA INITIATION	
HAVRIX (PF)	124	<i>cap (ppres)</i>	PACK	83
<i>heather</i>	88	<i>hydroxyurea</i>	INLYTA	22
<i>heparin (porcine)</i>	64	<i>hydroxyzine hcl</i>	INREBIC	22
<i>heparin, porcine (pf)</i>	64	<i>hydroxyzine pamoate</i>	INSULIN SYRINGE-	
HEPATAMINE 8%	71	HYPERRAB (PF)	NEEDLE U-100	98
HERCEPTIN	21	HYPERRAB S/D (PF)	INTELENCE	59
HERCEPTIN HYLECTA	21	HYQVIA	INTRALIPID	71
HERZUMA	21	<i>ibandronate</i>	INTRON A	63
HETLIOZ	141	IBRANCE	<i>introvale</i>	88
HIBERIX (PF)	124	<i>ibu</i>	INVEGA SUSTENNA	54, 55
HUMATROPE	114	<i>ibuprofen</i>	INVEGA TRINZA	55
HUMIRA	119	<i>icatibant</i>	INVELTYS	104
HUMIRA PEDIATRIC		ICLUSIG	INVIRASE	59
CROHNS START	119	IDHIFA	INVOKAMET	39
HUMIRA PEN	119	<i>ifosfamide</i>	INVOKAMET XR	39
HUMIRA PEN CROHNS-		<i>ifosfamide-mesna</i>	INVOKANA	39
UC-HS START	119	ILARIS (PF)		

IONOSOL-B IN D5W	134	<i>junel fe 1/20 (28)</i>	88	<i>lactulose</i>	106
IONOSOL-MB IN D5W	134	<i>junel fe 24</i>	89	<i>lamivudine</i>	59
IPOP	125	JUXTAPID	80	<i>lamivudine-zidovudine</i>	59
<i>ipratropium bromide</i>	101, 138	JYNARQUE	79	<i>lamotrigine</i>	32
<i>irbesartan</i>	72	KABIVEN	71	<i>lansoprazole</i>	105
<i>irbesartan-hydrochlorothiazide</i>	72	KALETRA	59	LANTUS SOLOSTAR U-100	
IRESSA	22	<i>kalliga</i>	89	INSULIN	41
ISENTRESS	59	KALYDECO	140	LANTUS U-100 INSULIN	41
ISENTRESS HD	59	KANJINTI	23	<i>larin 1.5/30 (21)</i>	89
<i>isibloom</i>	88	KANUMA	99	<i>larin 1/20 (21)</i>	89
ISOLYTE-P IN 5 %		<i>kariva (28)</i>	89	<i>larin 24 fe</i>	89
DEXTROSE	134	KEDRAB (PF)	120	<i>larin fe 1.5/30 (28)</i>	89
ISOLYTE-S	134	<i>kelnor 1/35 (28)</i>	89	<i>larin fe 1/20 (28)</i>	89
<i>isoniazid</i>	47	<i>kelnor 1-50</i>	89	<i>larissia</i>	89
<i>isosorbide dinitrate</i>	81	<i>ketoconazole</i>	44	<i>latanoprost</i>	133
<i>isosorbide mononitrate</i>	81	<i>ketorolac</i>	7, 104	LATUDA	55
<i>itraconazole</i>	44	KEVEYIS	131	LAZANDA	4
<i>ivermectin</i>	50	KEVZARA	120, 121	<i>ledipasvir-sofosbuvir</i>	62
IXEMPRA	23	KEYTRUDA	23	<i>leena 28</i>	89
IXIARO (PF)	125	KINERET	121	<i>leflunomide</i>	121
JADENU	109	KINRIX (PF)	125	LEMTRADA	83
JADENU SPRINKLE	109	<i>kionex (with sorbitol)</i>	106	LENVIMA	23
<i>jaimiess</i>	88	KISQALI	23	<i>lessina</i>	89
JAKAFI	23	KISQALI FEMARA CO-		<i>letrozole</i>	23
<i>jantoven</i>	65	PACK	23	<i>leucovorin calcium</i>	131
JANUMET	39	<i>klor-con m10</i>	134	LEUKERAN	23
JANUMET XR	39	<i>klor-con m15</i>	134	LEUKINE	65
JANUVIA	39	<i>klor-con m20</i>	134	<i>leuprolide</i>	24
JARDIANC	39	<i>klor-con sprinkle</i>	134	<i>levetiracetam</i>	32, 33
<i>jasmiel (28)</i>	88	KORLYM	40	<i>levobunolol</i>	133
<i>jencycla</i>	88	KOSELUGO	23	<i>levocarnitine</i>	132
JENTADUETO	39	KRINTAFEL	50	<i>levocarnitine (with sugar)</i>	132
JENTADUETO XR	39	KRYSTEXXA	99	<i>levocetirizine</i>	45, 46
<i>jinteli</i>	111	K-SOL	134	<i>levofloxacin</i>	16, 101
<i>jolivette</i>	88	<i>kurvelo (28)</i>	89	<i>levofloxacin in d5w</i>	16
<i>juleber</i>	88	KUVAN	99	LEVOLEUCOVORIN	
JULUCA	59	KYPROLIS	23	CALCIUM	132
<i>junel 1.5/30 (21)</i>	88	<i>l norgest/e.estradiol-e.estrad</i>	89	<i>levoleucovorin calcium</i>	132
<i>junel 1/20 (21)</i>	88	<i>labetalol</i>	75	<i>levonest (28)</i>	89
<i>junel fe 1.5/30 (28)</i>	88	LACTATED RINGERS	128		

<i>levonorgestrel-ethinyl estrad</i>	89, 90	<i>losartan-hydrochlorothiazide</i>	72	MAVENCLAD (6 TABLET
.....		PACK)		PACK)84
<i>levonorg-eth estrad triphasic</i>	90	LOTEMAX	104	MAVENCLAD (7 TABLET
<i>levora-28</i>	90	LOTEMAX SM	104	PACK)84
<i>levothyroxine</i>	117	<i>lovastatin</i>	80	MAVENCLAD (8 TABLET
LEXIVA	59	<i>low-ogestrel (28)</i>	90	PACK)84
LIALDA	128	<i>loxapine succinate</i>	55	MAVENCLAD (9 TABLET
LIBTAYO	24	<i>lo-zumandimine (28)</i>	90	PACK)84
<i>lidocaine</i>	7, 8	LUCEMYRA	8	MAVYRET62
<i>lidocaine (pf)</i>	7, 74	LUMIGAN	133	MAYZENT84
<i>lidocaine hel</i>	7	LUMOXITI	24	<i>meclizine</i>49
<i>lidocaine viscous</i>	8	LUPRON DEPOT	24, 114	<i>medroxyprogesterone</i>116
<i>lidocaine-prilocaine</i>	8	LUPRON DEPOT (3		<i>mefenamic acid</i>7
<i>lillow (28)</i>	90	MONTH)	24, 114	<i>mefloquine</i>50
<i>linezolid</i>	11	LUPRON DEPOT (4		<i>megestrol</i>24, 117
<i>linezolid in dextrose 5%</i>	11	MONTH)	24	MEKINIST24
<i>linezolid-0.9% sodium chloride</i>	11	LUPRON DEPOT (6		MEKTOVI24
LINZESS	106	MONTH)	24	<i>meloxicam</i>7
<i>liothyronine</i>	117	LUPRON DEPOT-PED	114	<i>memantine</i>35
<i>lisinopril</i>	73	LUPRON DEPOT-PED (3		MENACTRA (PF)125
<i>lisinopril-hydrochlorothiazide</i>	73	MONTH)	114	MENVEO A-C-Y-W-135-
<i>lithium carbonate</i>	83	<i>lutera (28)</i>	90	DIP (PF)125
<i>lithium citrate</i>	83	LYNPARZA	24	MEPSEVII99
LIVALO	80	LYSODREN	24	<i>mercaptopurine</i>24
<i>lojaimiess</i>	90	<i>lyza</i>	90	<i>meropenem</i>14
LOKELMA	106	<i>magnesium sulfate</i>	135	<i>meropenem-0.9% sodium</i>
LONHALA MAGNAIR		<i>magnesium sulfate in d5w</i>	134	<i>chloride</i>14
REFILL	138	<i>magnesium sulfate in water</i>	135	<i>mesalamine</i>128
LONHALA MAGNAIR				<i>mesna</i>132
STARTER	138	<i>malathion</i>	97	MESNEX132
LONSURF	24	<i>maprotiline</i>	37	MESTINON132
<i>loperamide</i>	106	<i>marlissa (28)</i>	90	<i>metaproterenol</i>138
<i>lopinavir-ritonavir</i>	59	MARPLAN	37	<i>metformin</i>40
<i>lorazepam</i>	10	MATULANE	24	<i>methadone</i>4
LORBRENA	24	MAVENCLAD (10 TABLET		<i>methadose</i>4
<i>lorcet (hydrocodone)</i>	4	PACK)	84	<i>methenamine hippurate</i>11
<i>lorcet hd</i>	4	MAVENCLAD (4 TABLET		<i>methimazole</i>117
<i>lorcet plus</i>	4	PACK)	84	<i>methocarbamol</i>141
<i>loryna (28)</i>	90	MAVENCLAD (5 TABLET		<i>methotrexate sodium</i>25
<i>losartan</i>	72	PACK)	84	<i>methotrexate sodium (pf)</i>25

<i>methoxsalen</i>	94	<i>morpheine concentrate</i>	4	NERLYNX	25
<i>methscopolamine</i>	106	MOVANTIK	106	NEULASTA	66
<i>methyclothiazide</i>	79	MOXEZA	101	NEUPOGEN	66
<i>methylphenidate hcl</i>	84	<i>moxifloxacin</i>	16, 101	NEUPRO	52
<i>methylprednisolone</i>	112	MOZOBIL	65	<i>nevirapine</i>	59, 60
<i>methylprednisolone acetate</i>	112	MULPLETA	66	NEXAVAR	25
<i>methylprednisolone sodium succ</i>	112	MULTAQ	74	NEXLETOL	80
<i>metipranolol</i>	133	<i>mupirocin</i>	95	<i>niacin</i>	80
<i>metoclopramide hcl</i>	106	<i>mycophenolate mofetil</i>	121	<i>niacor</i>	80
<i>metoprolol succinate</i>	75	<i>mycophenolate mofetil (hcl)</i>	121	<i>nicardipine</i>	78
<i>metoprolol ta-hydrochlorothiaz</i>	75	MYLOTARG	25	NICOTROL	9
<i>metoprolol tartrate</i>	75	MYRBETRIQ	108	<i>nifedipine</i>	78
<i>metronidazole</i>	11, 46, 95	<i>myzilra</i>	90	<i>nikki (28)</i>	90
<i>metronidazole in nacl (iso-os)</i>	11	<i>nabumetone</i>	7	<i>nilutamide</i>	25
<i>mexiletine</i>	74	<i>nafcillin</i>	15	NINLARO	25
MIACALCIN	129	<i>nafcillin in dextrose iso-osm</i>	15	<i>nitisinone</i>	99
<i>miconazole-3</i>	44	NAGLAZYME	99	<i>nitrofurantoin macrocrystal</i>	11
<i>microgestin fe 1/20 (28)</i>	90	<i>naloxone</i>	8, 9	<i>nitrofurantoin monohyd/m-cryst</i>	11
<i>midodrine</i>	72	<i>naltrexone</i>	9	<i>nitroglycerin</i>	81, 82
<i>miglustat</i>	99	NAMZARIC	35, 36	NITYR	99
<i>miili</i>	90	<i>naproxen</i>	7	NIVESTYM	66
<i>mimvey</i>	111	NARCAN	9	<i>nizatidine</i>	105
<i>mimvey lo</i>	111	NATACYN	102	NOCDURNA (MEN)	114
<i>minitran</i>	81	NATPARA	129	NOCDURNA (WOMEN)	114
<i>minocycline</i>	17	NAYZILAM	33	<i>nora-be</i>	90
<i>minoxidil</i>	81	<i>necon 0.5/35 (28)</i>	90	NORDITROPIN FLEXPRO	
<i>mirtazapine</i>	37	<i>nefazodone</i>	37		114, 115
<i>misoprostol</i>	105	<i>neomycin</i>	10	<i>norethindrone (contraceptive)</i>	90
MITIGARE	45	<i>neomycin-bacitracin-poly-hc</i>	102	<i>norethindrone acetate</i>	117
<i>mitoxantrone</i>	25	<i>neomycin-bacitracin-polymyxin</i>	102	<i>norethindrone ac-eth estradiol</i>	
M-M-R II (PF)	125	<i>b gu</i>	95		90, 111
<i>molindone</i>	55	<i>neomycin-polymyxin b-dexameth</i>	102	<i>norethindrone-e.estradiol-iron</i>	91
<i>mometasone</i>	96, 104	<i>gramicidin</i>	102	<i>norgestimate-ethinyl estradiol</i>	91
<i>monodoxyne nl</i>	17	<i>neomycin-polymyxin-hc</i>	102	<i>norlyda</i>	91
<i>mono-linyah</i>	90	<i>neo-polycin</i>	102	<i>norlyroc</i>	91
<i>mononessa (28)</i>	90	<i>neo-polycin hc</i>	102	NORMOSOL-M IN 5 %	
<i>montelukast</i>	137	NEPHRAMINE 5.4 %	71	DEXTROSE	135
MORPHINE	4			NORMOSOL-R	135
<i>morpheine</i>	4, 5			NORMOSOL-R PH 7.4	135

NORTHERA.....	72	OCALIVA.....	106	OSMOLEX ER.....	52
<i>nortrel 0.5/35 (28).....</i>	91	OCREVUS.....	84	OTEZLA.....	121
<i>nortrel 1/135 (21).....</i>	91	OCTAGAM.....	121	OTEZLA STARTER.....	121
<i>nortrel 1/135 (28).....</i>	91	<i>octreotide acetate.....</i>	115	<i>oxcarbazepine.....</i>	33
<i>nortrel 7/7/7 (28).....</i>	91	ODEFSEY.....	60	OXTELLAR XR.....	33
<i>nortriptyline.....</i>	38	ODOMZO.....	25	<i>oxybutynin chloride.....</i>	108
NORVIR.....	60	OFEV.....	140	<i>oxycodone.....</i>	5
NOVOLIN 70/30 U-100		<i>ofloxacin.....</i>	102	<i>oxycodone-acetaminophen.....</i>	5
INSULIN.....	41	<i>ogestrel (28).....</i>	91	<i>oxycodone-aspirin.....</i>	5
NOVOLIN 70-30 FLEXPEN		OGIVRI.....	25	OXYCONTIN.....	5
U-100.....	41	<i>olanzapine.....</i>	55, 56	OZEMPIC.....	40
NOVOLIN N FLEXPEN.....	41	<i>olmesartan.....</i>	72	pacerone.....	74
NOVOLIN N NPH U-100		<i>olmesartan-</i>		PADCEV.....	25
INSULIN.....	41	<i>hydrochlorothiazide.....</i>	73	<i>paliperidone.....</i>	56
NOVOLIN R FLEXPEN.....	42	<i>olopatadine.....</i>	101	PALYNZIQ.....	99
NOVOLIN R REGULAR U-		OLUMIANT.....	121	PANRETIN.....	94
100 INSULN.....	42	<i>omega-3 acid ethyl esters.....</i>	80	<i>pantoprazole.....</i>	105
NOVOLOG FLEXPEN U-		<i>omeprazole.....</i>	105	<i>paricalcitol.....</i>	129, 130
100 INSULIN.....	42	<i>omeprazole-sodium</i>		PARICALCITOL.....	129
NOVOLOG MIX 70-30 U-		<i>bicarbonate.....</i>	105	<i>paroex oral rinse.....</i>	93
100 INSULN.....	42	OMNITROPE.....	115	<i>paramomycin.....</i>	50
NOVOLOG MIX 70-		ONCASPAR.....	25	<i>paroxetine hcl.....</i>	38
30FLEXPEN U-100.....	42	<i>ondansetron.....</i>	49	PASER.....	48
NOVOLOG PENFILL U-100		<i>ondansetron hcl.....</i>	49	PAXIL.....	38
INSULIN.....	42	<i>ondansetron hcl (pf).....</i>	49	PEDIARIX (PF).....	125
NOVOLOG U-100 INSULIN		ONIVYDE.....	25	PEDVAX HIB (PF).....	125
ASPART.....	42	ONTRUZANT.....	25	<i>peg 3350-electrolytes.....</i>	107
NOXAFILE.....	44	OPDIVO.....	25	PEGANONE.....	33
NUBEQA.....	25	OPSUMIT.....	142	PEGASYS.....	63
NUCALA.....	140	<i>oralone.....</i>	93	PEGASYS PROCLICK.....	63
NUCYNTA.....	5	ORENCIA.....	121	PEGINTRON.....	63
NUCYNTA ER.....	5	ORENCIA (WITH		PEMAZYRE.....	25
NUEDEXTA.....	84	MALTOSE).....	121	PEN NEEDLE, DIABETIC.....	98
NULOJIX.....	121	ORENCIA CLICKJECT.....	121	<i>penicillamine.....</i>	109
NUPLAZID.....	55	ORENITRAM.....	142	<i>penicillin g potassium.....</i>	15
NUTRILIPID.....	71	ORFADIN.....	99	<i>penicillin g procaine.....</i>	15
NUTROPIN AQ NUSPIN...	115	ORILISSA.....	115	<i>penicillin v potassium.....</i>	15
nyamyc.....	44	ORKAMBI.....	140	PENNSAID.....	7
nystatin.....	44	<i>orsythia.....</i>	91	PENTACEL (PF).....	125
nystop.....	44	<i>oseltamivir.....</i>	61, 62		

PENTACEL DTAP-IPV		
COMPNT (PF).....	126	
pentamidine	50	
pentoxifylline.....	67	
PERIKABIVEN.....	71	
perindopril erbumine	73	
periogard.....	93	
permethrin.....	97	
perphenazine.....	56	
perphenazine-amitriptyline.....	38	
PERSERIS.....	56	
pfizerpen-g.....	15	
phenadoz.....	49	
phenelzine	38	
phenobarbital.....	33	
phenylephrine hcl.....	72, 101	
phenytoin.....	33	
phenytoin sodium.....	33	
phenytoin sodium extended.....	33	
philith.....	91	
PHOSLYRA.....	108	
PICATO.....	94	
PIFELTRO.....	60	
pilocarpine hcl.....	93, 133	
pimecrolimus.....	96	
pimozide	56	
pimtrea (28).....	91	
pioglitazone	40	
piperacillin-tazobactam.....	15	
PIQRAY	25, 26	
pirmella.....	91	
PLASMA-LYTE 148.....	135	
PLASMA-LYTE A.....	135	
PLEGRIDY.....	84, 85	
podofilox.....	94	
POLIVY	26	
polycin.....	102	
polymyxin b sulfate	11	
polymyxin b sulf-trimethoprim	102	
POMALYST.....	26	
portia 28.....	91	
PORTRAZZA.....	26	
posaconazole	45	
potassium chloride.....	135	
potassium chloride-0.45 % nacl		
.....	135	
potassium citrate	136	
PRADAXA.....	65	
PRALUENT PEN.....	80	
pramipexole.....	52	
prasugrel.....	67	
pravastatin.....	80	
prazosin.....	72	
prednicarbate	96, 97	
prednisolone	113	
prednisolone acetate	104	
prednisolone sodium phosphate		
.....	104, 112, 113	
prednisone	113	
pregabalin	33	
PREMARIN.....	111	
PREMPHASE.....	111	
PREMPRO.....	111	
prenatal plus (calcium carb) ..	143	
prenatal vitamin plus low iron.	143	
PRETOMANID.....	48	
prevalite	80	
previfem	91	
PREVYMIS.....	62	
PREZCOBIX.....	60	
PREZISTA.....	60	
PRIFTIN.....	48	
PRILOVIXIL.....	8	
PRIMAQUINE.....	50	
primidone	33	
PRIVIGEN.....	121	
PROAIR RESPICLICK.....	138	
probenecid	45	
probenecid-colchicine	45	
procainamide	74	
PROCALAMINE 3%.....	71	
prochlorperazine	49	
prochlorperazine edisylate	49	
prochlorperazine maleate	49	
PROCERIT.....	66	
procto-med hc.....	97	
proctosol hc.....	97	
proctozone-hc.....	97	
PROCYSB.....	109, 132	
progesterone	117	
progesterone micronized.....	117	
PROGLYCEM.....	132	
PROGRAF.....	121	
PROLASTIN-C.....	140	
PROLENSA.....	104	
PROLEUKIN.....	26	
PROLIA.....	130	
PROMACTA.....	66	
promethazine	46, 49	
promethegan	49	
propafenone	74	
proparacaine	101	
propranolol	75	
propranolol-hydrochlorothiazid	75	
propylthiouracil	117	
PROQUAD (PF).....	126	
PROSOL 20 %.....	71	
protamine	67	
protriptyline	38	
PULMOZYME.....	99	
PURIXAN.....	26	
pyrazinamide	48	
pyridostigmine bromide	132	
pyrimethamine	51	
QINLOCK.....	26	
QUADRACEL (PF).....	126	
quetiapine	56	
quinapril	73	
quinidine sulfate	74	
RABAVERT (PF).....	126	

RADICAVA	85	rimantadine	62	sevelamer hcl	108
raloxifene	111	RINVOQ	122	sharobel	91
ramipril	73	RISPERDAL CONSTA	56	SHINGRIX (PF)	126
ranitidine hcl	105	risperidone	56	SIGNIFOR	116
ranolazine	77	ritonavir	60	SIKLOS	67
rasagiline	52	RITUXAN	26	sildenafil (pulm.hypertension)	142
RASUVO (PF)	122	RITUXAN HYCELA	26	SILENOR	142
RAVICTI	106	rivastigmine	36	SILIQ	122
RAYALDEE	130	rivastigmine tartrate	36	silver sulfadiazine	95
REBIF (WITH ALBUMIN)	85	rizatriptan	47	SIMBRINZA	133
REBIF REBIDOSE	85	ROCKLATAN	133	simliya (28)	91
REBIF TITRATION PACK	85	ropinirole	52	simpesse	92
reclipsen (28)	91	rosadan	95	SIMPONI	122
RECOMBIVAX HB (PF)	126	rosuvastatin	81	SIMPONI ARIA	122
RECTIV	132	ROTARIX	126	simvastatin	81
RELENZA DISKHALER	62	ROTATEQ VACCINE	126	sirolimus	122
RELISTOR	106, 107	ROZLYTREK	26	SIRTURO	48
REMICADE	122	RUBRACA	26	SKYRIZI	122
RENFLEXIS	122	RUXIENCE	26	smoflipid	71
repaglinide	40	RYBELSUS	40	sodium chloride	128
REPATHA PUSHTRONEX	80	RYDAPT	26	sodium chloride 0.9 %	136
REPATHA SURECLICK	80	SABRIL	34	sodium phenylbutyrate	107
REPATHA SYRINGE	80	SAIZEN	115	sodium polystyrene (sorb free)	
SCRIPTOR	60	SAIZEN SAIZENPREP	115	107
RESTASIS	104	SANDOSTATIN LAR		sodium polystyrene sulfonate	107
RETACRIT	66	DEPOT	115	sofosbuvir-velpatasvir	62
RETEVMO	26	SANTYL	94	SOLIQUA 100/33	42
RETROVIR	60	SAPHRIS	57	SOLTAMOX	27
REVCOVI	100	SARCLISA	27	SOLU-CORTEF ACT-O-	
REVLIMID	26	SAVELLA	85	VIAL (PF)	113
revonto	141	scopolamine base	50	SOMATULINE DEPOT	116
REXULTI	56	SECUADO	57	SOMAVERT	116
REYATAZ	60	selegiline hcl	52	sorine	75
RHOPRESSA	133	selenium sulfide	95	sotalol	76
ribasphere	63, 64	SELZENTRY	60	sotalol af	76
ribavirin	64	SEREVENT DISKUS	138	SOVALDI	62
RIDAURA	122	SEROSTIM	115	SPIRIVA RESPIMAT	139
rifabutin	48	sertraline	38	SPIRIVA WITH	
rifampin	48	setlakin	91	HANDIHALER	139
riluzole	85	sevelamer carbonate	108	spironolactone	79

SPRAVATO	38	SYMFI LO	60	temazepam	10
sprintec (28)	92	SYMJEPI	77	TEMIXYS	61
SPRITAM	34	SYMLINPEN 120	40	TEMODAR	28
SPRYCEL	27	SYMLINPEN 60	40	TENIVAC (PF)	126, 127
sps (with sorbitol)	107	SYMPAZAN	34	tenofovir disoproxil fumarate ...	61
sronyx	92	SYMTUZA	61	TEPEZZA	101
ssd	95	SYNAGIS	62	terazosin	109
stavudine	60	SYNAREL	116	terbinafine hcl	45
STELARA	122	SYNERCID	11	terbutaline	139
STIOLTO RESPIMAT	139	SYNJARDY	40	terconazole	46
STIVARGA	27	SYNJARDY XR	40	teriparatide	130
STRENSIQ	100	SYNRIBO	27	testosterone	110
streptomycin	10	TABLOID	27	testosterone cypionate	110
STRIBILD	60	TABRECTA	27	testosterone enanthate	110
STRIVERDI RESPIMAT	139	tacrolimus	97, 123	TETANUS,DIPHTHERIA	
SUBLOCADE	9	tadalafil (pulm. hypertension) ..	142	TOX PED(PF)	127
subvenite	34	TAFINLAR	27	tetrabenazine	86
sucralfate	105	TAGRISSO	27	tetracycline	17
sulfacetamide sodium	103	TAKHZYRO	132	THALOMID	132
sulfacetamide sodium (acne)	95	TALTZ AUTOINJECTOR ..	123	theophylline	139
sulfacetamide-prednisolone	103	TALTZ SYRINGE	123	THIOLA	109
sulfadiazine	16	TALZENNA	27	THIOLA EC	109
sulfamethoxazole-		tamoxifen	27	thioridazine	57
trimethoprim	16	tamsulosin	109	thiotepa	28
sulfasalazine	128	TARGETIN	27	thiothixene	57
sulfatrim	16	tarina 24 fe	92	tiadylt er	76
sulindac	7	tarina fe 1/20 (28)	92	tiagabine	34
sumatriptan	47	TASIGNA	27	TIBSOVO	28
sumatriptan succinate	47	TAVALISSE	67	TICE BCG	123
SUNOSI	142	tazarotene	97	tigecycline	17
SUPPRELIN LA	116	TAZORAC	97	tilia fe	92
SUPREP BOWEL PREP KIT	107	taztia xt	76	timolol maleate	76, 134
SUTENT	27	TAZVERIK	27	TIVICAY	61
syeda	92	TDVAX	126	tizanidine	141
SYLATRON	63	TECENTRIQ	28	TOBI PODHALER	10
SYLVANT	27	TECFIDERA	85	tobramycin	103
SYMBICORT	137	TECHNIVIE	62	tobramycin in 0.225 % nacl	10
SYMDEKO	141	TEFLARO	13	tobramycin sulfate	10
SYMFI	60	TEKTURNA HCT	81	tobramycin-dexamethasone ...	103
		telmisartan	73	TOLAK	94

<i>tolazamide</i>	43	<i>triamicinolone acetonide</i>	TYKERB	28
<i>tolterodine</i>	10893, 97, 113	TYMLOS	130
<i>topiramate</i>	34	<i>triamterene-hydrochlorothiazid</i> 79	TYPHIM VI	127
<i>toposar</i>	28	<i>trientine</i>109	TYSABRI	123
<i>toremifene</i>	28	<i>tri-estarrylla</i>92	TYVASO	143
<i>torsemide</i>	79	<i>trifluoperazine</i>57	UCERIS	128
TOTECT	132	<i>trifluridine</i>103	UDENYCA	67
TOUJEO MAX U-300		<i>trihexyphenidyl</i>52	UNITUXIN	29
SOLOSTAR	42	TRIKAFTA141	UPTRAVI	143
TOUJEO SOLOSTAR U-300		<i>tri-legest fe</i>92	<i>ursodiol</i>107	
INSULIN	42	<i>tri-linyah</i>92	<i>valacyclovir</i>64	
TOVIAZ	108	<i>tri-lo-estarrylla</i>92	VALCHLOR	94
TRACLEER	142	<i>tri-lo-marzia</i>92	<i>valganciclovir</i>64	
TRADJENTA	40	<i>tri-lo-mili</i>92	<i>valproate sodium</i>34	
<i>tramadol</i>	5	<i>tri-lo-sprintec</i>92	<i>valproic acid</i>34	
<i>tramadol-acetaminophen</i>	5	<i>trilyte with flavor packets</i>107	<i>valproic acid (as sodium salt)</i> ..34	
<i>trandolapril</i>	73	<i>trimethoprim</i>12	<i>valrubicin</i>29	
<i>tranexamic acid</i>	67	<i>tri-mili</i>92	<i>valsartan</i>73	
TRANSDERM-SCOP	50	<i>trimipramine</i>38	<i>valsartan-hydrochlorothiazide</i> ..73	
<i>tranylcypromine</i>	38	TRINTELLIX38	VALTOCO	34
TRAVASOL 10 %	71	<i>tri-previfem (28)</i>92	<i>vancomycin</i>12	
<i>travoprost</i>	134	TRIPTODUR116	VAQTA (PF).....127	
TRAZIMERA	28	<i>tri-sprintec (28)</i>92	VARIVAX (PF).....127	
<i>trazodone</i>	38	TRIUMEQ61	VASCEPA81	
TREANDA	28	<i>trivora (28)</i>92	VELCADE29	
TRECATOR	48	<i>tri-vylibra</i>92	<i>velvet triphasic regimen (28)</i> ...93	
TRELEGY ELLIPTA	139	<i>tri-vylibra lo</i>92	VELPHORO108	
TRELSTAR	28	TROGARZO61	VELTASSA107	
TREMFYA	123	TROPHAMINE 10 %71	VEMLIDY61	
<i>treprostинil sodium</i>	143	TROPHAMINE 6%71	VENCLEXTA29	
TRESIBA FLEXTOUCH U-100	42	TRULICITY40	VENCLEXTA STARTING	
TRESIBA FLEXTOUCH U-200	42	TRUMENBA127	PACK29	
TRESIBA U-100 INSULIN	43	TRUVADA61	<i>venlafaxine</i>38	
<i>tretinoин</i>	97	TRUXIMA28	<i>verapamil</i>76, 77	
<i>tretinoин (antineoplastic)</i>	28	TUDORZA PRESSAIR139	VERSACLOZ57	
<i>tri femynor</i>	92	TUKYSA28	VERZENIO29	
		<i>tulana</i>93	V-GO 4098	
		TURALIO28	VIBERZI107	
		TWINRIX (PF)127	VICTOZA41	
		TYBOST132		

VIDEX 2 GRAM		XCOPRI MAINTENANCE		ZIRABEV	30
PEDIATRIC.....	61	PACK.....	35	ZIRGAN.....	103
VIDEX EC.....	61	XCOPRI TITRATION		ZOLADEX.....	30
VIEKIRA PAK.....	62	PACK.....	35	<i>zoledronic acid</i>	130
vienna.....	93	XELJANZ.....	123	<i>zoledronic acid-mannitol-water</i>	130
vigabatrin.....	34	XELJANZ XR.....	123	ZOLINZA.....	30
vigadronε.....	34	XERMELO.....	107	<i>zolpidem</i>	142
VIIBRYD.....	38	XHANCE.....	104	ZOMACTON.....	116
VIMIZIM.....	100	XIFAXAN.....	12	<i>zonisamide</i>	35
VIMPAT.....	34, 35	XIIDRA.....	104	ZORBTIVE.....	116
vinorelbine.....	29	XOFLUZA.....	62	ZORTRESS.....	123
viorele (28).....	93	XOLAIR.....	141	ZOSTAVAX (PF).....	127
VIRACEPT.....	61	XOSPATA.....	29	<i>zovia 1/35e</i> (28)	93
VIREAD.....	61	XPOVIO.....	29, 30	ZTLIDO.....	8
VISTOGARD.....	132	XTAMPZA ER.....	5, 6	ZUBSOLV.....	9
VITRAKVI.....	29	XTANDI.....	30	ZULRESSO.....	38
VIZIMPRO.....	29	xulane.....	93	<i>zumandimine</i> (28)	93
volnea (28).....	93	XULTOPHY 100/3.6.....	43	ZYDELIG.....	30
VOLTAREN.....	7	XURIDEN.....	133	ZYKADIA.....	30
voriconazole.....	45	XYOSTED.....	110	ZYLET.....	103
VOSEVI.....	62	XYREM.....	142	ZYPREXA RELPREVV.....	57
VOTRIENT.....	29	YERVOY.....	30	ZYTIGA.....	30
VPRI.....	100	YF-VAX (PF).....	127		
VRAYLAR.....	57	YONDELIS.....	30		
VUMERTY.....	86	YONSA.....	30		
VYEPTI.....	47	<i>yuvafem</i>	111		
vyfemla (28).....	93	<i>zafirlukast</i>	137		
vylibra.....	93	<i>zaleplon</i>	142		
VYNDAMAX.....	77	<i>zarah</i>	93		
VYNDAQEL.....	77	ZARXIO.....	67		
VYXEOS.....	29	ZEJULA.....	30		
warfarin.....	65	ZELBORAF.....	30		
water for irrigation, sterile.....	128	<i>zenatane</i>	94		
WELCHOL.....	81	<i>zenchent</i> (28)	93		
wera (28).....	93	ZENPEP.....	100		
XADAGO.....	52	ZEPATIER.....	62		
XALKORI.....	29	<i>zidovudine</i>	61		
XARELTO.....	65	ZIEXTENZO.....	67		
XATMEP.....	29	<i>ziprasidone hcl</i>	57		
XCOPRI.....	35	<i>ziprasidone mesylate</i>	57		

This formulary was updated on June 25, 2020. For more recent information or other questions, please contact PHP Pharmacy Customer Service at (833) 267-6769, 24 hours a day, seven days a week, or visit www.php-ga.org/for-members/drug-benefit/formulary.