



**PHP (HMO SNP)
2024 Formulary
(List of Covered Drugs)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT
THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on September 25, 2024. For more recent information or other questions, please contact PHP Pharmacy Customer Service at (888) 436-5018 (TTY users should call 711), 24 hours a day, seven days a week, or visit www.php-ca.org/formembers/drug-benefit/formulary.

Discrimination Is Against the Law

PHP (HMO SNP) complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. PHP does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

PHP:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, contact Member Services.

If you believe that PHP has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with: Member Services, P.O. Box 46160, Los Angeles, CA 90046, (800) 263-0067, TTY 711, Fax (888) 235-8552, email php@positivehealthcare.org. You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, Member Services is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at:

U.S. Department of Health and Human Services
200 Independence Avenue, SW
Room 509F, HHH Building
Washington, DC 20201
1-800-368-1019, 1-800-537-7697 (TDD)

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.

ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-800-263-0067 (TTY: 711).

注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-800-263-0067 (TTY: 711)

CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn. Gọi số 1-800-263-0067 (TTY: 711).

PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-800-263-0067 (TTY: 711).

주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 1-800-263-0067 (TTY: 711) 번으로 전화해 주십시오.

ՈՒՇԱԴՐՈՒԹՅՈՒՆ՝ Եթե խոսում եք հայերեն, ապա ձեզ անվճար կարող են տրամադրվել լեզվական աջակցության ծառայություններ: Ձանգահարեք 1-800-263-0067 (TTY (հեռատիպ) 711):

توجه: اگر به زبان فارسی گفتگو می کنید، تسهیلات زبانی بصورت رایگان برای شما فراهم می باشد. با 1-800-263-0067 (TTY: 711) تماس بگیرید.

ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-800-263-0067 (телетайп: 711).

注意事項：日本語を話される場合、無料の言語支援をご利用いただけます。1-800-263-0067 (TTY: 711) まで、お電話にてご連絡ください。

ملحوظة: إذا كنت تتحدث اذكر اللغة، فإن خدمات المساعدة اللغوية تتوافر لك بالمجان. اتصل برقم 1-800-263-0067 (رقم هاتف الصم والبكم: 711).

ਧਿਆਨ ਦਿਓ: ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਭਾਸ਼ਾ ਵਿੱਚ ਸਹਾਇਤਾ ਸੇਵਾ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਉਪਲਬਧ ਹੈ। 1-800-263-0067 (TTY: 711) 'ਤੇ ਕਾਲ ਕਰੋ।

ប្រយ័ត្ន: បើសិនជាអ្នកនិយាយភាសាខ្មែរ, សេវាជំនួយផ្នែកភាសា ដោយមិនគិតល្អល គឺអាចមានសំរាប់បំរើអ្នក។ ចូរ ទូរស័ព្ទ 1-800-263-0067 (TTY: 711)។

LUS CEEV: Yog tias koj hais lus Hmoob, cov kev pab txog lus, muaj kev pab dawb rau koj. Hu rau 1-800-263-0067 (TTY: 711).

ध्यान दें: यदि आप हिंदी बोलते हैं तो आपके लिए मुफ्त में भाषा सहायता सेवाएं उपलब्ध हैं। 1-800-263-0067 (TTY: 711) पर कॉल करें।

เรียน: ถ้าคุณพูดภาษาไทยคุณสามารถใช้บริการช่วยเหลือทางภาษาได้ฟรี โทร 1-800-263-0067 (TTY: 711).

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to "we," "us," or "our," it means AIDS Healthcare Foundation. When it refers to "plan" or "our plan," it means PHP.

This document includes a list of the drugs (formulary) for our plan which is current as of September 25, 2024. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025, and from time to time during the year.

This information is available for free in other languages. Please call our Member Services number at (800) 263-0067, 8:00 a.m. to 8:00 p.m., seven days a week.

Esta información está disponible de forma gratuita en otros idiomas. Por favor, llame a nuestro número del Departamento de servicios para miembros a (800) 263-0067, 8:00 a.m. hasta 8:00 p.m., siete días a la semana.

What is the PHP Formulary?

A formulary is a list of covered drugs selected by PHP in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. PHP will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a PHP network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your *Evidence of Coverage*.

For a complete listing of all prescription drugs covered by PHP, please visit our website or call us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand-name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand-name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand-name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the PHP Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to the market to replace a brand-name drug currently on the formulary, or add new restrictions to the brand-name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand-name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the PHP Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2024 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2024 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of September 25, 2024. To get updated information about the drugs covered by PHP, please contact us. Our contact information appears on the front and back cover pages.

Should we make changes to the formulary during the year, we will notify you by sending a “Notice of Changes to Your Formulary (List of Covered Drugs)” in your Part D Explanation of Benefits (also called a “Part D EOB”). We mail you a Part D Explanation of Benefits when you have had one or more prescriptions filled through the plan during the previous month every month so you can track your Part D out-of-pocket costs and total drug costs for the year. For more information about the Part D Explanation of Benefits, please see your *Evidence of Coverage*, Chapter 6, Section 3.1.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 3. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents." If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the index that begins on page I-1. The index provides an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed in the index. Look in the index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the index and find the name of your drug in the first column of the list.

What are generic drugs?

PHP covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** PHP requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from PHP before you fill your prescriptions. If you don't get approval, PHP may not cover the drug.
- **Quantity Limits:** For certain drugs, PHP limits the amount of the drug that PHP will cover. For example, PHP provides 12 tablets per prescription for MAXALT (10 mg). This may be in addition to a standard one month or three month supply.
- **Step Therapy:** In some cases, PHP requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For

example, if Drug A and Drug B both treat your medical condition, PHP may not cover Drug B unless you try Drug A first. If Drug A does not work for you, PHP will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 3. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask PHP to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to PHP formulary?" on page iv for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Pharmacy Customer Service and ask if your drug is covered.

If you learn that PHP does not cover your drug, you have two options:

- You can ask Pharmacy Customer Service for a list of similar drugs that are covered by PHP. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by PHP.
- You can ask PHP to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the PHP formulary?

You can ask PHP to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- You can ask us to cover a formulary drug at a lower cost-sharing level, unless the drug is on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, PHP limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, PHP will only approve your request for an exception if the alternative drugs included on the plan's formulary or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

If you are a current member of our plan, an unexpected transition could occur if you experience a level-of-care change. For example, if you are hospitalized and given a drug that is not on our formulary, once you are discharged from the hospital to your home, you will need to talk to your doctor about continuing the drug. If you and your doctor decide you should continue taking the drug, you will need to request a formulary exception for us to cover it. Our plan may provide you a temporary 30-day transition supply of the drug while you decide what action to take. Please contact us about the availability of a transition supply of medication when you experience a level-of-care change.

For more information

For more detailed information about your PHP prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about PHP, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit www.medicare.gov.

PHP's Formulary

The formulary below provides coverage information about the drugs covered by PHP. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand-name drugs are capitalized (e.g., KALETRA) and generic drugs are listed in lower-case italics (e.g., *hydrochlorothiazide*).

The information in the "Requirements/Limits" columns tells you if PHP has any special requirements for coverage of your drug.

The following abbreviations may be found within the body of this document.

Coverage Notes Abbreviations

| Abbreviation | Description | Explanation |
|--|--|--|
| Utilization Management Restrictions | | |
| AGE | Age Restriction | Some drugs on our formulary are not appropriate for and may pose a risk to people of certain ages. If a drug has an age restriction, the maximum age of appropriateness is noted. Drugs that have an age restriction require prior authorization. |
| PA | Prior Authorization Restriction | You (or your physician) are required to get prior authorization from PHP before you fill your prescription for this drug. Without prior approval, PHP may not cover this drug. |
| PA BvD | Prior Authorization Restriction for Part B vs Part D Determination | This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from PHP to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, PHP may not cover this drug. |

| Abbreviation | Description | Explanation |
|--|--|--|
| PA-HRM | Prior Authorization Restriction for High-Risk Medication | This drug is considered a high-risk medication for seniors. If you are age 65 or older, you (or your physician) are required to get prior authorization from PHP before you fill your prescription for this drug. |
| PA NSO | Prior Authorization Restriction for New Starts Only | If you are a new member, you (or your physician) are required to get prior authorization from PHP before you fill your prescription for this drug. Without prior approval, PHP may not cover this drug. |
| QL | Quantity Limit Restriction | PHP limits the amount of this drug that is covered per prescription, or within a specific time frame. |
| ST | Step Therapy Restriction | Before PHP will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you. |
| Other Special Requirements for Coverage | | |
| LA | Limited Access Drug | This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Pharmacy Customer Service at (888) 436-5018, 24 hours a day, seven days a week. TTY users should call 711. |

Standard Retail Cost Sharing by Tier

| Tier | One-Month Supply (30 Days) | Three-Month Supply (100 Days) |
|------------------------------------|-------------------------------|----------------------------------|
| Tier 1 (Generic Drugs) | 15% coinsurance | 15% coinsurance |
| Tier 2 (Preferred Brand Drugs) | 15% coinsurance | 15% coinsurance |
| Tier 3 (Non-Preferred Brand Drugs) | 25% coinsurance | 25% coinsurance |
| Tier 4 (Speciality Drugs) | 25% coinsurance | 25% coinsurance |
| Tier 5 (Select Care Drugs) | 0% coinsurance | 0% coinsurance |

You won't pay more than \$35 for a one-month supply, \$70 for up to a two-month supply, or \$105 for up to a three-month supply of each covered insulin product regardless of the cost-sharing tier, even if you haven't paid your deductible.

Our plan covers most Part D vaccines at no cost to you, even if you haven't paid your deductible. Call Pharmacy Customer Service for more information.

Strength and Dosage Form Abbreviations

| Abbreviation | Description |
|--------------|--------------------------------------|
| adh. patch | adhesive patch |
| aer br act | aerosol, breath activated |
| aer pow | aerosol, powder |
| aer pow ba | aerosol powder, breath activated |
| aer refill | aerosol refill |
| aer w/adap | aerosol with adapter |
| ampul | Ampule |
| blkbaginj | bulk bag injection |
| cap dr mp | capsule, delayed release multiphasic |
| cap ds pk | capsule, dose pack |
| cap er 12h | capsule, 12 hour extended release |
| cap er 24h | capsule, 24 hour extended release |
| cap er deg | capsule, extended release degradable |
| cap er pel | capsule, extended release pellets |
| cap mphase | capsule, multiphasic |
| cap.sa 24h | capsule, 24 hour sustained action |
| cap.sr 12h | capsule, 12 hour sustained release |
| cap.sr 24h | capsule, 24 hour sustained release |

| Abbreviation | Description |
|---------------------|--|
| cap24h pct | capsule, 24 hour controlled-onset pellets |
| cap24h pel | capsule, 24 hour sustained release pellets |
| cap sprink | capsule, sprinkle |
| cap sr pel | capsule sustained release pellets |
| cap w/dev | capsule with device |
| capsule dr | capsule, delayed release |
| capsule er | capsule, extended release |
| capsule sa | capsule, sustained action |
| cmb cappad | combination: capsule, pad |
| cmb ont fm | combination: ointment, foam |
| cmb ont lt | combination: ointment, lotion |
| cmb tabpad | combination: tablet, pad |
| combo. pkg | combination package |
| cpmp 12hr | capsule, 12 hour multiphasic |
| cpmp 24hr | capsule, 24 hour multiphasic |
| cpmp 30-70 | capsule, multiphasic, 30%-70% |
| cpmp 50-50 | capsule, multiphasic, 50%-50% |
| cream(g), cream(gm) | cream (grams) |
| cream(ml) | cream (milliliters) |
| cream/appl | cream with applicator |
| cream, er (g) | cream, extended release (grams) |
| cream pack | cream, package |
| dehp fr bg | di(2-ethylhexyl)phthalate free bag |
| dis needle | disposable needle |
| disk w/dev | disk with inhalation device |
| disp syrin | disposable syringe |
| drops susp | drops, suspension |
| drps hpvis | drops, hyperviscous |
| emul adhes | emulsion adhesive |
| emul packt | emulsion packet |
| emulsn(g) | emulsion (grams) |
| foam/appl. | foam with applicator |
| froz.piggy | frozen piggyback |
| g | Gram |
| gel/pf app | gel with prefilled applicator |
| gel (gm) | gel (grams) |
| gel (ml) | gel (milliliters) |
| gel md pmp | gel in metered dose pump |

| Abbreviation | Description |
|----------------------|---|
| gel w/appl | gel with applicator |
| gel w/pump | gel with pump |
| gran pack | granule pack |
| hfa aer ad | hfa aerosol adapter |
| infus. btl | infusion bottle |
| insuln pen | insulin pen |
| ip soln | intraperitoneal solution |
| irrig soln | irrigating solution |
| iv soln. | intravenous solution |
| jel | Jelly |
| jelly/app | jelly with applicator |
| jel/pf app | jelly with pre-filled applicator |
| kit cl&crm | kit: cleanser and cream |
| kt crm le | kit: cream, lotion emollient |
| kt lotn ce | kit: lotion, cream emollient |
| kt oint le | kit: ointment, lotion emollient |
| lotion, er | lotion, extended release |
| lozenge hd | lozenge handle |
| m.ht patch | medicated heated patch |
| ma buc tab | mucoadhesive buccal tablet |
| mcg | Microgram |
| med. pad | medicated pad |
| med. swab | medicated swab |
| med. tape | medicated tape |
| mg | Milligram |
| ml | Milliliter |
| muc er 12h | mucoadhesive system, 12 hour extended release |
| ndl fr inj | needle for injection |
| nl fm susp | nail film suspension |
| oint. (g), oint.(gm) | ointment (grams) |
| oral conc | oral concentrate |
| oral susp | oral suspension |
| paste (g) | paste (grams) |
| patch td24 | patch, 24 hour transdermal |
| patch td72 | patch, 72 hour transdermal |
| patch tds | patch, biweekly transdermal |
| patch tdwk | patch, weekly transdermal |
| pca syring | patient-controlled analgesic syringe |

| Abbreviation | Description |
|---------------------|--|
| pca vial | patient-controlled analgesic vial |
| pellet(ea) | pellet (each) |
| pen ij kit | pen injector kit |
| pen injctr | pen injector |
| pggybk btl | piggyback bottle |
| plast. bag | plastic bag |
| powd pack | powder pack |
| sol md pmp | solution with multi-dose pump |
| sol w/appl | solution with applicator |
| sol/pf app | solution with pre-filled applicator |
| sol-gel | solution, gel-forming |
| soln recon | solution, reconstituted |
| soln(gram) | solution (grams) |
| spray susp | spray, suspension |
| spray/pump | spray with pump |
| stick(ea) | stick (each) |
| supp.rect | suppository, rectal |
| supp.vag | suppository, vaginal |
| suppos. | Suppository |
| sus er 24h | suspension, 24 hour extended release |
| sus er rec | suspension, extended release reconstituted |
| sus mc rec | suspension, microcapsule reconstituted |
| suspdr pkt | suspension, delayed release packet |
| susp recon | suspension, reconstituted |
| syringekit | syringe kit |
| tab chew | tablet, chewable |
| tab er 12h | tablet, 12 hour extended release |
| tab er 24h | tablet, 24 hour extended release |
| tab er prt | tablet, extended release particles |
| tab er seq | tablet, extended release sequels |
| tab disper | tablet, dispersable |
| tab ds pk | tablet, dose pack |
| tab er 24 | tablet, 24 hour extended release |
| tab mphase | tablet, multiphasic |
| tab part | tablet, particles |
| tab rap dr | tablet, rapid disintegrating delayed release |
| tab rapdis | tablet, rapid disintegrating |
| tab subl | tablet, sublingual |

| Abbreviation | Description |
|---------------------|--|
| tab.sr 12h | tablet, 12 hour sustained release |
| tab.sr 24h | tablet, 24 hour sustained release |
| tabergr24hr | tablet, 24 hour gradual extended release |
| tablet dr | tablet, delayed release |
| tablet, er | tablet, extended release |
| tablet eff | tablet, effervescent |
| tablet sa | tablet, sustained action |
| tablet sol | tablet, soluble |
| tb er dspk | tablet, extended release dosepack |
| tb mp dspk | tablet, multiphasic dosepack |
| tb rd dspk | tablet, rapid disintegrating dosepack |
| tbdspk 3mo | tablet, 3-month dosepack |
| tbmp 12hr | tablet, 12 hour multiphasic |
| tbmp 24hr | tablet, 24 hour multiphasic |
| u | Unit |
| vag ring | vaginal ring |

Blood Glucose Meters and Test Strip

PHP wants to provide you with the best products for your diabetes care. PHP has selected Abbott Diabetes Care, the maker of FreeStyle- and Precision-branded products as the supplier for your diabetic testing supplies. We cover the following diabetic testing supplies:

- FreeStyle Lite® meters
- FreeStyle Freedom Lite® meters
- Precision Xtra® meters
- FreeStyle Lite® test strips
- Precision Xtra® test strips
- Precision Xtra® Beta Ketone test strips

Table of Contents

| | |
|--|----|
| Analgesics | 3 |
| Anesthetics | 8 |
| Anti-Addiction/Substance Abuse Treatment Agents | 9 |
| Antianxiety Agents | 10 |
| Antibacterials | 11 |
| Anticancer Agents | 19 |
| Anticonvulsants | 37 |
| Antidementia Agents | 43 |
| Antidepressants | 43 |
| Antidiabetic Agents | 47 |
| Antifungals | 52 |
| Antigout Agents | 54 |
| Antihistamines | 54 |
| Anti-Infectives (Skin And Mucous Membrane) | 55 |
| Antimigraine Agents | 55 |
| Antimycobacterials | 57 |
| Antinausea Agents | 58 |
| Antiparasite Agents | 60 |
| Antiparkinsonian Agents | 61 |
| Antipsychotic Agents | 62 |
| Antivirals (Systemic) | 69 |
| Blood Products/Modifiers/Volume Expanders | 76 |
| Caloric Agents | 80 |
| Cardiovascular Agents | 82 |

| | |
|---|-----|
| Central Nervous System Agents | 95 |
| Contraceptives | 101 |
| Dental And Oral Agents | 110 |
| Dermatological Agents | 111 |
| Devices | 117 |
| Enzyme Replacement/Modifiers | 163 |
| Eye, Ear, Nose, Throat Agents | 164 |
| Gastrointestinal Agents | 169 |
| Genitourinary Agents | 173 |
| Heavy Metal Antagonists | 174 |
| Hormonal Agents, Stimulant/Replacement/Modifying | 174 |
| Immunological Agents | 181 |
| Inflammatory Bowel Disease Agents | 193 |
| Metabolic Bone Disease Agents | 194 |
| Miscellaneous Therapeutic Agents | 196 |
| Ophthalmic Agents | 198 |
| Replacement Preparations | 199 |
| Respiratory Tract Agents | 201 |
| Skeletal Muscle Relaxants | 207 |
| Sleep Disorder Agents | 207 |
| Vasodilating Agents | 208 |
| Vitamins And Minerals | 209 |

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---|
| Analgesics | | |
| Analgesics, Miscellaneous | | |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i> | 1 | QL (4500 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i> | 1 | QL (360 per 30 days) |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i> | 1 | QL (180 per 30 days) |
| <i>ascomp with codeine oral capsule 30-50-325-40 mg</i> | 1 | (codeine-butalbital-asa-caff) PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>buprenorphine hcl injection solution 0.3 mg/ml</i> | 1 | |
| <i>buprenorphine hcl injection syringe 0.3 mg/ml</i> | 1 | |
| <i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> | 1 | (Esgic) PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i> | 1 | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i> | 1 | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>codeine sulfate oral tablet 30 mg, 60 mg</i> | 1 | QL (180 per 30 days) |
| <i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i> | 1 | (Ascomp with Codeine) PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>endocet oral tablet 10-325 mg</i> | 1 | (oxycodone-acetaminophen) QL (180 per 30 days) |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> | 1 | (oxycodone-acetaminophen) QL (360 per 30 days) |
| <i>endocet oral tablet 7.5-325 mg</i> | 1 | (oxycodone-acetaminophen) QL (240 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 4 | PA; QL (120 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i> | 1 | PA; QL (120 per 30 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 1 | QL (10 per 30 days) |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> | 1 | QL (2700 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i> | 1 | QL (180 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i> | 1 | QL (240 per 30 days) |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i> | 1 | QL (150 per 30 days) |
| <i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i> | 1 | |
| <i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid) | 1 | QL (1200 per 30 days) |
| <i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid) | 1 | QL (180 per 30 days) |
| <i>methadone injection solution 10 mg/ml</i> | 1 | QL (120 per 30 days) |
| <i>methadone oral solution 10 mg/5 ml</i> | 1 | QL (600 per 30 days) |
| <i>methadone oral solution 5 mg/5 ml</i> | 1 | QL (1200 per 30 days) |
| <i>methadone oral tablet 10 mg</i> | 1 | QL (120 per 30 days) |
| <i>methadone oral tablet 5 mg</i> | 1 | QL (180 per 30 days) |
| <i>methadose oral tablet, soluble 40 mg</i> (methadone) | 1 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i> | 1 | PA; QL (180 per 30 days) |
| <i>morphine oral solution 10 mg/5 ml</i> | 1 | QL (700 per 30 days) |
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i> | 1 | QL (300 per 30 days) |
| MORPHINE ORAL TABLET 15 MG | 3 | QL (180 per 30 days) |
| MORPHINE ORAL TABLET 30 MG | 3 | QL (120 per 30 days) |
| <i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin) | 1 | QL (60 per 30 days) |
| <i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin) | 1 | QL (90 per 30 days) |
| <i>oxycodone oral capsule 5 mg</i> | 1 | QL (180 per 30 days) |
| <i>oxycodone oral solution 5 mg/5 ml</i> | 1 | QL (1300 per 30 days) |
| <i>oxycodone oral tablet 10 mg, 5 mg</i> | 1 | QL (180 per 30 days) |
| <i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone) | 1 | QL (120 per 30 days) |
| <i>oxycodone oral tablet 20 mg</i> | 1 | QL (120 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet) | 1 | QL (180 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet) | 1 | QL (360 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet) | 1 | QL (240 per 30 days) |
| OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone) | 2 | QL (60 per 30 days) |
| <i>oxymorphone oral tablet 10 mg</i> | 1 | QL (120 per 30 days) |
| <i>oxymorphone oral tablet 5 mg</i> | 1 | QL (180 per 30 days) |
| <i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> | 1 | QL (60 per 30 days) |
| <i>oxymorphone oral tablet extended release 12 hr 40 mg</i> | 4 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>tramadol oral tablet 50 mg</i> | 1 | QL (240 per 30 days) |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> | 1 | QL (300 per 30 days) |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG | 2 | QL (60 per 30 days) |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG | 2 | QL (120 per 30 days) |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG | 4 | QL (240 per 30 days) |
| Nonsteroidal Anti-Inflammatory Agents | | |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex) | 1 | QL (60 per 30 days) |
| <i>diclofenac potassium oral tablet 50 mg</i> | 1 | QL (120 per 30 days) |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> | 1 | QL (60 per 30 days) |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i> | 1 | QL (150 per 30 days) |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i> | 1 | QL (120 per 30 days) |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i> | 1 | QL (60 per 30 days) |
| <i>diclofenac sodium topical drops 1.5 %</i> | 1 | QL (300 per 30 days) |
| <i>diclofenac sodium topical gel 1 %</i> (Aleve (diclofenac)) | 1 | QL (1000 per 30 days) |
| <i>diclofenac sodium topical gel 3 %</i> | 1 | PA; QL (100 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>diclofenac sodium topical solution</i> (Pennsaid) <i>in metered-dose pump 20 mg/gram /actuation(2 %)</i> | 4 | PA; QL (224 per 28 days) |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50) | 1 | |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75) | 1 | |
| <i>ec-naproxen dr 500 mg tablet</i> (naproxen) | 1 | |
| <i>etodolac oral capsule 200 mg, 300 mg</i> | 1 | |
| <i>etodolac oral tablet 400 mg</i> (Lodine) | 1 | |
| <i>etodolac oral tablet 500 mg</i> | 1 | |
| <i>flurbiprofen oral tablet 100 mg</i> | 1 | |
| <i>ibu oral tablet 400 mg</i> (ibuprofen) | 1 | QL (240 per 30 days) |
| <i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen) | 1 | |
| <i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil) | 1 | |
| <i>ibuprofen oral tablet 400 mg</i> (IBU) | 1 | QL (240 per 30 days) |
| <i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU) | 1 | |
| <i>indomethacin oral capsule 25 mg</i> | 1 | PA-HRM; QL (240 per 30 days); AGE (Max 64 Years) |
| <i>indomethacin oral capsule 50 mg</i> | 1 | PA-HRM; QL (120 per 30 days); AGE (Max 64 Years) |
| <i>indomethacin oral capsule, extended release 75 mg</i> | 1 | PA-HRM; QL (60 per 30 days); AGE (Max 64 Years) |
| <i>ketorolac oral tablet 10 mg</i> | 1 | PA-HRM; QL (20 per 30 days); AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>mefenamic acid oral capsule 250 mg</i> | 1 | |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i> | 1 | |
| <i>nabumetone oral tablet 500 mg, 750 mg</i> | 1 | |
| <i>naproxen oral tablet 250 mg, 375 mg</i> | 1 | |
| <i>naproxen oral tablet 500 mg</i> (Naprosyn) | 1 | |
| <i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> (EC-Naprosyn) | 1 | |
| <i>naproxen oral tablet, delayed release (dr/ec) 500 mg</i> (EC-Naproxen) | 1 | |
| <i>piroxicam oral capsule 10 mg</i> | 1 | |
| <i>piroxicam oral capsule 20 mg</i> (Feldene) | 1 | |
| <i>sulindac oral tablet 150 mg, 200 mg</i> | 1 | |

Anesthetics

Local Anesthetics

| | | |
|--|---|-------------------------|
| <i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl) | 1 | QL (30 per 30 days) |
| <i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF) | 1 | |
| <i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i> | 1 | |
| <i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine) | 1 | |
| <i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo) | 1 | QL (30 per 30 days) |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 1 | PA |
| <i>lidocaine topical adhesive patch, medicated 5 %</i> (Tridacaine II) | 1 | PA; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>lidocaine topical ointment 5 %</i> | 1 | PA; QL (90 per 30 days) |
| <i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl) | 1 | |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i> | 1 | PA; QL (30 per 30 days) |
| <i>tridacaine ii topical adhesive patch,medicated 5 %</i> (lidocaine) | 1 | PA; QL (90 per 30 days) |
| ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 % | 2 | PA; QL (90 per 30 days) |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| <i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i> | 1 | |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i> | 1 | QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone) | 1 | QL (60 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone) | 1 | QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i> | 1 | QL (90 per 30 days) |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> | 1 | |
| <i>disulfiram oral tablet 250 mg, 500 mg</i> | 1 | |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION | 2 | QL (4 per 30 days) |
| <i>naloxone injection solution 0.4 mg/ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i> | 1 | |
| <i>naloxone nasal spray,non-aerosol 4 mg/actuation</i> (Narcan) | 1 | QL (4 per 30 days) |
| <i>naltrexone oral tablet 50 mg</i> | 1 | |
| NICOTROL INHALATION CARTRIDGE 10 MG | 3 | QL (2688 per 365 days) |
| NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML | 3 | QL (240 per 180 days) |
| <i>varenicline oral tablet 0.5 mg, 1 mg (56 pack)</i> | 1 | QL (336 per 365 days) |
| <i>varenicline oral tablet 1 mg</i> (Chantix) | 1 | QL (336 per 365 days) |
| <i>varenicline oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) | 1 | |
| Antianxiety Agents | | |
| Benzodiazepines | | |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax) | 1 | QL (120 per 30 days) |
| <i>alprazolam oral tablet 2 mg</i> (Xanax) | 1 | QL (150 per 30 days) |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i> | 1 | QL (120 per 30 days) |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin) | 1 | QL (90 per 30 days) |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin) | 1 | QL (300 per 30 days) |
| <i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 1 | QL (90 per 30 days) |
| <i>clonazepam oral tablet,disintegrating 2 mg</i> | 1 | QL (300 per 30 days) |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i> | 1 | QL (180 per 30 days) |
| <i>diazepam injection solution 5 mg/ml</i> | 1 | QL (10 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>diazepam injection syringe 5 mg/ml</i> | 1 | |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam) | 1 | QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 1 | QL (1200 per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium) | 1 | QL (120 per 30 days) |
| <i>lorazepam 4 mg/ml vial inner</i> (Ativan) | 1 | |
| <i>lorazepam injection solution 2 mg/ml</i> (Ativan) | 1 | QL (2 per 30 days) |
| <i>lorazepam injection solution 4 mg/ml</i> (Ativan) | 3 | QL (2 per 30 days) |
| <i>lorazepam injection syringe 2 mg/ml</i> | 1 | QL (2 per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan) | 1 | QL (90 per 30 days) |
| <i>lorazepam oral tablet 2 mg</i> (Ativan) | 1 | QL (150 per 30 days) |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i> | 1 | QL (120 per 30 days) |
| <i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril) | 1 | QL (30 per 30 days) |
| Antibacterials | | |
| Aminoglycosides | | |
| <i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i> | 1 | |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i> | 1 | |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i> | 1 | |
| <i>neomycin oral tablet 500 mg</i> | 1 | |
| <i>streptomycin intramuscular recon soln 1 gram</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi) | 4 | PA BvD |
| <i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis) | 4 | PA BvD |
| <i>tobramycin sulfate injection solution 40 mg/ml</i> | 1 | |
| Antibacterials, Miscellaneous | | |
| <i>chloramphenicol sod succinate intravenous recon soln 1 gram</i> | 1 | |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl) | 1 | |
| <i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i> | 1 | |
| <i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl) | 1 | |
| <i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin) | 1 | |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral) | 4 | |
| <i>daptomycin intravenous recon soln 500 mg</i> | 4 | |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox) | 1 | |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox) | 4 | |
| <i>linezolid oral tablet 600 mg</i> (Zyvox) | 1 | |
| <i>methenamine hippurate oral tablet 1 gram</i> (Hiprex) | 1 | |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.) | 1 | |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin) | 1 | QL (120 per 30 days) |
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid) | 1 | QL (60 per 30 days) |
| <i>polymyxin b sulfate injection recon soln 500,000 unit</i> | 1 | |
| <i>trimethoprim oral tablet 100 mg</i> | 1 | |
| <i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i> | 1 | |
| <i>vancomycin oral capsule 125 mg</i> (Vancocin) | 1 | QL (56 per 14 days) |
| <i>vancomycin oral capsule 250 mg</i> (Vancocin) | 1 | QL (112 per 14 days) |
| <i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq) | 3 | |
| XIFAXAN ORAL TABLET 200 MG | 2 | PA; QL (9 per 30 days) |
| XIFAXAN ORAL TABLET 550 MG | 4 | PA; QL (90 per 30 days) |
| Cephalosporins | | |
| <i>cefaclor oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> | 1 | |
| <i>cefadroxil oral capsule 500 mg</i> | 1 | |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 1 | |
| <i>cefadroxil oral tablet 1 gram</i> | 1 | |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i> | 1 | |
| <i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i> | 1 | |
| <i>cefazolin intravenous recon soln 3 gram</i> | 3 | |
| <i>cefdinir oral capsule 300 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |
| <i>cefepime injection recon soln 1 gram, 2 gram</i> | 1 | |
| <i>cefixime oral capsule 400 mg</i> | 1 | |
| <i>cefotaxime injection recon soln 1 gram</i> | 1 | |
| <i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i> | 1 | |
| <i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i> | 1 | |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i> | 1 | |
| <i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef) | 1 | |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 1 | |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 1 | |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i> | 1 | |
| <i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG | 4 | |
| Macrolides | | |
| <i>azithromycin intravenous recon soln 500 mg</i> (Zithromax) | 1 | |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax) | 1 | |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i> | 1 | |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax) | 1 | |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i> | 1 | |
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML | 4 | QL (136 per 10 days) |
| DIFICID ORAL TABLET 200 MG | 4 | QL (20 per 10 days) |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules) | 1 | |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400) | 1 | |
| <i>erythromycin oral tablet 250 mg, 500 mg</i> | 1 | |
| Miscellaneous B-Lactam Antibiotics | | |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam) | 1 | |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML | 4 | PA; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ertapenem injection recon soln 1 gram</i> | 1 | |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i> | 1 | |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV) | 1 | |
| <i>meropenem intravenous recon soln 1 gram, 500 mg</i> | 1 | |
| Penicillins | | |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | 1 | |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i> | 1 | |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin) | 1 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600) | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin) | 1 | |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i> | 1 | |
| <i>ampicillin oral capsule 500 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i> | 1 | |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn) | 1 | |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | 3 | |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i> | 1 | |
| EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT | 3 | |
| LENTOCILIN S INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT | 3 | |
| <i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i> | 1 | |
| <i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G) | 1 | |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i> | 1 | |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i> | 1 | |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium) | 1 | |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| Quinolones | | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro) | 1 | |
| <i>ciprofloxacin hcl oral tablet 750 mg</i> | 1 | |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> | 1 | |
| <i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro) | 1 | |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i> | 1 | |
| <i>levofloxacin intravenous solution 25 mg/ml</i> | 1 | |
| <i>levofloxacin oral solution 250 mg/10 ml</i> | 1 | |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>moxifloxacin 400 mg/250 ml bag</i> | 1 | |
| <i>moxifloxacin oral tablet 400 mg</i> | 1 | |
| <i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic)) | 1 | |
| Sulfonamides | | |
| <i>sulfadiazine oral tablet 500 mg</i> | 1 | |
| <i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i> | 1 | |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim) | 1 | |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS) | 1 | |
| Tetracyclines | | |
| <i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate) | 1 | |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100) | 1 | |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox) | 1 | |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i> | 1 | |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL) | 1 | |
| <i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox) | 1 | |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> | 1 | |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy) | 1 | |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i> | 1 | |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i> | 1 | |
| <i>mondoxyne nl oral capsule 100 mg</i> (doxycycline monohydrate) | 1 | |
| <i>tetracycline oral capsule 250 mg, 500 mg</i> | 1 | |
| <i>tigecycline intravenous recon soln 50 mg</i> (Tygacil) | 4 | |
| Anticancer Agents | | |
| Anticancer Agents | | |
| <i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga) | 4 | PA NSO; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound) | 4 | PA BvD |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil) | 1 | PA BvD |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG | 4 | PA NSO; QL (60 per 30 days) |
| ALECENSA ORAL CAPSULE 150 MG | 4 | PA NSO; QL (240 per 30 days) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 4 | PA NSO; QL (30 per 30 days) |
| ALUNBRIG ORAL TABLET 30 MG | 4 | PA NSO; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23) | 4 | PA NSO |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex) | 1 | |
| ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML | 4 | PA NSO; QL (1.6 per 28 days) |
| AUGTYRO ORAL CAPSULE 40 MG | 4 | PA NSO; QL (240 per 30 days) |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG | 4 | PA NSO; QL (30 per 30 days) |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza) | 4 | |
| BALVERSA ORAL TABLET 3 MG | 4 | PA NSO; QL (84 per 28 days) |
| BALVERSA ORAL TABLET 4 MG | 4 | PA NSO; QL (56 per 28 days) |
| BALVERSA ORAL TABLET 5 MG | 4 | PA NSO; QL (28 per 28 days) |
| <i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda) | 4 | PA NSO |
| BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka) | 4 | PA NSO |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine) | 4 | PA NSO |
| <i>bexarotene oral capsule 75 mg</i> (Targretin) | 4 | PA NSO |
| <i>bexarotene topical gel 1 %</i> (Targretin) | 4 | PA NSO |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex) | 1 | |
| <i>bleomycin injection recon soln 15 unit, 30 unit</i> | 1 | |
| <i>bortezomib injection recon soln 1 mg</i> | 3 | PA NSO |
| <i>bortezomib injection recon soln 2.5 mg</i> | 4 | PA NSO |
| <i>bortezomib injection recon soln 3.5 mg</i> (Velcade) | 4 | PA NSO |
| BOSULIF ORAL CAPSULE 100 MG | 4 | PA NSO; QL (180 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG | 4 | PA NSO; QL (30 per 30 days) |
| BOSULIF ORAL TABLET 100 MG | 4 | PA NSO; QL (180 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG | 4 | PA NSO; QL (30 per 30 days) |
| BRAFTOVI ORAL CAPSULE 75 MG | 4 | PA NSO; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG | 4 | PA NSO; QL (120 per 30 days) |
| CABOMETYX ORAL TABLET 20 MG, 60 MG | 4 | PA NSO; QL (30 per 30 days) |
| CABOMETYX ORAL TABLET 40 MG | 4 | PA NSO; QL (60 per 30 days) |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG | 4 | PA NSO; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 100 MG (vandetanib) | 4 | PA NSO; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 300 MG (vandetanib) | 4 | PA NSO; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------|
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY) | 4 | PA NSO |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 4 | PA NSO; QL (112 per 28 days) |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | 4 | PA NSO; QL (56 per 28 days) |
| COTELLIC ORAL TABLET 20 MG | 4 | PA NSO; LA; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i> | 4 | PA BvD |
| <i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml, 500 mg/ml</i> | 4 | PA BvD |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i> | 1 | PA BvD; ST |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i> | 2 | PA BvD; ST |
| CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML | 4 | PA NSO |
| DANYELZA INTRAVENOUS SOLUTION 4 MG/ML | 4 | PA NSO; QL (120 per 28 days) |
| DAURISMO ORAL TABLET 100 MG | 4 | PA NSO; QL (30 per 30 days) |
| DAURISMO ORAL TABLET 25 MG | 4 | PA NSO; QL (60 per 30 days) |
| <i>decitabine intravenous recon soln 50 mg</i> (Dacogen) | 4 | |
| <i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> | 1 | PA BvD |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx) | 4 | PA BvD |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG | 3 | PA NSO |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG | 3 | PA NSO |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG | 3 | PA NSO |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH) | 3 | PA NSO |
| ELREXFIO 44 MG/1.1 ML VIAL OUTER, SUV, P/F 40 MG/ML | 4 | PA NSO |
| ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML | 4 | PA NSO; QL (9.5 per 28 days) |
| EMCYT ORAL CAPSULE 140 MG | 4 | |
| EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML | 4 | PA NSO |
| ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML | 4 | PA NSO |
| ERIVEDGE ORAL CAPSULE 150 MG | 4 | PA NSO; QL (28 per 28 days) |
| ERLEADA ORAL TABLET 240 MG | 4 | PA NSO; QL (30 per 30 days) |
| ERLEADA ORAL TABLET 60 MG | 4 | PA NSO; QL (90 per 30 days) |
| <i>erlotinib oral tablet 100 mg</i> (Tarceva) | 4 | PA NSO; QL (60 per 30 days) |
| <i>erlotinib oral tablet 150 mg</i> (Tarceva) | 4 | PA NSO; QL (90 per 30 days) |
| <i>erlotinib oral tablet 25 mg</i> | 4 | PA NSO; QL (60 per 30 days) |
| ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>etoposide intravenous solution 20 mg/ml</i> | 1 | |
| <i>everolimus (antineoplastic) oral tablet 10 mg</i> (Torpenz) | 4 | PA NSO; QL (56 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Torpenz) | 4 | PA NSO; QL (28 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 4 | PA NSO; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin) | 1 | |
| EXKIVITY ORAL CAPSULE 40 MG | 4 | PA NSO; QL (120 per 30 days) |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG | 4 | PA BvD |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG | 3 | PA BvD |
| <i>floxuridine injection recon soln 0.5 gram</i> | 1 | PA BvD |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i> | 1 | PA BvD |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG | 4 | PA NSO; QL (21 per 28 days) |
| FRUZAQLA ORAL CAPSULE 1 MG | 4 | PA NSO; QL (84 per 28 days) |
| FRUZAQLA ORAL CAPSULE 5 MG | 4 | PA NSO; QL (21 per 28 days) |
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex) | 4 | |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG | 4 | PA NSO |
| GAVRETO ORAL CAPSULE 100 MG | 4 | PA NSO; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>gefitinib oral tablet 250 mg</i> (Iressa) | 4 | PA NSO; QL (60 per 30 days) |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG | 4 | PA NSO; QL (30 per 30 days) |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (Iomustine) | 3 | |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML | 4 | PA NSO; QL (5 per 21 days) |
| HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG | 4 | PA NSO |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea) | 1 | |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | 4 | PA NSO; QL (21 per 28 days) |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | 4 | PA NSO; QL (21 per 28 days) |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG | 4 | PA NSO; QL (30 per 30 days) |
| IDHIFA ORAL TABLET 100 MG, 50 MG | 4 | PA NSO; QL (30 per 30 days) |
| <i>ifosfamide intravenous recon soln 1 gram</i> (Ifex) | 1 | |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> | 1 | |
| <i>imatinib oral tablet 100 mg</i> (Gleevec) | 1 | PA NSO; QL (180 per 30 days) |
| <i>imatinib oral tablet 400 mg</i> (Gleevec) | 1 | PA NSO; QL (60 per 30 days) |
| IMBRUVICA ORAL CAPSULE 140 MG | 4 | PA NSO; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG | 4 | PA NSO; QL (28 per 28 days) |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML | 4 | PA NSO; QL (240 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG | 4 | PA NSO; QL (28 per 28 days) |
| IMBRUVICA ORAL TABLET 560 MG | 4 | QL (28 per 28 days) |
| IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG | 4 | PA NSO |
| IMJUDO INTRAVENOUS SOLUTION 20 MG/ML | 4 | PA NSO |
| IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML | 3 | PA NSO; QL (4 per 365 days) |
| INLYTA ORAL TABLET 1 MG | 4 | PA NSO; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG | 4 | PA NSO; QL (120 per 30 days) |
| INQOVI ORAL TABLET 35-100 MG | 4 | PA NSO; QL (5 per 28 days) |
| INREBIC ORAL CAPSULE 100 MG | 4 | PA NSO; QL (120 per 30 days) |
| IWILFIN ORAL TABLET 192 MG | 4 | PA NSO; QL (240 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | 4 | PA NSO; QL (60 per 30 days) |
| JAYPIRCA ORAL TABLET 100 MG | 4 | PA NSO; QL (60 per 30 days) |
| JAYPIRCA ORAL TABLET 50 MG | 4 | PA NSO; QL (90 per 30 days) |
| JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML | 4 | PA NSO |
| JYLAMVO ORAL SOLUTION 2 MG/ML | 3 | PA BvD; ST |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML | 4 | PA NSO; QL (8 per 21 days) |
| KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML | 4 | PA NSO; QL (2 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 4 | PA NSO; QL (49 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 4 | PA NSO; QL (70 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 4 | PA NSO; QL (91 per 28 days) |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | 4 | PA NSO; QL (21 per 28 days) |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | 4 | PA NSO; QL (42 per 28 days) |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | 4 | PA NSO; QL (63 per 28 days) |
| KOSELUGO ORAL CAPSULE 10 MG | 4 | PA NSO; QL (300 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG | 4 | PA NSO; QL (120 per 30 days) |
| KRAZATI ORAL TABLET 200 MG | 4 | PA NSO; QL (180 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb) | 4 | PA NSO |
| LAZCLUZE ORAL TABLET 240 MG | 4 | PA NSO; QL (30 per 30 days) |
| LAZCLUZE ORAL TABLET 80 MG | 4 | PA NSO; QL (60 per 30 days) |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid) | 4 | PA NSO; QL (28 per 28 days) |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 4 | PA NSO |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>letrozole oral tablet 2.5 mg</i> (Femara) | 1 | |
| LEUKERAN ORAL TABLET 2 MG | 4 | |
| <i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i> | 3 | PA NSO |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i> | 1 | PA NSO |
| LONSURF ORAL TABLET 15-6.14 MG | 4 | PA NSO; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG | 4 | PA NSO; QL (80 per 28 days) |
| LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML) | 4 | PA NSO |
| LORBRENA ORAL TABLET 100 MG | 4 | PA NSO; QL (30 per 30 days) |
| LORBRENA ORAL TABLET 25 MG | 4 | PA NSO; QL (90 per 30 days) |
| LUMAKRAS ORAL TABLET 120 MG | 4 | PA NSO; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG | 4 | PA NSO; QL (90 per 30 days) |
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML | 4 | PA NSO |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG | 4 | PA NSO |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG | 4 | PA NSO |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG | 4 | PA NSO |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | 4 | PA NSO; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| LYSODREN ORAL TABLET 500 MG | 4 | |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5) | 4 | PA NSO; QL (140 per 28 days) |
| MARGENZA INTRAVENOUS SOLUTION 25 MG/ML | 4 | PA NSO |
| MATULANE ORAL CAPSULE 50 MG | 4 | |
| <i>megestrol oral tablet 20 mg, 40 mg</i> | 1 | PA NSO-HRM; AGE (Max 64 Years) |
| MEKINIST ORAL RECON SOLN 0.05 MG/ML | 4 | PA NSO; QL (1260 per 30 days) |
| MEKINIST ORAL TABLET 0.5 MG | 4 | PA NSO; QL (90 per 30 days) |
| MEKINIST ORAL TABLET 2 MG | 4 | PA NSO; QL (30 per 30 days) |
| MEKTOVI ORAL TABLET 15 MG | 4 | PA NSO; QL (180 per 30 days) |
| <i>mercaptopurine oral tablet 50 mg</i> | 1 | |
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i> | 1 | |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i> | 1 | |
| <i>methotrexate sodium injection solution 25 mg/ml</i> | 1 | |
| <i>methotrexate sodium oral tablet 2.5 mg</i> | 1 | PA BvD; ST |
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i> | 1 | |
| MVASI INTRAVENOUS SOLUTION 25 MG/ML | 4 | PA NSO |
| NERLYNX ORAL TABLET 40 MG | 4 | PA NSO; QL (180 per 30 days) |
| <i>nilutamide oral tablet 150 mg</i> (Nilandron) | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | 4 | PA NSO; QL (3 per 28 days) |
| NUBEQA ORAL TABLET 300 MG | 4 | PA NSO; QL (120 per 30 days) |
| ODOMZO ORAL CAPSULE 200 MG | 4 | PA NSO; LA |
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG | 4 | PA NSO |
| OGSIVEO ORAL TABLET 100 MG, 150 MG | 4 | PA NSO; QL (60 per 30 days) |
| OGSIVEO ORAL TABLET 50 MG | 4 | PA NSO; QL (180 per 30 days) |
| OJEMDA 100 MG TAB (400 MG DOSE) 400 MG/WEEK (100 MG X 4) | 4 | PA NSO; QL (24 per 28 days) |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML | 4 | PA NSO; QL (96 per 28 days) |
| OJEMDA ORAL TABLET 500 MG/WEEK (100 MG X 5) | 4 | PA NSO; QL (24 per 28 days) |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG | 4 | PA NSO; QL (30 per 30 days) |
| ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG | 4 | PA NSO |
| ONUREG ORAL TABLET 200 MG, 300 MG | 4 | PA NSO; QL (14 per 28 days) |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML | 4 | PA NSO |
| OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML | 4 | PA NSO |
| ORSERDU ORAL TABLET 345 MG | 4 | PA NSO; QL (30 per 30 days) |
| ORSERDU ORAL TABLET 86 MG | 4 | PA NSO; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane) | 4 | PA BvD |
| <i>pazopanib oral tablet 200 mg</i> (Votrient) | 4 | PA NSO; QL (120 per 30 days) |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | 4 | PA NSO; QL (30 per 30 days) |
| <i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i> | 4 | |
| <i>pemetrexed disodium intravenous solution 25 mg/ml</i> | 4 | |
| <i>pemetrexed intravenous recon soln 100 mg, 500 mg</i> | 4 | |
| PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML | 4 | |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1) | 4 | PA NSO; QL (28 per 28 days) |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 4 | PA NSO; QL (56 per 28 days) |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | 4 | PA NSO; QL (21 per 28 days) |
| PURIXAN ORAL SUSPENSION 20 MG/ML | 4 | |
| QINLOCK ORAL TABLET 50 MG | 4 | PA NSO; QL (90 per 30 days) |
| RETEVMO ORAL CAPSULE 40 MG | 4 | PA NSO; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG | 4 | PA NSO; QL (120 per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG | 4 | PA NSO; QL (60 per 30 days) |
| RETEVMO ORAL TABLET 40 MG | 4 | PA NSO; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| RETEVMO ORAL TABLET 80 MG | 4 | PA NSO; QL (120 per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG | 4 | PA NSO; QL (60 per 30 days) |
| RIABNI INTRAVENOUS SOLUTION 10 MG/ML | 4 | PA NSO |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML) | 4 | PA NSO |
| ROZLYTREK ORAL CAPSULE 100 MG | 4 | PA NSO; QL (180 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG | 4 | PA NSO; QL (90 per 30 days) |
| ROZLYTREK ORAL PELLETS IN PACKET 50 MG | 4 | PA NSO; QL (360 per 30 days) |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | 4 | PA NSO; QL (120 per 30 days) |
| RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML | 4 | PA NSO |
| RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML | 4 | PA NSO |
| RYDAPT ORAL CAPSULE 25 MG | 4 | PA NSO; QL (224 per 28 days) |
| RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG | 4 | PA NSO |
| SCSEMBLIX ORAL TABLET 100 MG | 4 | PA NSO; QL (120 per 30 days) |
| SCSEMBLIX ORAL TABLET 20 MG | 4 | PA NSO; QL (60 per 30 days) |
| SCSEMBLIX ORAL TABLET 40 MG | 4 | PA NSO; QL (300 per 30 days) |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------|
| <i>sorafenib oral tablet 200 mg</i> (Nexavar) | 4 | PA NSO; QL (120 per 30 days) |
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG | 4 | PA NSO; QL (30 per 30 days) |
| SPRYCEL ORAL TABLET 20 MG | 4 | PA NSO; QL (90 per 30 days) |
| STIVARGA ORAL TABLET 40 MG | 4 | PA NSO; QL (84 per 28 days) |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent) | 4 | PA NSO; QL (28 per 28 days) |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG | 4 | PA NSO |
| TABLOID ORAL TABLET 40 MG (thioguanine) | 3 | |
| TABRECTA ORAL TABLET 150 MG, 200 MG | 4 | PA NSO; QL (112 per 28 days) |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | 4 | PA NSO; QL (120 per 30 days) |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG | 4 | PA NSO; QL (900 per 30 days) |
| TAGRISSO ORAL TABLET 40 MG, 80 MG | 4 | PA NSO; LA; QL (30 per 30 days) |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML | 4 | PA NSO |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG | 4 | PA NSO; QL (30 per 30 days) |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i> | 1 | |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG | 4 | PA NSO; QL (112 per 28 days) |
| TASIGNA ORAL CAPSULE 50 MG | 4 | PA NSO; QL (120 per 30 days) |
| TAZVERIK ORAL TABLET 200 MG | 4 | PA NSO; QL (240 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML | 4 | PA NSO |
| TEPMETKO ORAL TABLET 225 MG | 4 | PA NSO; QL (60 per 30 days) |
| TIBSOVO ORAL TABLET 250 MG | 4 | PA NSO; QL (60 per 30 days) |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG | 3 | |
| TIVDAK INTRAVENOUS RECON SOLN 40 MG | 4 | PA NSO; QL (5 per 21 days) |
| <i>toposar intravenous solution 20 mg/ml</i> (etoposide) | 1 | |
| <i>toremifene oral tablet 60 mg</i> (Fareston) | 4 | |
| <i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic)) | 4 | PA NSO; QL (60 per 30 days) |
| <i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic)) | 4 | PA NSO; QL (30 per 30 days) |
| TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG | 4 | PA NSO |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG | 2 | PA NSO |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i> | 4 | |
| TRUQAP ORAL TABLET 160 MG, 200 MG | 4 | PA NSO; QL (64 per 28 days) |
| TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML | 4 | PA NSO |
| TUKYSA ORAL TABLET 150 MG | 4 | PA NSO; QL (120 per 30 days) |
| TUKYSA ORAL TABLET 50 MG | 4 | PA NSO; QL (300 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| TURALIO ORAL CAPSULE 125 MG, 200 MG | 4 | PA NSO; QL (120 per 30 days) |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG | 4 | PA NSO |
| VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML | 4 | PA NSO |
| VELCADE INJECTION RECON (bortezomib) SOLN 3.5 MG | 4 | PA NSO |
| VENCLEXTA ORAL TABLET 10 MG | 2 | PA NSO; LA; QL (60 per 30 days) |
| VENCLEXTA ORAL TABLET 100 MG | 4 | PA NSO; LA; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG | 4 | PA NSO; LA; QL (30 per 30 days) |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG | 4 | PA NSO; LA |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 4 | PA NSO; QL (56 per 28 days) |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> | 1 | |
| VITRAKVI ORAL CAPSULE 100 MG | 4 | PA NSO; QL (60 per 30 days) |
| VITRAKVI ORAL CAPSULE 25 MG | 4 | PA NSO; QL (180 per 30 days) |
| VITRAKVI ORAL SOLUTION 20 MG/ML | 4 | PA NSO; QL (300 per 30 days) |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | 4 | PA NSO; QL (30 per 30 days) |
| VONJO ORAL CAPSULE 100 MG | 4 | PA NSO; QL (120 per 30 days) |
| WELIREG ORAL TABLET 40 MG | 4 | PA NSO; QL (90 per 30 days) |
| XALKORI ORAL CAPSULE 200 MG, 250 MG | 4 | PA NSO; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on
this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| XALKORI ORAL PELLETT 150 MG | 4 | PA NSO; QL (180 per 30 days) |
| XALKORI ORAL PELLETT 20 MG | 4 | PA NSO; QL (240 per 30 days) |
| XALKORI ORAL PELLETT 50 MG | 4 | PA NSO; QL (120 per 30 days) |
| XATMEP ORAL SOLUTION 2.5 MG/ML | 3 | PA BvD; ST |
| XOSPATA ORAL TABLET 40 MG | 4 | PA NSO; QL (90 per 30 days) |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) | 4 | PA NSO; QL (8 per 28 days) |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) | 4 | PA NSO; QL (4 per 28 days) |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK) | 4 | PA NSO; QL (24 per 28 days) |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK) | 4 | PA NSO; QL (32 per 28 days) |
| XTANDI ORAL CAPSULE 40 MG | 4 | PA NSO; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG | 4 | PA NSO; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG | 4 | PA NSO; QL (60 per 30 days) |
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) | 4 | PA NSO |
| YONSA ORAL TABLET 125 MG | 4 | PA NSO; QL (120 per 30 days) |
| ZEJULA ORAL CAPSULE 100 MG | 4 | PA NSO; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG | 4 | PA NSO; QL (30 per 30 days) |
| ZELBORAF ORAL TABLET 240 MG | 4 | PA NSO; QL (240 per 30 days) |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML | 4 | PA NSO |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG | 3 | PA NSO |
| ZOLINZA ORAL CAPSULE 100 MG | 4 | |
| ZYDELIG ORAL TABLET 100 MG, 150 MG | 4 | PA NSO; QL (60 per 30 days) |
| ZYKADIA ORAL TABLET 150 MG | 4 | PA NSO; QL (84 per 28 days) |
| ZYNLONTA INTRAVENOUS RECON SOLN 10 MG | 4 | PA NSO |
| ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML | 4 | PA NSO; QL (20 per 28 days) |
| Anticonvulsants | | |
| Anticonvulsants | | |
| APTIOM ORAL TABLET 200 MG, 400 MG | 4 | ST; QL (30 per 30 days) |
| APTIOM ORAL TABLET 600 MG, 800 MG | 4 | ST; QL (60 per 30 days) |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML | 2 | QL (80 per 30 days) |
| BRIVIACT ORAL SOLUTION 10 MG/ML | 2 | QL (600 per 30 days) |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG | 2 | QL (60 per 30 days) |
| <i>carbamazepine oral capsule, er</i> (Carbatrol) <i>multiphase 12 hr 100 mg, 200 mg,</i> <i>300 mg</i> | 1 | |
| <i>carbamazepine oral suspension</i> (Tegretol) <i>100 mg/5 ml</i> | 1 | |
| <i>carbamazepine oral tablet 200 mg</i> (Epilex) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR) | 1 | |
| <i>carbamazepine oral tablet, chewable 100 mg</i> | 1 | |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi) | 1 | QL (480 per 30 days) |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi) | 1 | QL (60 per 30 days) |
| DIACOMIT ORAL CAPSULE 250 MG | 4 | PA NSO; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG | 4 | PA NSO; QL (180 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG | 4 | PA NSO; QL (360 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG | 4 | PA NSO; QL (180 per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i> | 3 | |
| <i>divalproex oral capsule, delayed release 125 mg</i> (Depakote Sprinkles) | 1 | |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER) | 1 | |
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote) | 1 | |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | 4 | PA NSO |
| <i>epitol oral tablet 200 mg</i> (carbamazepine) | 1 | |
| EPRONTIA ORAL SOLUTION 25 MG/ML | 3 | ST; QL (480 per 30 days) |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin) | 1 | |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin) | 1 | |
| <i>felbamate oral suspension 600 mg/5 ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol) | 1 | |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML | 4 | PA NSO |
| <i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx) | 1 | |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML | 4 | ST; QL (720 per 30 days) |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG | 4 | ST; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 2 MG | 3 | ST; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 4 MG, 6 MG | 4 | ST; QL (60 per 30 days) |
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin) | 1 | QL (360 per 30 days) |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin) | 1 | QL (270 per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin) | 1 | QL (2160 per 30 days) |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin) | 1 | QL (180 per 30 days) |
| <i>gabapentin oral tablet 800 mg</i> (Neurontin) | 1 | QL (120 per 30 days) |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat) | 1 | QL (200 per 5 days) |
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat) | 1 | QL (1200 per 30 days) |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat) | 1 | QL (60 per 30 days) |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite) | 1 | |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal) | 1 | |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT) | 1 | |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra) | 1 | |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra) | 1 | |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR) | 1 | |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG | 3 | QL (10 per 30 days) |
| <i>methsuximide oral capsule 300 mg</i> (Celontin) | 1 | |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML) | 3 | QL (10 per 30 days) |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal) | 1 | |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal) | 1 | |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i> | 1 | PA NSO-HRM; AGE (Max 64 Years) |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 1 | PA NSO-HRM; AGE (Max 64 Years) |
| <i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125) | 1 | |
| <i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs) | 1 | |
| <i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended) | 1 | |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek) | 1 | |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i> | 1 | |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i> | 1 | |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica) | 1 | QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica) | 1 | QL (60 per 30 days) |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica) | 1 | QL (900 per 30 days) |
| <i>primidone oral tablet 125 mg</i> | 1 | |
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline) | 1 | |
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel) | 4 | ST |
| <i>rufinamide oral tablet 200 mg</i> (Banzel) | 1 | ST |
| <i>rufinamide oral tablet 400 mg</i> (Banzel) | 4 | ST |
| SEZABY INTRAVENOUS RECON SOLN 100 MG | 4 | PA BvD |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG | 3 | ST; QL (60 per 30 days) |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG | 3 | ST; QL (120 per 30 days) |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine) | 1 | |
| SYMPAZAN ORAL FILM 10 MG, 20 MG | 4 | PA NSO; QL (60 per 30 days) |
| SYMPAZAN ORAL FILM 5 MG | 3 | PA NSO; QL (60 per 30 days) |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> | 1 | |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax) | 1 | |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax) | 1 | |
| <i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i> | 1 | |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 1 | |
| <i>valproic acid oral capsule 250 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML) | 3 | |
| VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2) | 4 | |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone) | 4 | PA NSO; QL (180 per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i> (Vigadrone) | 4 | PA NSO; QL (180 per 30 days) |
| <i>vigadrone oral powder in packet 500 mg</i> (vigabatrin) | 4 | PA NSO; QL (180 per 30 days) |
| <i>vigadrone oral tablet 500 mg</i> (vigabatrin) | 4 | PA NSO; QL (180 per 30 days) |
| <i>vigpoder oral powder in packet 500 mg</i> (vigabatrin) | 4 | PA NSO; QL (180 per 30 days) |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) | 3 | ST; QL (56 per 28 days) |
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG | 3 | ST; QL (30 per 30 days) |
| XCOPRI ORAL TABLET 150 MG, 200 MG | 3 | ST; QL (60 per 30 days) |
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 3 | ST |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML | 3 | |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran) | 1 | |
| <i>zonisamide oral capsule 50 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| ZTALMY ORAL SUSPENSION 50 MG/ML | 4 | PA NSO; QL (1080 per 30 days) |
| Antidementia Agents | | |
| Antidementia Agents | | |
| <i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept) | 1 | QL (30 per 30 days) |
| <i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i> | 1 | QL (30 per 30 days) |
| <i>ergoloid oral tablet 1 mg</i> | 1 | |
| <i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> | 1 | QL (30 per 30 days) |
| <i>galantamine oral solution 4 mg/ml</i> | 1 | QL (200 per 30 days) |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> | 1 | QL (60 per 30 days) |
| <i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR) | 1 | ST; QL (30 per 30 days) |
| <i>memantine oral solution 2 mg/ml</i> | 1 | QL (300 per 30 days) |
| <i>memantine oral tablet 10 mg, 5 mg</i> | 1 | QL (60 per 30 days) |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> | 1 | QL (60 per 30 days) |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch) | 1 | QL (30 per 30 days) |
| Antidepressants | | |
| Antidepressants | | |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i> | 1 | |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG | 4 | ST |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL) | 1 | |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR) | 1 | |
| <i>citalopram oral solution 10 mg/5 ml</i> | 1 | QL (600 per 30 days) |
| <i>citalopram oral tablet 10 mg</i> (Celexa) | 1 | QL (120 per 30 days) |
| <i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa) | 1 | QL (30 per 30 days) |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil) | 1 | |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin) | 1 | |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i> | 1 | |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq) | 1 | QL (30 per 30 days) |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>doxepin oral concentrate 10 mg/ml</i> | 1 | |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG | 3 | ST; QL (60 per 30 days) |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG | 3 | ST; QL (30 per 30 days) |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta) | 1 | QL (60 per 30 days) |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR | 4 | ST; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>escitalopram oxalate oral solution</i> <i>5 mg/5 ml</i> | 1 | |
| <i>escitalopram oxalate oral tablet 10 (Lexapro)</i> <i>mg, 20 mg, 5 mg</i> | 1 | |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) | 3 | ST |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG | 3 | ST; QL (30 per 30 days) |
| <i>fluoxetine oral capsule 10 mg, 20 (Prozac)</i> <i>mg, 40 mg</i> | 1 | |
| <i>fluoxetine oral solution 20 mg/5</i> <i>ml (4 mg/ml)</i> | 1 | |
| <i>fluvoxamine oral tablet 100 mg, 25</i> <i>mg, 50 mg</i> | 1 | |
| <i>imipramine hcl oral tablet 10 mg,</i> <i>25 mg, 50 mg</i> | 1 | |
| MARPLAN ORAL TABLET 10 MG | 3 | |
| <i>mirtazapine oral tablet 15 mg, 30 (Remeron)</i> <i>mg</i> | 1 | |
| <i>mirtazapine oral tablet 45 mg, 7.5</i> <i>mg</i> | 1 | |
| <i>mirtazapine oral (Remeron SolTab)</i> <i>tablet,disintegrating 15 mg, 30 mg,</i> <i>45 mg</i> | 1 | |
| <i>nefazodone oral tablet 100 mg,</i> <i>150 mg, 200 mg, 250 mg, 50 mg</i> | 1 | |
| <i>nortriptyline oral capsule 10 mg, (Pamelor)</i> <i>25 mg, 50 mg, 75 mg</i> | 1 | |
| <i>nortriptyline oral solution 10 mg/5</i> <i>ml</i> | 1 | |
| <i>paroxetine hcl oral suspension 10 (Paxil)</i> <i>mg/5 ml</i> | 1 | PA NSO-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil) | 1 | PA NSO-HRM; AGE (Max 64 Years) |
| <i>phenelzine oral tablet 15 mg</i> (Nardil) | 1 | |
| <i>protriptyline oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>sertraline oral concentrate 20 mg/ml</i> (Zoloft) | 1 | |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft) | 1 | |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG | 3 | PA NSO |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3) | 4 | PA NSO |
| <i>tranylcypromine oral tablet 10 mg</i> (Parnate) | 1 | |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i> | 1 | |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> | 1 | |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | 2 | QL (30 per 30 days) |
| <i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i> | 3 | QL (60 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR) | 1 | QL (30 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR) | 1 | QL (90 per 30 days) |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 1 | |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd) | 1 | QL (30 per 30 days) |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG | 4 | PA NSO; QL (28 per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG | 4 | PA NSO; QL (14 per 14 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------|
| Antidiabetic Agents | | |
| Antidiabetic Agents, Miscellaneous | | |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose) | 1 | QL (90 per 30 days) |
| FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol) | 2 | QL (30 per 30 days) |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | 2 | QL (30 per 30 days) |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG | 2 | QL (60 per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG | 2 | QL (30 per 30 days) |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG | 2 | QL (60 per 30 days) |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG | 2 | QL (30 per 30 days) |
| JARDIANCE ORAL TABLET 10 MG, 25 MG | 2 | QL (30 per 30 days) |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG | 2 | QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 2 | QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | 2 | QL (30 per 30 days) |
| <i>metformin oral tablet 1,000 mg</i> | 5 | QL (75 per 30 days) |
| <i>metformin oral tablet 500 mg</i> | 5 | QL (150 per 30 days) |
| <i>metformin oral tablet 850 mg</i> | 5 | QL (90 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 500 mg</i> | 5 | QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>metformin oral tablet extended release 24 hr 750 mg</i> | 5 | QL (60 per 30 days) |
| <i>mifepristone oral tablet 300 mg</i> (Korlym) | 4 | PA; QL (112 per 28 days) |
| MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML | 2 | PA NSO; QL (2 per 28 days) |
| <i>nateglinide oral tablet 120 mg, 60 mg</i> | 5 | QL (90 per 30 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 2 | PA NSO; QL (3 per 28 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML) | 2 | PA NSO; QL (1.5 per 28 days) |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos) | 5 | QL (30 per 30 days) |
| <i>pioglitazone-metformin oral tablet 15-500 mg</i> | 1 | QL (90 per 30 days) |
| <i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET) | 1 | QL (90 per 30 days) |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i> | 5 | QL (120 per 30 days) |
| <i>repaglinide oral tablet 2 mg</i> | 5 | QL (240 per 30 days) |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG | 2 | PA NSO; QL (30 per 30 days) |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML | 4 | PA; QL (10.8 per 28 days) |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML | 4 | PA; QL (10.8 per 28 days) |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG | 2 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 2 | QL (30 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | 2 | QL (60 per 30 days) |
| TRADJENTA ORAL TABLET 5 MG | 2 | QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG | 2 | QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG | 2 | QL (60 per 30 days) |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 2 | PA NSO; QL (2 per 28 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin) | 2 | QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG | 2 | QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG | 2 | QL (60 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin) | 2 | QL (60 per 30 days) |
| Insulins | | |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 2 | max \$35 copay per month supply; QL (30 per 28 days) |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML) | 2 | max \$35 copay per month supply; QL (30 per 28 days) |
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 2 | max \$35 copay per month supply; QL (40 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML | 2 | max \$35 copay per month supply; QL (40 per 28 days) |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML) | 2 | max \$35 copay per month supply; QL (24 per 28 days) |
| <i>insulin asp prt-insulin aspart</i> <i>subcutaneous insulin pen 100</i> <i>unit/ml (70-30)</i> (Novolog Mix 70- 30FlexPen U-100) | 1 | max \$35 copay per month supply; QL (30 per 28 days) |
| <i>insulin asp prt-insulin aspart</i> <i>subcutaneous solution 100 unit/ml</i> <i>(70-30)</i> (Novolog Mix 70-30 U-100 Insuln) | 1 | max \$35 copay per month supply; QL (40 per 28 days) |
| <i>insulin aspart u-100 subcutaneous</i> <i>cartridge 100 unit/ml</i> (Novolog PenFill U- 100 Insulin) | 1 | max \$35 copay per month supply; QL (30 per 28 days) |
| <i>insulin aspart u-100 subcutaneous</i> <i>insulin pen 100 unit/ml (3 ml)</i> (Novolog FlexPen U- 100 Insulin) | 1 | max \$35 copay per month supply; QL (30 per 28 days) |
| <i>insulin aspart u-100 subcutaneous</i> <i>solution 100 unit/ml</i> (Novolog U-100 Insulin aspart) | 1 | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30) | 2 | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 2 | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 2 | max \$35 copay per month supply; QL (30 per 28 days) |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 2 | max \$35 copay per month supply; QL (40 per 28 days) |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 2 | max \$35 copay per month supply; QL (30 per 28 days) |

You can find information on what the symbols and abbreviations on
this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|---------------------------------------|--|
| NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML | 2 | max \$35 copay per month supply; QL (40 per 28 days) |
| SEMGLEE(INSULIN GLARGINE- YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML | (insulin glargine-yfgn) 2 | max \$35 copay per month supply; QL (40 per 28 days) |
| SEMGLEE(INSULIN GLARG- YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin glargine-yfgn) 2 | max \$35 copay per month supply; QL (30 per 28 days) |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML | 2 | max \$35 copay per month supply; QL (30 per 30 days) |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) | (insulin glargine u-300 conc) 2 | max \$35 copay per month supply; QL (18 per 28 days) |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) | (insulin glargine u-300 conc) 2 | max \$35 copay per month supply; QL (13.5 per 28 days) |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML) | 2 | max \$35 copay per month supply; QL (15 per 28 days) |
| Sulfonylureas | | |
| <i>glimepiride oral tablet 1 mg, 2 mg</i> | 5 | QL (30 per 30 days) |
| <i>glimepiride oral tablet 4 mg</i> | 5 | QL (60 per 30 days) |
| <i>glipizide oral tablet 10 mg</i> | 5 | QL (120 per 30 days) |
| <i>glipizide oral tablet 2.5 mg</i> | 1 | QL (60 per 30 days) |
| <i>glipizide oral tablet 5 mg</i> | 5 | QL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 10 mg</i> | (Glucotrol XL) 5 | QL (60 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> | (Glucotrol XL) 5 | QL (30 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i> | 5 | QL (240 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | 5 | QL (120 per 30 days) |

You can find information on what the symbols and abbreviations on
this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>glyburide micronized oral tablet</i> 1.5 mg, 3 mg, 6 mg | 5 | PA-HRM; AGE (Max 64 Years) |
| <i>glyburide oral tablet</i> 1.25 mg, 2.5 mg, 5 mg | 5 | PA-HRM; AGE (Max 64 Years) |
| <i>glyburide-metformin oral tablet</i> 1.25-250 mg, 2.5-500 mg, 5-500 mg | 5 | PA-HRM; AGE (Max 64 Years) |
| Antifungals | | |
| Antifungals | | |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML | 3 | PA BvD |
| <i>amphotericin b injection recon soln</i> 50 mg | 1 | PA BvD |
| <i>amphotericin b liposome</i> (AmBisome) <i>intravenous suspension for</i> <i>reconstitution</i> 50 mg | 4 | PA BvD |
| <i>casprofungin intravenous recon</i> (Cancidas) <i>soln</i> 50 mg | 1 | |
| <i>casprofungin intravenous recon</i> (Cancidas) <i>soln</i> 70 mg | 4 | |
| <i>ciclopirox topical cream</i> 0.77 % (Ciclodan) | 1 | QL (180 per 30 days) |
| <i>ciclopirox topical solution</i> 8 % (Ciclodan) | 1 | QL (19.8 per 30 days) |
| <i>clotrimazole mucous membrane</i> <i>troche</i> 10 mg | 1 | |
| <i>clotrimazole topical cream</i> 1 % (Antifungal (clotrimazole)) | 1 | |
| <i>clotrimazole topical solution</i> 1 % | 1 | |
| <i>clotrimazole-betamethasone</i> <i>topical cream</i> 1-0.05 % | 1 | QL (90 per 30 days) |
| <i>econazole topical cream</i> 1 % | 1 | QL (170 per 30 days) |
| <i>fluconazole in nacl (iso-osm)</i> <i>intravenous piggyback</i> 100 mg/50 <i>ml, 200 mg/100 ml, 400 mg/200</i> <i>ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>fluconazole oral suspension for reconstitution 10 mg/ml</i> | 1 | |
| <i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan) | 1 | |
| <i>fluconazole oral tablet 100 mg, 200 mg</i> (Diflucan) | 1 | |
| <i>fluconazole oral tablet 150 mg, 50 mg</i> | 1 | |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon) | 4 | |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i> | 1 | |
| <i>griseofulvin microsize oral tablet 500 mg</i> | 1 | |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox) | 1 | |
| <i>ketoconazole oral tablet 200 mg</i> | 1 | |
| <i>ketoconazole topical cream 2 %</i> | 1 | QL (180 per 30 days) |
| <i>ketoconazole topical foam 2 %</i> (Extina) | 1 | ST; QL (100 per 30 days) |
| <i>ketoconazole topical shampoo 2 %</i> | 1 | QL (360 per 30 days) |
| <i>miconazole-3 vaginal suppository 200 mg</i> | 1 | |
| NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG | 4 | PA |
| <i>nyamyc topical powder 100,000 unit/gram</i> (nystatin) | 1 | QL (60 per 30 days) |
| <i>nystatin oral suspension 100,000 unit/ml</i> | 1 | QL (900 per 30 days) |
| <i>nystatin oral tablet 500,000 unit</i> | 1 | |
| <i>nystatin topical cream 100,000 unit/gram</i> | 1 | QL (60 per 30 days) |
| <i>nystatin topical ointment 100,000 unit/gram</i> | 1 | QL (60 per 30 days) |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc) | 1 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i> | 1 | |
| <i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i> | 1 | |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin) | 1 | QL (60 per 30 days) |
| <i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i> (Noxafil) | 4 | PA |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil) | 4 | PA |
| <i>terbinafine hcl oral tablet 250 mg</i> | 1 | |
| <i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV) | 4 | PA BvD |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend) | 4 | PA |
| <i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend) | 1 | |
| Antigout Agents | | |
| Antigout Agents, Other | | |
| <i>allopurinol oral tablet 100 mg</i> (Zyloprim) | 1 | |
| <i>allopurinol oral tablet 300 mg</i> | 1 | |
| <i>colchicine oral capsule 0.6 mg</i> (Mitigare) | 1 | QL (60 per 30 days) |
| <i>colchicine oral tablet 0.6 mg</i> (Colcrys) | 1 | QL (120 per 30 days) |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric) | 1 | ST; QL (30 per 30 days) |
| <i>probenecid oral tablet 500 mg</i> | 1 | |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i> | 1 | |
| Antihistamines | | |
| Antihistamines | | |
| <i>cyproheptadine oral syrup 2 mg/5 ml</i> | 1 | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | 1 | |
| <i>diphenhydramine hcl injection syringe 50 mg/ml</i> | 1 | |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i> | 1 | |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i> | 1 | |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 1 | |
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief) | 1 | |
| <i>promethazine oral syrup 6.25 mg/5 ml</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| Anti-Infectives (Skin And Mucous Membrane) | | |
| Anti-Infectives (Skin And Mucous Membrane) | | |
| <i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin) | 1 | |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole) | 1 | |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i> | 1 | |
| <i>terconazole vaginal suppository 80 mg</i> | 1 | |
| Antimigraine Agents | | |
| Antimigraine Agents | | |
| AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML | 2 | PA; QL (1.5 per 30 days) |
| AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML | 2 | PA; QL (1.5 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>dihydroergotamine injection solution 1 mg/ml</i> | 4 | QL (24 per 28 days) |
| <i>dihydroergotamine nasal spray,non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 4 | ST; QL (8 per 28 days) |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML | 2 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML | 2 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3) | 2 | PA; QL (3 per 30 days) |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i> | 1 | QL (9 per 30 days) |
| NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG | 2 | PA; QL (18 per 30 days) |
| QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG | 2 | PA; QL (30 per 30 days) |
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt) | 1 | QL (12 per 30 days) |
| <i>rizatriptan oral tablet 5 mg</i> | 1 | QL (12 per 30 days) |
| <i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT) | 1 | QL (12 per 30 days) |
| <i>rizatriptan oral tablet,disintegrating 5 mg</i> | 1 | QL (12 per 30 days) |
| <i>sumatriptan 4 mg/0.5 ml inject outer, suv</i> (Imitrex STATdose Pen) | 1 | QL (4 per 28 days) |
| <i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> | 1 | QL (12 per 30 days) |
| <i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> | 1 | QL (18 per 30 days) |
| <i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex) | 1 | QL (9 per 30 days) |
| <i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex) | 1 | QL (18 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>sumatriptan succinate</i> (Imitrex STATdose <i>subcutaneous cartridge 6 mg/0.5 ml</i> Refill) | 1 | QL (4 per 28 days) |
| <i>sumatriptan succinate</i> (Imitrex STATdose <i>subcutaneous pen injector 4 mg/0.5 ml</i> Pen) | 3 | QL (4 per 28 days) |
| <i>sumatriptan succinate</i> (Imitrex STATdose <i>subcutaneous pen injector 6 mg/0.5 ml</i> Pen) | 1 | QL (4 per 28 days) |
| <i>sumatriptan succinate</i> (Imitrex) <i>subcutaneous solution 6 mg/0.5 ml</i> | 1 | QL (4 per 28 days) |
| <i>sumatriptan succinate</i> <i>subcutaneous syringe 6 mg/0.5 ml</i> | 1 | QL (4 per 28 days) |
| <i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet) | 1 | QL (9 per 27 days) |
| UBRELVY ORAL TABLET 100 MG, 50 MG | 2 | PA; QL (16 per 30 days) |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig) | 1 | QL (6 per 30 days) |
| <i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i> | 1 | QL (6 per 30 days) |
| Antimycobacterials | | |
| Antimycobacterials | | |
| <i>dapsone oral tablet 100 mg, 25 mg</i> | 1 | |
| <i>ethambutol oral tablet 100 mg, 400 mg</i> | 1 | |
| <i>isoniazid oral solution 50 mg/5 ml</i> | 1 | |
| <i>isoniazid oral tablet 100 mg, 300 mg</i> | 1 | |
| PRETOMANID ORAL TABLET 200 MG | 3 | QL (30 per 30 days) |
| PRIFTIN ORAL TABLET 150 MG | 3 | |
| <i>pyrazinamide oral tablet 500 mg</i> | 1 | |
| <i>rifabutin oral capsule 150 mg</i> (Mycobutin) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>rifampin intravenous recon soln</i> (Rifadin) 600 mg | 1 | |
| <i>rifampin oral capsule 150 mg, 300 mg</i> | 1 | |
| SIRTURO ORAL TABLET 100 MG, 20 MG | 4 | PA |
| TRECTOR ORAL TABLET 250 MG | 3 | |
| Antinausea Agents | | |
| Antinausea Agents | | |
| AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG | 3 | |
| AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML | 3 | |
| AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG | 3 | PA BvD |
| APONVIE INTRAVENOUS EMULSION 32 MG/4.4 ML (7.2 MG/ML) | 3 | QL (4.4 per 28 days) |
| <i>aprepitant oral capsule 125 mg</i> | 1 | PA BvD; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i> | 1 | PA BvD; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend) | 1 | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack</i> (Emend) 125 mg (1)- 80 mg (2) | 1 | PA BvD |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine) | 1 | |
| <i>dimenhydrinate injection solution</i> 50 mg/ml | 1 | |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol) | 1 | PA; QL (60 per 30 days) |
| <i>droperidol injection solution 2.5 mg/ml</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.) | 4 | PA BvD; QL (6 per 28 days) |
| <i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant)) | 1 | QL (2 per 28 days) |
| <i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i> | 1 | |
| <i>granisetron hcl intravenous solution 1 mg/ml</i> | 1 | |
| <i>granisetron hcl oral tablet 1 mg</i> | 1 | PA BvD |
| <i>meclizine oral tablet 12.5 mg</i> | 1 | |
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine)) | 1 | |
| <i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i> | 1 | |
| <i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i> | 1 | |
| <i>ondansetron hcl intravenous solution 2 mg/ml</i> | 1 | |
| <i>ondansetron hcl oral solution 4 mg/5 ml</i> | 1 | PA BvD |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 1 | PA BvD |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> | 1 | PA BvD |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 1 | |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine) | 1 | |
| <i>prochlorperazine rectal suppository 25 mg</i> (Compro) | 1 | |
| <i>promethazine injection solution 25 mg/ml</i> (Phenergan) | 1 | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>promethazine injection solution 50 mg/ml</i> (Phenergan) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i> (Promethegan) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop) | 1 | PA-HRM; QL (10 per 30 days); AGE (Max 64 Years) |
| Antiparasite Agents | | |
| Antiparasite Agents | | |
| <i>albendazole oral tablet 200 mg</i> | 4 | |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron) | 1 | |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone) | 1 | |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric) | 1 | |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i> | 1 | |
| COARTEM ORAL TABLET 20-120 MG | 3 | |
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil) | 1 | QL (90 per 30 days) |
| IMPAVIDO ORAL CAPSULE 50 MG | 4 | PA; QL (84 per 28 days) |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol) | 1 | |
| KRINTAFEL ORAL TABLET 150 MG | 3 | |
| <i>mefloquine oral tablet 250 mg</i> | 1 | |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia) | 4 | |
| <i>paromomycin oral capsule 250 mg</i> (Humatin) | 1 | |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent) | 1 | PA BvD |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>pentamidine injection recon soln 300 mg</i> (Pentam) | 1 | |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE) | 3 | |
| <i>pyrimethamine oral tablet 25 mg</i> (Daraprim) | 4 | PA |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin) | 1 | PA; QL (42 per 7 days) |
| Antiparkinsonian Agents | | |
| Antiparkinsonian Agents | | |
| <i>amantadine hcl oral capsule 100 mg</i> | 1 | |
| <i>amantadine hcl oral solution 50 mg/5 ml</i> | 1 | |
| <i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN) | 4 | PA; QL (60 per 30 days) |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | |
| <i>bromocriptine oral capsule 5 mg</i> (Parlodel) | 1 | |
| <i>bromocriptine oral tablet 2.5 mg</i> (Parlodel) | 1 | |
| <i>cabergoline oral tablet 0.5 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet) | 1 | |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy) | 1 | |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> | 1 | |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 1 | |
| <i>entacapone oral tablet 200 mg</i> | 1 | |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG | 4 | PA; QL (300 per 30 days) |
| KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 4 | PA; QL (150 per 30 days) |
| KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG | 4 | PA |
| OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG | 3 | ST; QL (30 per 30 days) |
| OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1) | 3 | ST; QL (60 per 30 days) |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 1 | |
| <i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i> | 1 | |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | 1 | |
| <i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> | 1 | |
| <i>selegiline hcl oral capsule 5 mg</i> | 1 | |
| <i>selegiline hcl oral tablet 5 mg</i> | 1 | |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i> | 1 | |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i> | 1 | |

Antipsychotic Agents

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| Antipsychotic Agents | | |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML | 4 | QL (2.4 per 42 days) |
| ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML | 4 | QL (3.2 per 42 days) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG | 4 | QL (1 per 26 days) |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG | 4 | QL (1 per 26 days) |
| <i>aripiprazole oral solution 1 mg/ml</i> | 1 | |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify) | 1 | |
| <i>aripiprazole oral tablet,disintegrating 10 mg</i> | 1 | ST; QL (90 per 30 days) |
| <i>aripiprazole oral tablet,disintegrating 15 mg</i> | 1 | ST; QL (60 per 30 days) |
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML | 4 | QL (4.8 per 365 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML | 4 | QL (3.9 per 14 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML | 4 | QL (1.6 per 14 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML | 4 | QL (2.4 per 14 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML | 4 | QL (3.2 per 14 days) |
| <i>asenapine maleate sublingual</i> (Saphris) <i>tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | QL (60 per 30 days) |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG | 4 | ST; QL (30 per 30 days) |
| <i>chlorpromazine injection solution</i> <i>25 mg/ml</i> | 1 | |
| <i>chlorpromazine oral concentrate</i> <i>100 mg/ml, 30 mg/ml</i> | 1 | |
| <i>chlorpromazine oral tablet 10 mg,</i> <i>100 mg, 200 mg, 25 mg, 50 mg</i> | 1 | |
| <i>clozapine oral tablet 100 mg, 200</i> (Clozaril) <i>mg, 25 mg, 50 mg</i> | 1 | |
| <i>clozapine oral tablet,disintegrating</i> <i>100 mg, 12.5 mg, 25 mg</i> | 1 | ST; QL (90 per 30 days) |
| <i>clozapine oral tablet,disintegrating</i> <i>150 mg</i> | 1 | ST; QL (180 per 30 days) |
| <i>clozapine oral tablet,disintegrating</i> <i>200 mg</i> | 4 | ST; QL (120 per 30 days) |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 4 | ST; QL (60 per 30 days) |
| FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2) | 3 | ST |
| <i>fluphenazine decanoate injection</i> <i>solution 25 mg/ml</i> | 1 | |
| <i>fluphenazine hcl injection solution</i> <i>2.5 mg/ml</i> | 1 | |
| <i>fluphenazine hcl oral concentrate</i> <i>5 mg/ml</i> | 1 | |

You can find information on what the symbols and abbreviations on
this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i> | 1 | |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i> | 1 | |
| <i>haloperidol decanoate (Haldol Decanoate) intramuscular solution 100 mg/ml, 50 mg/ml</i> | 1 | |
| <i>haloperidol lactate injection solution 5 mg/ml</i> | 1 | |
| <i>haloperidol lactate intramuscular syringe 5 mg/ml</i> | 1 | |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i> | 1 | |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> | 1 | |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | 4 | QL (3.5 per 166 days) |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | 4 | QL (5 per 166 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 4 | QL (0.75 per 21 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 4 | QL (1 per 21 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 4 | QL (1.5 per 21 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 2 | QL (0.25 per 21 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 4 | QL (0.5 per 21 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | 4 | QL (0.88 per 70 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | 4 | QL (1.32 per 70 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 4 | QL (1.75 per 70 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | 4 | QL (2.63 per 70 days) |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i> | 1 | |
| <i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda) | 1 | QL (30 per 30 days) |
| <i>lurasidone oral tablet 80 mg</i> (Latuda) | 1 | QL (60 per 30 days) |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG | 4 | PA NSO; QL (30 per 30 days) |
| <i>molindone oral tablet 10 mg</i> | 1 | QL (240 per 30 days) |
| <i>molindone oral tablet 25 mg</i> | 1 | QL (270 per 30 days) |
| <i>molindone oral tablet 5 mg</i> | 1 | QL (120 per 30 days) |
| NUPLAZID ORAL CAPSULE 34 MG | 4 | PA NSO; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG | 4 | PA NSO; QL (30 per 30 days) |
| <i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa) | 1 | QL (30 per 30 days) |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis) | 1 | |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg</i> | 1 | QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega) | 1 | QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega) | 1 | QL (60 per 30 days) |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i> | 1 | |
| PERSERIS SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 120 MG, 90 MG | 4 | QL (1 per 30 days) |
| <i>pimozide oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>prochlorperazine 10 mg/2 ml vial outer 10 mg/2 ml (5 mg/ml)</i> | 1 | |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel) | 1 | |
| <i>quetiapine oral tablet 150 mg</i> | 1 | QL (30 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR) | 1 | |
| REXULTI ORAL TABLET 0.25 MG | 4 | ST; QL (120 per 30 days) |
| REXULTI ORAL TABLET 0.5 MG | 4 | ST; QL (60 per 30 days) |
| REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG | 4 | ST; QL (30 per 30 days) |
| <i>risperidone microspheres intramuscular suspension,extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i> (Risperdal Consta) | 1 | QL (2 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>risperidone microspheres</i> (Risperdal Consta) <i>intramuscular suspension,extended</i> <i>rel recon 37.5 mg/2 ml, 50 mg/2</i> <i>ml</i> | 4 | QL (2 per 28 days) |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal) | 1 | |
| <i>risperidone oral tablet 0.25 mg</i> | 1 | |
| <i>risperidone oral tablet 0.5 mg, 1</i> (Risperdal) <i>mg, 2 mg, 3 mg, 4 mg</i> | 1 | |
| <i>risperidone oral</i> <i>tablet,disintegrating 0.25 mg, 0.5</i> <i>mg, 1 mg, 2 mg, 3 mg, 4 mg</i> | 1 | |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR | 4 | ST; QL (30 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100</i> <i>mg, 25 mg, 50 mg</i> | 1 | |
| <i>thiothixene oral capsule 1 mg, 10</i> <i>mg, 2 mg, 5 mg</i> | 1 | |
| <i>trifluoperazine oral tablet 1 mg, 10</i> <i>mg, 2 mg, 5 mg</i> | 1 | |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML | 4 | QL (0.28 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML | 4 | QL (0.35 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML | 4 | QL (0.42 per 56 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML | 4 | QL (0.56 per 56 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML | 4 | QL (0.7 per 56 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML | 4 | QL (0.14 per 28 days) |
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML | 4 | QL (0.21 per 28 days) |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML | 4 | ST; QL (540 per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | 4 | ST; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6) | 3 | ST |
| <i>ziprasidone hcl oral capsule 20 mg, (Geodon) 40 mg, 60 mg, 80 mg</i> | 1 | |
| <i>ziprasidone mesylate (Geodon) intramuscular recon soln 20 mg/ml (final conc.)</i> | 1 | QL (6 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 3 | QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG | 4 | QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | 4 | QL (1 per 28 days) |
| Antivirals (Systemic) | | |
| Antiretrovirals | | |
| <i>abacavir oral solution 20 mg/ml (Ziagen)</i> | 1 | |
| <i>abacavir oral tablet 300 mg</i> | 1 | |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i> | 1 | |
| APRETUDE INTRAMUSCULAR (cabotegravir) SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) | 4 | QL (24 per 365 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| APTIVUS ORAL CAPSULE 250 MG | 4 | |
| <i>atazanavir oral capsule 150 mg</i> | 1 | |
| <i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz) | 1 | |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG | 4 | QL (30 per 30 days) |
| CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML | 4 | |
| <i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i> | 4 | QL (24 per 365 days) |
| <i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude) | 4 | QL (24 per 365 days) |
| CIMDUO ORAL TABLET 300-300 MG | 4 | |
| COMPLERA ORAL TABLET 200-25-300 MG | 4 | |
| <i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista) | 4 | |
| DELSTRIGO ORAL TABLET 100-300-300 MG | 4 | |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG | 4 | |
| <i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i> | 1 | |
| DOVATO ORAL TABLET 50-300 MG | 4 | |
| EDURANT ORAL TABLET 25 MG | 4 | |
| <i>efavirenz oral capsule 200 mg, 50 mg</i> | 1 | |
| <i>efavirenz oral tablet 600 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>efavirenz-emtricitabin-tenofov oral</i> (Atripla) <i>tablet 600-200-300 mg</i> | 4 | |
| <i>efavirenz-lamivu-tenofov disop</i> (Symfi Lo) <i>oral tablet 400-300-300 mg</i> | 4 | |
| <i>efavirenz-lamivu-tenofov disop</i> (Symfi) <i>oral tablet 600-300-300 mg</i> | 4 | |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva) | 1 | |
| <i>emtricitabine-tenofovir (tdf) oral</i> (Truvada) <i>tablet 100-150 mg, 133-200 mg,</i> <i>167-250 mg</i> | 4 | |
| <i>emtricitabine-tenofovir (tdf) oral</i> (Truvada) <i>tablet 200-300 mg</i> | 1 | |
| EMTRIVA ORAL SOLUTION 10 MG/ML | 3 | |
| EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML) | 3 | |
| <i>etravirine oral tablet 100 mg, 200</i> (Intelece) <i>mg</i> | 4 | |
| EVOTAZ ORAL TABLET 300-150 MG | 4 | |
| <i>fosamprenavir oral tablet 700 mg</i> | 4 | |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG | 4 | |
| GENVOYA ORAL TABLET 150-150- 200-10 MG | 4 | |
| INTELENCE ORAL TABLET 25 MG | 3 | |
| INVIRASE ORAL TABLET 500 MG | 4 | |
| ISENTRESS HD ORAL TABLET 600 MG | 4 | |
| ISENTRESS ORAL POWDER IN PACKET 100 MG | 4 | |
| ISENTRESS ORAL TABLET 400 MG | 4 | |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG | 3 | |
| JULUCA ORAL TABLET 50-25 MG | 4 | |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir) | 1 | |
| <i>lamivudine oral tablet 100 mg</i> | 1 | |
| <i>lamivudine oral tablet 150 mg,</i> (Epivir) <i>300 mg</i> | 1 | |
| <i>lamivudine-zidovudine oral tablet</i> <i>150-300 mg</i> | 1 | |
| LEXIVA ORAL SUSPENSION 50 MG/ML | 3 | |
| <i>lopinavir-ritonavir oral solution</i> (Kaletra) <i>400-100 mg/5 ml</i> | 1 | QL (480 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 100-</i> (Kaletra) <i>25 mg</i> | 1 | QL (300 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 200-</i> (Kaletra) <i>50 mg</i> | 1 | QL (120 per 30 days) |
| <i>maraviroc oral tablet 150 mg, 300</i> (Selzentry) <i>mg</i> | 4 | |
| <i>nevirapine oral suspension 50</i> <i>mg/5 ml</i> | 1 | |
| <i>nevirapine oral tablet 200 mg</i> | 1 | |
| <i>nevirapine oral tablet extended</i> <i>release 24 hr 100 mg, 400 mg</i> | 1 | |
| NORVIR ORAL POWDER IN PACKET 100 MG | 3 | |
| NORVIR ORAL SOLUTION 80 MG/ML | 3 | |
| ODEFSEY ORAL TABLET 200-25-25 MG | 4 | |
| PIFELTRO ORAL TABLET 100 MG | 4 | |
| PREZCOBIX ORAL TABLET 800- 150 MG-MG | 4 | |
| PREZISTA ORAL SUSPENSION 100 MG/ML | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PREZISTA ORAL TABLET 150 MG, 75 MG | 4 | |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML | 3 | |
| REYATAZ ORAL POWDER IN PACKET 50 MG | 4 | |
| <i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> | 4 | |
| <i>ritonavir oral tablet 100 mg</i> (Norvir) | 1 | |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG | 4 | |
| SELZENTRY ORAL SOLUTION 20 MG/ML | 4 | |
| SELZENTRY ORAL TABLET 25 MG | 2 | |
| SELZENTRY ORAL TABLET 75 MG | 4 | |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> | 1 | |
| STRIBILD ORAL TABLET 150-150- 200-300 MG | 4 | |
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK) | 4 | |
| SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML | 4 | PA BvD |
| SYM TUZA ORAL TABLET 800-150- 200-10 MG | 4 | |
| TEMIXYS ORAL TABLET 300-300 MG | 4 | |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread) | 1 | |
| TIVICAY ORAL TABLET 10 MG | 3 | |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG | 4 | |
| TRIUMEQ ORAL TABLET 600-50-300 MG | 4 | QL (30 per 30 days) |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG | 4 | |
| TRIZIVIR ORAL TABLET 300-150-300 MG | 4 | |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML) | 4 | |
| VEMLIDY ORAL TABLET 25 MG | 4 | ST; QL (30 per 30 days) |
| VIRACEPT ORAL TABLET 250 MG, 625 MG | 4 | |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM) | 4 | |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 4 | |
| VOCABRIA ORAL TABLET 30 MG | 3 | |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir) | 1 | |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir) | 1 | |
| <i>zidovudine oral tablet 300 mg</i> | 1 | |
| Antivirals, Miscellaneous | | |
| <i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir) | 1 | PA BvD |
| <i>oseltamivir oral capsule 30 mg</i> (Tamiflu) | 1 | QL (84 per 180 days) |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu) | 1 | QL (48 per 180 days) |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu) | 1 | QL (42 per 180 days) |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 1 | QL (540 per 180 days) |
| PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG | 2 | \$0 copay; QL (30 per 5 days) |
| PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML | 4 | PA; QL (336 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML | 4 | PA; QL (672 per 28 days) |
| PREVYMIS ORAL TABLET 240 MG, 480 MG | 4 | PA; QL (28 per 28 days) |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION | 3 | QL (60 per 180 days) |
| <i>rimantadine oral tablet 100 mg</i> (Flumadine) | 1 | |
| XOFLUZA ORAL TABLET 20 MG, 40 MG | 3 | QL (4 per 180 days) |
| XOFLUZA ORAL TABLET 80 MG | 3 | QL (2 per 180 days) |
| Hcv Antivirals | | |
| EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG | 4 | PA; QL (28 per 28 days) |
| EPCLUSA ORAL PELLETS IN PACKET 200-50 MG | 4 | PA; QL (56 per 28 days) |
| EPCLUSA ORAL TABLET 200-50 MG | 4 | PA; QL (28 per 28 days) |
| EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir) | 4 | PA; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG | 4 | PA; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG | 4 | PA; QL (56 per 28 days) |
| HARVONI ORAL TABLET 45-200 MG | 4 | PA; QL (28 per 28 days) |
| HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir) | 4 | PA; QL (28 per 28 days) |
| VOSEVI ORAL TABLET 400-100-100 MG | 4 | PA; QL (28 per 28 days) |
| Interferons | | |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 4 | PA |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| Nucleosides And Nucleotides | | |
| <i>acyclovir oral capsule 200 mg</i> | 1 | |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax) | 1 | |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | 1 | |
| <i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i> | 1 | PA BvD |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i> | 1 | PA BvD |
| <i>adefovir oral tablet 10 mg</i> (Hepsera) | 1 | |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude) | 1 | |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | 1 | |
| <i>lagevrio (eua) oral capsule 200 mg</i> | 3 | QL (40 per 5 days) |
| <i>ribavirin oral capsule 200 mg</i> | 1 | |
| <i>ribavirin oral tablet 200 mg</i> | 1 | |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex) | 1 | |
| <i>valganciclovir oral tablet 450 mg</i> (Valcyte) | 1 | |
| Blood Products/Modifiers/Volume Expanders | | |
| Anticoagulants | | |
| <i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa) | 1 | QL (60 per 30 days) |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS) | 2 | |
| ELIQUIS ORAL TABLET 2.5 MG | 2 | QL (60 per 30 days) |
| ELIQUIS ORAL TABLET 5 MG | 2 | QL (74 per 30 days) |
| <i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox) | 1 | QL (30 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox) | 1 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml | 1 | QL (48 per 30 days) |
| <i>enoxaparin subcutaneous syringe</i> (Lovenox) 30 mg/0.3 ml | 1 | QL (18 per 30 days) |
| <i>enoxaparin subcutaneous syringe</i> (Lovenox) 40 mg/0.4 ml | 1 | QL (24 per 30 days) |
| <i>enoxaparin subcutaneous syringe</i> (Lovenox) 60 mg/0.6 ml | 1 | QL (36 per 30 days) |
| <i>fondaparinux subcutaneous syringe</i> 10 mg/0.8 ml (Arixtra) | 4 | QL (24 per 30 days) |
| <i>fondaparinux subcutaneous syringe</i> 2.5 mg/0.5 ml (Arixtra) | 1 | QL (15 per 30 days) |
| <i>fondaparinux subcutaneous syringe</i> 5 mg/0.4 ml (Arixtra) | 4 | QL (12 per 30 days) |
| <i>fondaparinux subcutaneous syringe</i> 7.5 mg/0.6 ml (Arixtra) | 4 | QL (18 per 30 days) |
| <i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml) | 1 | |
| <i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml | 1 | |
| <i>heparin, porcine (pf) injection solution</i> 1,000 unit/ml | 1 | |
| <i>heparin, porcine (pf) injection syringe</i> 5,000 unit/0.5 ml, 5,000 unit/ml | 1 | |
| <i>jantoven oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (warfarin) | 1 | |
| <i>warfarin oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven) | 1 | |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML | 2 | QL (600 per 30 days) |
| XARELTO ORAL TABLET 10 MG, 20 MG | 2 | QL (30 per 30 days) |
| XARELTO ORAL TABLET 15 MG, 2.5 MG | 2 | QL (60 per 30 days) |
| Blood Formation Modifiers | | |
| ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG | 4 | PA; QL (60 per 30 days) |
| CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML) | 4 | PA |
| DOPTELET (10 TAB PACK) ORAL TABLET 20 MG | 4 | PA; QL (60 per 30 days) |
| DOPTELET (15 TAB PACK) ORAL TABLET 20 MG | 4 | PA; QL (60 per 30 days) |
| DOPTELET (30 TAB PACK) ORAL TABLET 20 MG | 4 | PA; QL (60 per 30 days) |
| FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 4 | PA |
| GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 4 | PA |
| GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 4 | PA |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT | 4 | PA; QL (30 per 30 days) |
| HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT | 4 | PA; QL (20 per 30 days) |
| LEUKINE INJECTION RECON SOLN 250 MCG | 4 | |
| NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 4 | PA |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 4 | PA |
| NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 4 | PA |
| PROMACTA ORAL POWDER IN PACKET 12.5 MG | 4 | PA; QL (90 per 30 days) |
| PROMACTA ORAL POWDER IN PACKET 25 MG | 4 | PA; QL (180 per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG | 4 | PA; QL (90 per 30 days) |
| PROMACTA ORAL TABLET 25 MG | 4 | PA; QL (30 per 30 days) |
| PROMACTA ORAL TABLET 50 MG, 75 MG | 4 | PA; QL (60 per 30 days) |
| RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 4 | PA |
| RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 4 | PA |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 2 | PA; QL (12 per 28 days) |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | 2 | PA; QL (4 per 28 days) |
| UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 6 MG/0.6 ML | 4 | PA |
| UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 4 | PA |
| ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 4 | PA |
| Hematologic Agents, Miscellaneous | | |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin) | 1 | |
| <i>anagrelide oral capsule 1 mg</i> | 1 | |
| CABLIVI INJECTION KIT 11 MG | 4 | PA; QL (30 per 30 days) |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG | 3 | |
| <i>protamine intravenous solution 10 mg/ml</i> | 1 | |
| <i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron) | 1 | |
| <i>tranexamic acid oral tablet 650 mg</i> | 1 | |
| Platelet-Aggregation Inhibitors | | |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> | 1 | QL (60 per 30 days) |
| BRILINTA ORAL TABLET 60 MG, 90 MG | 2 | |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | 1 | |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix) | 1 | |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>pentoxifylline oral tablet extended release 400 mg</i> | 1 | |
| <i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient) | 1 | QL (30 per 30 days) |
| Caloric Agents | | |
| Caloric Agents | | |
| CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 3 | PA BvD |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 3 | PA BvD |
| CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 3 | PA BvD |
| CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 % | 3 | PA BvD |
| CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 % | 3 | PA BvD |
| CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 % | 3 | PA BvD |
| CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 % | 3 | PA BvD |
| CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 % | 3 | PA BvD |
| CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 3 | PA BvD |
| CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 3 | PA BvD |
| CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 3 | PA BvD |
| CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 3 | PA BvD |
| CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 % | 3 | PA BvD |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 % | 3 | PA BvD |
| <i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i> | 1 | PA BvD |
| <i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i> | 3 | |
| <i>dextrose 5 % in water (d5w)</i> <i>intravenous piggyback 5 %</i> | 1 | |
| <i>dextrose 5%-water iv soln single use</i> | 1 | |
| INTRALIPID INTRAVENOUS EMULSION 20 %, 30 % | 3 | PA BvD |
| NUTRILIPID INTRAVENOUS EMULSION 20 % | 3 | PA BvD |
| PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION | 3 | PA BvD |
| TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 3 | PA BvD |
| TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 3 | PA BvD |
| Cardiovascular Agents | | |
| Alpha-Adrenergic Agents | | |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | |
| <i>clonidine transdermal patch</i> (Catapres-TTS-1) <i>weekly 0.1 mg/24 hr</i> | 1 | QL (4 per 28 days) |
| <i>clonidine transdermal patch</i> (Catapres-TTS-2) <i>weekly 0.2 mg/24 hr</i> | 1 | QL (4 per 28 days) |
| <i>clonidine transdermal patch</i> (Catapres-TTS-3) <i>weekly 0.3 mg/24 hr</i> | 1 | QL (8 per 28 days) |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera) | 4 | PA; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>methyldopa oral tablet 250 mg, 500 mg</i> | 1 | |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep) | 1 | |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> | 1 | |
| Angiotensin II Receptor Antagonists | | |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand) | 5 | |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT) | 1 | |
| EDARBI ORAL TABLET 40 MG, 80 MG | 2 | |
| EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG | 2 | |
| ENTRESTO ORAL TABLET 24-26 MG | 2 | QL (180 per 30 days) |
| ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG | 2 | QL (60 per 30 days) |
| ENTRESTO SPRINKLE ORAL PELLETT 15-16 MG, 6-6 MG | 2 | QL (240 per 30 days) |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro) | 5 | |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide) | 5 | |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar) | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar) | 5 | |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar) | 5 | |
| <i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor) | 1 | |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT) | 5 | |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis) | 5 | |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT) | 1 | |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan) | 5 | |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT) | 5 | |
| Angiotensin-Converting Enzyme Inhibitors | | |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin) | 5 | |
| <i>benazepril oral tablet 5 mg</i> | 5 | |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT) | 5 | |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i> | 5 | |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec) | 5 | |
| <i>enalaprilat intravenous solution 1.25 mg/ml</i> | 1 | |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic) | 5 | |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i> | 5 | |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i> | 5 | |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i> | 5 | |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril) | 5 | |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic) | 5 | |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i> | 5 | |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | 5 | |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril) | 5 | |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic) | 5 | |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace) | 5 | |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | 5 | |
| <i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i> | 1 | |
| Antiarrhythmic Agents | | |
| <i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> (Pacerone) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn) | 1 | |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i> | 1 | |
| <i>lidocaine (pf) injection syringe 100 mg/5 ml (2 %)</i> | 1 | |
| <i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i> | 1 | |
| <i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i> | 1 | |
| MULTAQ ORAL TABLET 400 MG | 2 | |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone) | 1 | |
| <i>procainamide injection solution 100 mg/ml, 500 mg/ml</i> | 1 | |
| <i>procainamide intravenous syringe 100 mg/ml</i> | 1 | |
| <i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> | 1 | |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i> | 1 | |
| <i>quinidine gluconate oral tablet extended release 324 mg</i> | 1 | |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i> | 1 | |
| Beta-Adrenergic Blocking Agents | | |
| <i>acebutolol oral capsule 200 mg, 400 mg</i> | 1 | |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>atenolol-chlorthalidone oral tablet</i> (Tenoretic 100) 100-25 mg | 1 | |
| <i>atenolol-chlorthalidone oral tablet</i> (Tenoretic 50) 50-25 mg | 1 | |
| <i>betaxolol oral tablet</i> 10 mg, 20 mg | 1 | |
| <i>bisoprolol fumarate oral tablet</i> 10 mg, 5 mg | 1 | |
| <i>bisoprolol-hydrochlorothiazide oral tablet</i> 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg | 1 | |
| <i>carvedilol oral tablet</i> 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg) | 1 | |
| <i>labetalol intravenous solution</i> 5 mg/ml | 1 | |
| <i>labetalol intravenous syringe</i> 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml) | 1 | |
| <i>labetalol oral tablet</i> 100 mg, 200 mg, 300 mg | 1 | |
| <i>metoprolol succinate oral tablet</i> (Toprol XL) extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg | 1 | |
| <i>metoprolol ta-hydrochlorothiaz oral tablet</i> 100-25 mg, 100-50 mg, 50-25 mg | 1 | |
| <i>metoprolol tartrate intravenous solution</i> 5 mg/5 ml | 1 | |
| <i>metoprolol tartrate oral tablet</i> 100 mg, 50 mg (Lopressor) | 1 | |
| <i>metoprolol tartrate oral tablet</i> 25 mg | 1 | |
| <i>nebivolol oral tablet</i> 10 mg, 2.5 mg, 20 mg, 5 mg (Bystolic) | 1 | |
| <i>pindolol oral tablet</i> 10 mg, 5 mg | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>propranolol intravenous solution 1 mg/ml</i> | 1 | |
| <i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA) | 1 | |
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i> | 1 | |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 1 | |
| <i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i> | 1 | |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol) | 1 | |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol) | 1 | |
| <i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF) | 1 | |
| <i>sotalol oral tablet 240 mg</i> (Betapace) | 1 | |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> | 1 | |
| Calcium-Channel Blocking Agents | | |
| <i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl) | 1 | |
| <i>diltiazem hcl intravenous solution 5 mg/ml</i> | 1 | |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i> | 1 | |
| <i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER) | 1 | |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem) | 1 | |
| <i>diltiazem hcl oral tablet 90 mg</i> | 1 | |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl) | 1 | |
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl) | 1 | |
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 1 | |
| <i>verapamil intravenous syringe 2.5 mg/ml</i> | 1 | |
| <i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM) | 1 | |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> | 1 | |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> | 3 | |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i> | 1 | |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> | 1 | |
| Cardiovascular Agents, Miscellaneous | | |
| CORLANOR ORAL SOLUTION 5 MG/5 ML | 2 | QL (600 per 30 days) |
| <i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin) | 1 | |
| <i>digox oral tablet 125 mcg (0.125 mg)</i> (digoxin) | 1 | |
| <i>digoxin injection solution 250 mcg/ml (0.25 mg/ml)</i> (Lanoxin) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i> | 1 | |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek) | 1 | |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q) | 1 | QL (4 per 30 days) |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr) | 1 | QL (4 per 30 days) |
| <i>epinephrine injection solution 1 mg/ml</i> (Adrenalin) | 1 | |
| <i>hydralazine injection solution 20 mg/ml</i> | 1 | |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 1 | |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir) | 4 | PA; QL (18 per 30 days) |
| <i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor) | 2 | QL (60 per 30 days) |
| <i>metyrosine oral capsule 250 mg</i> (Demser) | 4 | |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> | 1 | QL (60 per 30 days) |
| <i>ranolazine oral tablet extended release 12 hr 500 mg</i> | 1 | QL (120 per 30 days) |
| <i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant) | 4 | PA; QL (18 per 30 days) |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG | 3 | PA; QL (30 per 30 days) |
| Dihydropyridines | | |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc) | 1 | |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel) | 5 | |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i> | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>amlodipine-olmesartan oral tablet</i> (Azor) 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg | 5 | |
| <i>amlodipine-valsartan oral tablet</i> (Exforge) 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg | 5 | |
| <i>amlodipine-valsartan-hcthiazid oral tablet</i> (Exforge HCT) 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg | 1 | |
| <i>isradipine oral capsule</i> 2.5 mg, 5 mg | 1 | |
| <i>nicardipine oral capsule</i> 20 mg, 30 mg | 1 | |
| <i>nifedipine oral capsule</i> 10 mg, 20 mg | 1 | |
| <i>nifedipine oral tablet extended release</i> 24hr 30 mg, 60 mg, 90 mg (Procardia XL) | 1 | |
| <i>nifedipine oral tablet extended release</i> 30 mg, 60 mg, 90 mg | 1 | |
| Diuretics | | |
| <i>amiloride oral tablet</i> 5 mg | 1 | |
| <i>amiloride-hydrochlorothiazide oral tablet</i> 5-50 mg | 1 | |
| <i>bumetanide injection solution</i> 0.25 mg/ml | 1 | |
| <i>bumetanide oral tablet</i> 0.5 mg, 1 mg, 2 mg | 1 | |
| <i>chlorothiazide sodium intravenous recon soln</i> 500 mg | 1 | |
| <i>chlorthalidone oral tablet</i> 25 mg, 50 mg | 1 | |
| <i>furosemide injection solution</i> 10 mg/ml | 1 | |
| <i>furosemide injection syringe</i> 10 mg/ml | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 1 | |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix) | 1 | |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | 1 | |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i> | 1 | |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone) | 1 | |
| <i>toremide oral tablet 10 mg, 100 mg, 5 mg</i> | 1 | |
| <i>toremide oral tablet 20 mg</i> (Soaanz) | 1 | |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> | 1 | |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i> | 1 | |
| Dyslipidemics | | |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet) | 1 | |
| <i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet) | 1 | QL (30 per 30 days) |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i> | 1 | |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor) | 5 | QL (30 per 30 days) |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran) | 1 | |
| <i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol) | 1 | |
| <i>colesevelam oral tablet 625 mg</i> (WelChol) | 1 | |
| <i>colestipol oral packet 5 gram</i> | 1 | |
| <i>colestipol oral tablet 1 gram</i> (Colestid) | 1 | |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia) | 1 | QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10) | 5 | QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20) | 5 | QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40) | 5 | QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80) | 5 | QL (30 per 30 days) |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 67 mg</i> | 1 | |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor) | 1 | |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | 1 | |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix) | 1 | |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i> | 1 | QL (60 per 30 days) |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL) | 1 | |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid) | 1 | |
| JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG | 4 | PA; QL (28 per 28 days) |
| JUXTAPID ORAL CAPSULE 20 MG, 30 MG | 4 | PA; QL (56 per 28 days) |
| LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG (pitavastatin calcium) | 1 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | 5 | |
| NEXLETOL ORAL TABLET 180 MG | 2 | QL (30 per 30 days) |
| NEXLIZET ORAL TABLET 180-10 MG | 2 | QL (30 per 30 days) |
| <i>niacin oral tablet 500 mg</i> (Niacor) | 1 | |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> | 1 | |
| <i>niacor oral tablet 500 mg</i> (niacin) | 1 | |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza) | 1 | ST; QL (120 per 30 days) |
| PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML | 2 | QL (2 per 28 days) |
| <i>pravastatin oral tablet 10 mg, 80 mg</i> | 5 | |
| <i>pravastatin oral tablet 20 mg, 40 mg</i> | 5 | QL (30 per 30 days) |
| <i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame) | 1 | |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML | 2 | QL (7 per 28 days) |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML | 2 | QL (6 per 28 days) |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML | 2 | QL (6 per 28 days) |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 5 mg</i> | 5 | QL (30 per 30 days) |
| <i>rosuvastatin oral tablet 40 mg</i> (Crestor) | 5 | QL (30 per 30 days) |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor) | 5 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>simvastatin oral tablet 5 mg, 80 mg</i> | 5 | QL (30 per 30 days) |
| VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl) | 1 | QL (240 per 30 days) |
| VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl) | 1 | QL (120 per 30 days) |
| Renin-Angiotensin-Aldosterone System Inhibitors | | |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna) | 1 | |
| <i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra) | 1 | |
| KERENDIA ORAL TABLET 10 MG, 20 MG | 2 | PA; QL (30 per 30 days) |
| Vasodilators | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i> | 1 | |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose) | 1 | |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | 1 | |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> | 1 | |
| <i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil) | 1 | |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i> | 1 | |
| <i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i> | 1 | |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat) | 1 | |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur) | 1 | |
| Central Nervous System Agents | | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| Central Nervous System Agents | | |
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera) | 1 | QL (60 per 30 days) |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera) | 1 | QL (30 per 30 days) |
| AUSTEDO ORAL TABLET 12 MG, 9 MG | 4 | PA; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG | 4 | PA; QL (60 per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG | 4 | PA; QL (90 per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG | 4 | PA; QL (60 per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG | 4 | PA; QL (30 per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG | 4 | PA; QL (210 per 30 days) |
| AUSTEDO XR TITRATION KIT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14) | 4 | PA |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML | 4 | PA; QL (1 per 28 days) |
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML | 4 | PA; QL (1 per 28 days) |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | 4 | PA; QL (15 per 30 days) |
| <i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit) | 1 | PA BvD |
| <i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i> | 1 | |
| COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer) | 4 | PA; QL (30 per 30 days) |
| COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer) | 4 | PA; QL (12 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra) | 1 | PA; QL (60 per 30 days) |
| <i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin) | 1 | QL (60 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi) | 1 | QL (180 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 15 mg, 5 mg</i> (Zenzedi) | 1 | QL (90 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 20 mg, 30 mg</i> (Zenzedi) | 1 | QL (60 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR) | 1 | QL (30 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR) | 1 | QL (60 per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall) | 1 | QL (60 per 30 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i> (Tecfidera) | 4 | PA; QL (14 per 7 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera) | 4 | PA |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i> (Tecfidera) | 4 | PA; QL (60 per 30 days) |
| <i>fingolimod oral capsule 0.5 mg</i> (Gilenya) | 4 | PA; QL (30 per 30 days) |
| <i>flumazenil intravenous solution 0.1 mg/ml</i> | 1 | |
| GILENYA ORAL CAPSULE 0.25 MG | 4 | PA; QL (60 per 30 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone) | 4 | PA; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone) | 4 | PA; QL (12 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| <i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer) | 4 | PA; QL (30 per 30 days) |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer) | 4 | PA; QL (12 per 28 days) |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER) | 1 | |
| INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21) | 4 | PA |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG | 4 | PA; QL (30 per 30 days) |
| INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG | 4 | PA; QL (30 per 30 days) |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML | 4 | PA; QL (1.2 per 28 days) |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i> | 1 | |
| <i>lithium carbonate oral tablet 300 mg</i> | 1 | |
| <i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid) | 1 | |
| <i>lithium carbonate oral tablet extended release 450 mg</i> | 1 | |
| <i>lithium citrate oral solution 8 meq/5 ml</i> | 1 | |
| MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG | 4 | PA |
| MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG | 4 | PA |
| MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG | 4 | PA |
| MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG | 4 | PA |
| MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG | 4 | PA |
| MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG | 4 | PA |
| MAYZENT ORAL TABLET 0.25 MG | 4 | PA; QL (112 per 28 days) |
| MAYZENT ORAL TABLET 1 MG, 2 MG | 4 | PA; QL (30 per 30 days) |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS) | 3 | PA |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS) | 4 | PA |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD) | 1 | QL (30 per 30 days) |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD) | 1 | QL (60 per 30 days) |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA) | 1 | QL (30 per 30 days) |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA) | 1 | QL (60 per 30 days) |
| <i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i> | 1 | QL (30 per 30 days) |
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin) | 1 | QL (900 per 30 days) |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin) | 1 | QL (90 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 10 mg</i> | 1 | QL (90 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER) | 1 | QL (90 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 54 mg (bx rating)</i> | 1 | QL (30 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta) | 1 | QL (30 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta) | 1 | QL (60 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i> | 1 | QL (60 per 30 days) |
| OCREVUS INTRAVENOUS SOLUTION 30 MG/ML | 4 | PA; QL (20 per 180 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML | 4 | PA; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML | 4 | PA |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML | 4 | PA; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML | 4 | PA |
| <i>riluzole oral tablet 50 mg</i> (Rilutek) | 1 | QL (60 per 30 days) |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | 2 | QL (60 per 30 days) |
| SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42) | 2 | |
| TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG | 4 | PA; QL (30 per 30 days) |
| <i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio) | 4 | PA; QL (30 per 30 days) |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine) | 4 | PA; QL (112 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits | |
|--|----------------------------------|----------------------------|---------------------|
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG | 4 | PA; QL (120 per 30 days) | |
| Contraceptives | | | |
| Contraceptives | | | |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 1 | |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 1 | |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) | 1 | |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 1 | |
| <i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estrad) | 1 | QL (91 per 84 days) |
| <i>apri oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 1 | |
| <i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i> | | 1 | |
| <i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estrad) | 1 | QL (91 per 84 days) |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 1 | |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 1 | |
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 1 | |
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>aviane oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 1 | |
| <i>ayuna oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 1 | |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 1 | |
| <i>balziva (28) oral tablet 0.4-35 mg-mcg</i> | | 1 | |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i> | | 1 | |
| <i>camila oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> | | 1 | |
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 1 | |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 1 | |
| <i>cyred eq oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 1 | |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) | 1 | |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 1 | |
| <i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estrad) | 1 | QL (91 per 84 days) |
| <i>deblitane oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28)) | 1 | |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri) | 1 | |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Jasmiel (28)) | 1 | |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Syeda) | 1 | |
| <i>elinest oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol) | 1 | |
| ELLA ORAL TABLET 30 MG | 3 | QL (6 per 365 days) |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> (etonogestrel-ethinyl estradiol) | 1 | QL (1 per 28 days) |
| <i>emzahh oral tablet 0.35 mg</i> (norethindrone (contraceptive)) | 1 | |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i> (etonogestrel-ethinyl estradiol) | 1 | QL (1 per 28 days) |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (levonorg-eth estrad triphasic) | 1 | |
| <i>enskyce oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol) | 1 | |
| <i>errin oral tablet 0.35 mg</i> (norethindrone (contraceptive)) | 1 | |
| <i>estarylla oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 1 | |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28)) | 1 | |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1/50 (28)) | 1 | |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng) | 1 | QL (1 per 28 days) |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>hailey oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 1 | |
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i> | (etonogestrel-ethinyl estradiol) | 1 | QL (1 per 28 days) |
| <i>heather oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (levonorgestrel-ethinyl estrad) | 1 | QL (91 per 84 days) |
| <i>incassia oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>isibloom oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 1 | |
| <i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estrad) | 1 | QL (91 per 84 days) |
| <i>jasmiel (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 1 | |
| <i>jencycla oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>juleber oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 1 | |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 1 | |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 1 | |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>kalliga oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 1 | |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 1 | |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 1 | |
| <i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 1 | |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 1 | |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> | (LoJaimiess) | 1 | QL (91 per 84 days) |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (Amethia) | 1 | QL (91 per 84 days) |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 1 | |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 1 | |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 1 | |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 1 | |
| <i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i> | (Balcoltra) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Afirmelle) | 1 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28)) | 1 | |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Iclevia) | 1 | QL (91 per 84 days) |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse) | 1 | |
| <i>levora-28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad) | 1 | |
| <i>lojaimiess oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad) | 1 | QL (91 per 84 days) |
| <i>loryna (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol) | 1 | |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol) | 1 | |
| <i>lo-zumandimine (28) oral tablet 3-0.02 mg</i> (drospirenone-ethinyl estradiol) | 1 | |
| <i>luteru (28) oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad) | 1 | |
| <i>lyleq oral tablet 0.35 mg</i> (norethindrone (contraceptive)) | 1 | |
| <i>lyza oral tablet 0.35 mg</i> (norethindrone (contraceptive)) | 1 | |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad) | 1 | |
| <i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron) | 1 | |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron) | 1 | |
| <i>mili oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>mono-lynyah oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | | 1 | |
| <i>nikki (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 1 | |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i> | (Xulane) | 1 | QL (3 per 28 days) |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i> | (Camila) | 1 | |
| <i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> | (Aurovela 1.5/30 (21)) | 1 | |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> | (Aurovela 1/20 (21)) | 1 | |
| <i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> | (Merzee) | 1 | |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (Aurovela Fe 1-20 (28)) | 1 | |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (Aurovela Fe 1.5/30 (28)) | 1 | |
| <i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (Tri-Legest Fe) | 1 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (Tri-Lo-Estarylla) | 1 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (Tri-Estarylla) | 1 | |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> | (Estarylla) | 1 | |
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i> | 1 | |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 1 | |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 1 | |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 1 | |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 1 | |
| <i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 1 | |
| <i>philith oral tablet 0.4-35 mg-mcg</i> | 1 | |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol) | 1 | |
| <i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 1 | |
| <i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 1 | |
| <i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad) | 1 | |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol) | 1 | |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad) | 1 | QL (91 per 84 days) |
| <i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive)) | 1 | |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol) | 1 | |
| <i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad) | 1 | QL (91 per 84 days) |
| <i>sprintec (28) oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>sronyx oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 1 | |
| <i>syeda oral tablet 3-0.03 mg</i> | (drospirenone-ethinyl estradiol) | 1 | |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (norethindrone-e.estradiol-iron) | 1 | |
| <i>tri-lynyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 1 | |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | | Drug Tier | Requirements/Limits |
|--|---------------------------------------|------------------|----------------------------|
| <i>tulana oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | |
| <i>turqoz (28) oral tablet 0.3-30 mg- mcg</i> | (norgestrel-ethinyl estradiol) | 1 | |
| <i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i> | | 3 | |
| <i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> | | 1 | |
| <i>vestura (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 1 | |
| <i>vienva oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estradiol) | 1 | |
| <i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog- e.estradiol/e.estradiol) | 1 | |
| <i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog- e.estradiol/e.estradiol) | 1 | |
| <i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i> | | 1 | |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 1 | |
| <i>wera (28) oral tablet 0.5-35 mg- mcg</i> | | 1 | |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i> | (norelgestromin- ethin.estradiol) | 1 | QL (3 per 28 days) |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i> | (norelgestromin- ethin.estradiol) | 1 | QL (3 per 28 days) |
| <i>zarah oral tablet 3-0.03 mg</i> | (drospirenone-ethinyl estradiol) | 1 | |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 1 | |
| <i>zumandimine (28) oral tablet 3- 0.03 mg</i> | (drospirenone-ethinyl estradiol) | 1 | |
| Dental And Oral Agents | | | |
| Dental And Oral Agents | | | |
| <i>cevimeline oral capsule 30 mg</i> | (Evoxac) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------|------------------|----------------------------|
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | (Paroex Oral Rinse) | 1 | |
| <i>denta 5000 plus dental cream 1.1 %</i> | (fluoride (sodium)) | 1 | |
| <i>dentagel dental gel 1.1 %</i> | (fluoride (sodium)) | 1 | |
| <i>fluoride (sodium) dental solution 0.2 %</i> | (PreviDent) | 1 | |
| KOURZEQ DENTAL PASTE 0.1 % | (triamcinolone acetonide) | 1 | |
| <i>oralone dental paste 0.1 %</i> | (triamcinolone acetonide) | 1 | |
| <i>paroex oral rinse mucous membrane mouthwash 0.12 %</i> | (chlorhexidine gluconate) | 1 | |
| <i>perio gard mucous membrane mouthwash 0.12 %</i> | (chlorhexidine gluconate) | 1 | |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> | (Salagen (pilocarpine)) | 1 | |
| <i>sf 5000 plus dental cream 1.1 %</i> | (fluoride (sodium)) | 1 | |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> | (Denta 5000 Plus Sensitive) | 1 | |
| <i>triamcinolone acetonide dental paste 0.1 %</i> | (Kourzeq) | 1 | |
| Dermatological Agents | | | |
| Dermatological Agents, Other | | | |
| <i>acutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | (isotretinoin) | 1 | |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> | | 1 | |
| <i>acyclovir topical ointment 5 %</i> | (Zovirax) | 1 | QL (30 per 30 days) |
| ALCOHOL 70% SWABS | (Alcohol Pads) | 1 | |
| ALCOHOL PADS TOPICAL PADS, MEDICATED | (alcohol swabs) | 1 | |
| ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED | (alcohol swabs) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ALCOHOL WIPES TOPICAL PADS, (alcohol swabs) MEDICATED | 1 | |
| <i>ammonium lactate topical cream</i> 12 % | 1 | |
| <i>ammonium lactate topical lotion</i> (Skin Treatment) 12 % | 1 | |
| BD SINGLE USE SWAB (alcohol swabs) | 1 | |
| <i>calcipotriene scalp solution 0.005</i> % | 1 | QL (120 per 30 days) |
| <i>calcipotriene topical cream 0.005</i> % | 1 | QL (120 per 30 days) |
| <i>calcipotriene topical ointment</i> 0.005 % | 1 | QL (120 per 30 days) |
| CARETOUCH ALCOHOL 70% PREP (alcohol swabs) PAD | 1 | |
| CURITY ALCOHOL PREPS 2 (alcohol swabs) PLY,MEDIUM | 1 | |
| DROPSAFE ALCOHOL 70% PREP (alcohol swabs) PADS | 1 | |
| EASY COMFORT ALCOHOL 70% (alcohol swabs) PAD | 1 | |
| EASY TOUCH ALCOHOL 70% (alcohol swabs) PADS GAMMA-STERILIZED | 1 | |
| <i>fluorouracil topical cream 0.5 %</i> (Carac) | 4 | |
| <i>fluorouracil topical cream 5 %</i> (Efudex) | 1 | |
| <i>fluorouracil topical solution 2 %, 5</i> % | 1 | |
| HEB INCONTROL ALCOHOL 70% (alcohol swabs) PADS | 1 | |
| <i>imiquimod topical cream in packet</i> 5 % | 1 | QL (24 per 30 days) |
| IV ANTISEPTIC WIPES (alcohol swabs) | 1 | |
| KENDALL ALCOHOL 70% PREP (alcohol swabs) PAD | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------|
| KLISYRI TOPICAL OINTMENT IN PACKET 1 % | 2 | QL (5 per 5 days) |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i> | 4 | |
| PANRETIN TOPICAL GEL 0.1 % | 4 | QL (180 per 30 days) |
| <i>podofilox topical solution 0.5 %</i> | 1 | |
| PRO COMFORT ALCOHOL 70% PADS (alcohol swabs) | 1 | |
| PURE COMFORT ALCOHOL 70% PADS (alcohol swabs) | 1 | |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM | 3 | QL (180 per 30 days) |
| SURE COMFORT ALCOHOL PREP PADS (alcohol swabs) | 1 | |
| SURE-PREP ALCOHOL PREP PADS (alcohol swabs) | 1 | |
| TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs) | 1 | |
| TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs) | 1 | |
| ULTILET ALCOHOL STERL SWAB (alcohol swabs) | 1 | |
| VALCHLOR TOPICAL GEL 0.016 % | 4 | PA NSO |
| WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs) | 1 | |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin) | 1 | |
| Dermatological Antibacterials | | |
| <i>clindamycin phosphate topical solution 1 %</i> | 1 | QL (180 per 30 days) |
| <i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ) | 1 | |
| <i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Neuac) | 1 | |
| <i>ery pads topical swab 2 %</i> (erythromycin with ethanol) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>erythromycin with ethanol topical gel 2 %</i> (Erygel) | 1 | QL (180 per 30 days) |
| <i>erythromycin with ethanol topical solution 2 %</i> | 1 | QL (180 per 30 days) |
| <i>gentamicin topical cream 0.1 %</i> | 1 | QL (120 per 30 days) |
| <i>gentamicin topical ointment 0.1 %</i> | 1 | QL (120 per 30 days) |
| <i>metronidazole topical cream 0.75 %</i> (Rosadan) | 1 | |
| <i>metronidazole topical gel 0.75 %</i> (Rosadan) | 1 | |
| <i>metronidazole topical gel 1 %</i> (Metrogel) | 1 | |
| <i>metronidazole topical lotion 0.75 %</i> (MetroLotion) | 1 | |
| <i>mupirocin topical ointment 2 %</i> (Centany) | 1 | QL (220 per 30 days) |
| <i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i> | 1 | |
| <i>rosadan topical cream 0.75 %</i> (metronidazole) | 1 | |
| <i>selenium sulfide topical lotion 2.5 %</i> | 1 | |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD) | 1 | |
| <i>ssd topical cream 1 %</i> (silver sulfadiazine) | 3 | |
| <i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron) | 1 | |
| Dermatological Anti-Inflammatory Agents | | |
| <i>ala-cort topical cream 1 %</i> (hydrocortisone) | 1 | |
| <i>alclometasone topical cream 0.05 %</i> | 1 | |
| <i>alclometasone topical ointment 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate topical cream 0.05 %</i> | 1 | |
| <i>betamethasone dipropionate topical lotion 0.05 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>betamethasone dipropionate topical ointment 0.05 %</i> | 1 | |
| <i>betamethasone valerate topical cream 0.1 %</i> | 1 | |
| <i>betamethasone valerate topical lotion 0.1 %</i> | 1 | |
| <i>betamethasone valerate topical ointment 0.1 %</i> | 1 | |
| <i>betamethasone, augmented topical cream 0.05 %</i> | 1 | |
| <i>betamethasone, augmented topical gel 0.05 %</i> | 1 | |
| <i>betamethasone, augmented topical lotion 0.05 %</i> | 1 | |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 1 | |
| <i>clobetasol scalp solution 0.05 %</i> | 1 | |
| <i>clobetasol topical cream 0.05 %</i> | 1 | |
| <i>clobetasol topical gel 0.05 %</i> | 1 | |
| <i>clobetasol topical ointment 0.05 %</i> | 1 | |
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex) | 1 | |
| <i>clobetasol-emollient topical cream 0.05 %</i> | 1 | |
| <i>desoximetasone topical cream 0.25 %</i> (Topicort) | 1 | QL (120 per 30 days) |
| <i>desoximetasone topical ointment 0.25 %</i> (Topicort) | 1 | QL (120 per 30 days) |
| EUCRISA TOPICAL OINTMENT 2 % | 2 | |
| <i>fluocinolone topical cream 0.01 %</i> | 1 | |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar) | 1 | |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar) | 1 | |
| <i>fluocinonide topical cream 0.05 %</i> | 1 | |
| <i>fluocinonide topical solution 0.05 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E) | 1 | |
| <i>fluticasone propionate topical cream 0.05 %</i> | 1 | |
| <i>fluticasone propionate topical ointment 0.005 %</i> | 1 | |
| <i>halobetasol propionate topical cream 0.05 %</i> | 1 | |
| <i>halobetasol propionate topical ointment 0.05 %</i> | 1 | |
| <i>hydrocortisone 2.5% cream</i> | 1 | |
| <i>hydrocortisone butyrate topical solution 0.1 %</i> | 1 | QL (120 per 30 days) |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort) | 1 | |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Proctosol HC) | 1 | |
| <i>hydrocortisone topical lotion 2.5 %</i> | 1 | |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC)) | 1 | |
| <i>hydrocortisone topical ointment 2.5 %</i> | 1 | |
| <i>hydrocortisone valerate topical cream 0.2 %</i> | 1 | |
| <i>mometasone topical cream 0.1 %</i> | 1 | |
| <i>mometasone topical ointment 0.1 %</i> | 1 | |
| <i>mometasone topical solution 0.1 %</i> | 1 | |
| <i>pimecrolimus topical cream 1 %</i> (Elidel) | 1 | QL (100 per 30 days) |
| <i>prednicarbate topical ointment 0.1 %</i> | 1 | |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 1 | |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>tacrolimus topical ointment 0.03 %</i> , 0.1 % | 1 | QL (100 per 30 days) |
| <i>triamcinolone acetonide topical cream 0.025 %</i> | 1 | |
| <i>triamcinolone acetonide topical cream 0.1 %</i> , 0.5 % (Triderm) | 1 | |
| <i>triamcinolone acetonide topical lotion 0.025 %</i> , 0.1 % | 1 | |
| <i>triamcinolone acetonide topical ointment 0.025 %</i> , 0.1 %, 0.5 % | 1 | |
| Dermatological Retinoids | | |
| <i>adapalene topical cream 0.1 %</i> (Differin) | 1 | |
| <i>adapalene topical gel 0.1 %</i> (Differin) | 1 | |
| ALTRENO TOPICAL LOTION 0.05 % | 3 | PA |
| <i>tazarotene topical cream 0.1 %</i> (Tazorac) | 1 | |
| TAZORAC TOPICAL CREAM 0.05 % | 3 | |
| <i>tretinoin topical cream 0.025 %</i> (Avita) | 1 | PA |
| <i>tretinoin topical cream 0.05 %</i> , 0.1 % (Retin-A) | 1 | PA |
| <i>tretinoin topical gel 0.01 %</i> (Retin-A) | 1 | PA |
| <i>tretinoin topical gel 0.025 %</i> (Avita) | 1 | PA |
| <i>tretinoin topical gel 0.05 %</i> (Atralin) | 1 | PA |
| Scabicides And Pediculicides | | |
| <i>malathion topical lotion 0.5 %</i> (Ovide) | 1 | |
| <i>permethrin topical cream 5 %</i> (Elimite) | 1 | QL (60 per 30 days) |
| Devices | | |
| Devices | | |
| 1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic) | 1 | |
| 1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| 1ST TIER UNIFINE PNTIP 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4" | 1 | |
| 1ST TIER UNIFINE PNTIP 8MM (pen needle, diabetic) 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" | 1 | |
| 1ST TIER UNIFINE PNTIP 29GX1/2" (pen needle, diabetic) 29 GAUGE X 1/2" | 1 | |
| 1ST TIER UNIFINE PNTIP 31GX3/16 (pen needle, diabetic) 31 GAUGE X 3/16" | 1 | |
| 1ST TIER UNIFINE PNTIP 32GX5/32 (pen needle, diabetic) 32 GAUGE X 5/32" | 1 | |
| ABOUTTIME PEN NEEDLE 30G X (pen needle, diabetic) 8MM 30 GAUGE X 5/16" | 1 | |
| ABOUTTIME PEN NEEDLE 31G X (pen needle, diabetic) 5MM 31 GAUGE X 3/16" | 1 | |
| ABOUTTIME PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 1 | |
| ABOUTTIME PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 1 | |
| ADVOCATE INS 0.3 ML 30GX5/16" (insulin syringe-needle 0.3 ML 30 GAUGE X 5/16" u-100) | 1 | |
| ADVOCATE INS 0.3 ML 31GX5/16" (insulin syringe-needle 0.3 ML 31 GAUGE X 5/16" u-100) | 1 | |
| ADVOCATE INS 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100) | 1 | |
| ADVOCATE INS 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100) | 1 | |
| ADVOCATE INS 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100) | 1 | |
| ADVOCATE INS SYR 0.3 ML (insulin syringe-needle 29GX1/2 0.3 ML 29 GAUGE X 1/2" u-100) | 1 | |
| ADVOCATE INS SYR 0.5 ML (insulin syringe-needle 29GX1/2 0.5 ML 29 GAUGE X 1/2" u-100) | 1 | |
| ADVOCATE INS SYR 1 ML (insulin syringe-needle 29GX1/2" 1 ML 29 GAUGE X 1/2" u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 1 | |
| ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic) | 1 | |
| ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 1 | |
| ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic) | 1 | |
| ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic) | 1 | |
| ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic) | 1 | |
| AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 1 | |
| AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 1 | |
| ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety) | 1 | |
| ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16" | 1 | |
| ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16" | 1 | |
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2" | 1 | |
| ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16" | 1 | |
| ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16" | 1 | |
| ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic, safety) | 1 | |
| ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16" | 1 | |
| ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64" | 1 | |
| ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" | 1 | |
| BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16" | 1 | |
| BD ECLIPSE 30GX1/2" SYRINGE 1 (insulin syringe-needle ML 30 GAUGE X 1/2" u-100) | 1 | |
| BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 " | 1 | |
| BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16" | 1 | |
| BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64" | 1 | |
| BD INS SYRN UF 1 ML (insulin syringe-needle 12.7MMX30G NOT FOR RETAIL u-100) SALE 1 ML 30 GAUGE X 1/2" | 1 | |
| BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1" | 1 | |
| BD INSULIN SYR 1 ML 25GX5/8" 1 (insulin syringe-needle ML 25 GAUGE X 5/8" u-100) | 1 | |
| BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2" | 1 | |
| BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8" | 1 | |
| BD INSULIN SYR 1 ML 28GX1/2" (Comfort EZ Insulin (OTC) 1 ML 28 GAUGE X 1/2" Syringe) | 1 | |
| BD INSULIN SYRINGE 1 ML W/O (insulin syringe NEEDLE needleless) | 1 | |
| BD LUER-LOK SYRINGE 1 ML (Easy Touch Luer Lock Insulin) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| BD NANO 2 GEN PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 1 | |
| BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2" | 1 | |
| BD SAFETGLD INS 0.5 ML (insulin syringe-needle 13MMX29G 0.5 ML 29 GAUGE X u-100) 1/2" | 1 | |
| BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" | 1 | |
| BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16" | 1 | |
| BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2" | 1 | |
| BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" | 1 | |
| BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8" | 1 | |
| BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" | 1 | |
| BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2" | 1 | |
| BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64" | 1 | |
| BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4" | 1 | |
| BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16" | 1 | |
| BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32" | 1 | |
| BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2" | 1 | |
| BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------------------------------|----------------------------|
| BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64" | 1 | |
| BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 1 |
| BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 1 |
| BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 1 |
| BORDERED GAUZE 2"X2" 2 X 2 " | (gauze bandage) | 1 |
| CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 1 |
| CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 1 |
| CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16" | (pen needle, diabetic) | 1 |
| CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 1 |
| CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16" | (pen needle, diabetic) | 1 |
| CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" | (pen needle, diabetic) | 1 |
| CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" | (pen needle, diabetic) | 1 |
| CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 1 |
| CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 1 |
| CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 1 |
| CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 1 |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16" | 1 | |
| CARETOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 1 | |
| CARETOUCH SYR 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16" | 1 | |
| CARETOUCH SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16" | 1 | |
| CARETOUCH SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16" | 1 | |
| CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16" | 1 | |
| CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16" | 1 | |
| CARETOUCH SYR 1 ML 30GX5/16" (insulin syringe-needle 1 ML 30 GAUGE X 5/16 u-100) | 1 | |
| CARETOUCH SYR 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100) | 1 | |
| CLICKFINE 31G X 5/16" NEEDLES (pen needle, diabetic) 8MM, UNIVERSAL 31 GAUGE X 5/16" | 1 | |
| CLICKFINE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32" | 1 | |
| CLICKFINE UNIVERSAL 31G X 1/4" (pen needle, diabetic) 6MM, STORE BRAND 31 GAUGE X 1/4" | 1 | |
| COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2" | 1 | |
| COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| COMFORT EZ INS 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16 | 1 | |
| COMFORT EZ INSULIN SYR 0.3 ML (insulin syringe-needle 0.3 ML 31 GAUGE X 5/16" u-100) | 1 | |
| COMFORT EZ INSULIN SYR 0.5 ML (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16", 0.5 ML u-100) 31 GAUGE X 5/16" | 1 | |
| COMFORT EZ PEN NEEDLE 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2" | 1 | |
| COMFORT EZ PEN NEEDLES 4MM (pen needle, diabetic) 32G SINGLE USE, MICRO 32 GAUGE X 5/32" | 1 | |
| COMFORT EZ PEN NEEDLES 4MM (pen needle, diabetic) 33G 33 GAUGE X 5/32" | 1 | |
| COMFORT EZ PEN NEEDLES 5MM (pen needle, diabetic) 31G MINI 31 GAUGE X 3/16" | 1 | |
| COMFORT EZ PEN NEEDLES 5MM (pen needle, diabetic) 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16" | 1 | |
| COMFORT EZ PEN NEEDLES 5MM (pen needle, diabetic) 33G 33 GAUGE X 3/16" | 1 | |
| COMFORT EZ PEN NEEDLES 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4" | 1 | |
| COMFORT EZ PEN NEEDLES 6MM (pen needle, diabetic) 32G 32 GAUGE X 1/4" | 1 | |
| COMFORT EZ PEN NEEDLES 6MM (pen needle, diabetic) 33G 33 GAUGE X 1/4" | 1 | |
| COMFORT EZ PEN NEEDLES 8MM (pen needle, diabetic) 31G SHORT 31 GAUGE X 5/16" | 1 | |
| COMFORT EZ PEN NEEDLES 8MM (pen needle, diabetic) 32G 32 GAUGE X 5/16" | 1 | |
| COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16" | 1 | |
| COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32" | (pen needle, diabetic, safety) | 1 | |
| COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 1 | |
| COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 | |
| COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 | |
| COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 | |
| COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 | |
| COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 | |
| COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 | |
| COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 | |
| COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 1 | |
| COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3" | | 1 | |
| COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6" | | 1 | |
| COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32" | (pen needle, diabetic) | 1 | |
| COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 1 | |
| COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 1 | |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 1 | |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16" | 1 | |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4" | 1 | |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16" | 1 | |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32" | 1 | |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4" | 1 | |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16" | 1 | |
| CURAD GAUZE PADS 2" X 2" 2 X 2 (gauze bandage) " | 1 | |
| CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 " | 1 | |
| CURITY GUAZE PADS 1'S(12 PLY) (gauze bandage) 2 X 2 " | 1 | |
| DERMACEA 2"X2" GAUZE 12 PLY, (gauze bandage) USP TYPE VII 2 X 2 " | 1 | |
| DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 " | 1 | |
| DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 " | 1 | |
| DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2" | 1 | |
| DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64" | 1 | |
| DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16" | 1 | |
| DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64" | 1 | |
| DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16" | 1 | |
| DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64" | 1 | |
| DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 1 | |
| DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64" | 1 | |
| DROPLET INS SYR 1 ML (insulin syringe-needle 30GX8MM 1 ML 30 GAUGE X 5/16 u-100) | 1 | |
| DROPLET INS SYR 1 ML (insulin syringe-needle 31GX6MM 1 ML 31 GAUGE X u-100) 15/64" | 1 | |
| DROPLET INS SYR 1 ML (insulin syringe-needle 31GX8MM 1 ML 31 GAUGE X 5/16 u-100) | 1 | |
| DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64" | 1 | |
| DROPLET PEN NEEDLE 29GX1/2" (pen needle, diabetic) 29 GAUGE X 1/2" | 1 | |
| DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8" | 1 | |
| DROPLET PEN NEEDLE 30GX5/16" (pen needle, diabetic) 30 GAUGE X 5/16" | 1 | |
| DROPLET PEN NEEDLE 31GX1/4" (pen needle, diabetic) 31 GAUGE X 1/4" | 1 | |
| DROPLET PEN NEEDLE 31GX3/16" (pen needle, diabetic) 31 GAUGE X 3/16" | 1 | |
| DROPLET PEN NEEDLE 31GX5/16" (pen needle, diabetic) 31 GAUGE X 5/16" | 1 | |
| DROPLET PEN NEEDLE 32GX1/4" (pen needle, diabetic) 32 GAUGE X 1/4" | 1 | |
| DROPLET PEN NEEDLE 32GX3/16" (pen needle, diabetic) 32 GAUGE X 3/16" | 1 | |
| DROPLET PEN NEEDLE 32GX5/16" (pen needle, diabetic) 32 GAUGE X 5/16" | 1 | |
| DROPLET PEN NEEDLE 32GX5/32" (pen needle, diabetic) 32 GAUGE X 5/32" | 1 | |
| DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" | 1 | |
| DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64" | 1 | |
| DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16" | 1 | |
| DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64" | 1 | |
| DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16" | 1 | |
| DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2" | 1 | |
| DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | 1 | |
| DROPSAFE PEN NEEDLE (pen needle, diabetic, 31GX3/16" 31 GAUGE X 3/16" safety) | 1 | |
| DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | 1 | |
| DRUG MART ULTRA COMFORT (insulin syringe-needle SYR 0.3 ML 29 GAUGE X 1/2", 0.3 u-100) ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 | 1 | |
| EASY CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety) | 1 | |
| EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 1 | |
| EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 1 | |
| EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2" | 1 | |
| EASY COMFORT 0.3 ML 31G 5/16" (insulin syringe-needle 0.3 ML 31 GAUGE X 5/16" u-100) | 1 | |
| EASY COMFORT 0.3 ML SYRINGE (insulin syringe-needle 0.3 ML 30 GAUGE X 5/16" u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| EASY COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100) | 1 | |
| EASY COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16" | 1 | |
| EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16" | 1 | |
| EASY COMFORT 0.5 ML SYRINGE (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100) | 1 | |
| EASY COMFORT 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100) | 1 | |
| EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16" | 1 | |
| EASY COMFORT INSULIN 1 ML (insulin syringe-needle SYR 1 ML 30 GAUGE X 5/16 u-100) | 1 | |
| EASY COMFORT PEN NDL (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4" | 1 | |
| EASY COMFORT PEN NDL (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16" | 1 | |
| EASY COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16" | 1 | |
| EASY COMFORT PEN NDL (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 1 | |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32" | 1 | |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic) 5MM 33 GAUGE X 3/16" | 1 | |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4" | 1 | |
| EASY COMFORT SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X 1/2" u-100) | 1 | |
| EASY GLIDE INS 0.3 ML 31GX6MM (insulin syringe-needle 0.3 ML 31 GAUGE X 15/64" u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| EASY GLIDE INS 0.5 ML 31GX6MM (insulin syringe-needle 1/2 ML 31 GAUGE X 15/64" u-100) | 1 | |
| EASY GLIDE INS 1 ML 31GX6MM (insulin syringe-needle 1 ML 31 GAUGE X 15/64" u-100) | 1 | |
| EASY GLIDE PEN NEEDLE 4MM (pen needle, diabetic) 33G 33 GAUGE X 5/32" | 1 | |
| EASY TOUCH 0.3 ML SYR (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2" | 1 | |
| EASY TOUCH 0.5 ML SYR (insulin syringe-needle 27GX1/2" 1/2 ML 27 GAUGE X u-100) 1/2" | 1 | |
| EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | 1 | |
| EASY TOUCH 0.5 ML SYR (insulin syringe-needle 30GX1/2" 0.5 ML 30 GAUGE X u-100) 1/2" | 1 | |
| EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16" | 1 | |
| EASY TOUCH 1 ML SYR 27GX1/2" (insulin syringe-needle 1 ML 27 GAUGE X 1/2" u-100) | 1 | |
| EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2" | 1 | |
| EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2" | 1 | |
| EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2" | 1 | |
| EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2" | 1 | |
| EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2" | 1 | |
| EASY TOUCH INSULIN SYR 0.3 ML (insulin syringe-needle 0.3 ML 30 GAUGE X 5/16", 0.3 ML u-100) 31 GAUGE X 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| EASY TOUCH INSULIN SYR 0.5 ML (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16", 0.5 ML u-100) 31 GAUGE X 5/16" | 1 | |
| EASY TOUCH INSULIN SYR 1 ML 1 (insulin syringe-needle ML 30 GAUGE X 5/16, 1 ML 31 u-100) GAUGE X 5/16 | 1 | |
| EASY TOUCH INSULIN SYR 1 ML (insulin syringe-needle RETRACTABLE 1 ML 30 GAUGE X u-100) 1/2" | 1 | |
| EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | 1 | |
| EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | 1 | |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" | 1 | |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" | 1 | |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16" | 1 | |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16" | 1 | |
| EASY TOUCH LUER LOK INSUL 1 (insulin syringe ML needleless) | 1 | |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2" | 1 | |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic) 30GX5/16 30 GAUGE X 5/16" | 1 | |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX1/4" 31 GAUGE X 1/4" | 1 | |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX3/16 31 GAUGE X 3/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| EASY TOUCH PEN NEEDLE (pen needle, diabetic) 31GX5/16 31 GAUGE X 5/16" | 1 | |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4" | 1 | |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX3/16 32 GAUGE X 3/16" | 1 | |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32" | 1 | |
| EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16" | 1 | |
| EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16" | 1 | |
| EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16" | 1 | |
| EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16" | 1 | |
| EASY TOUCH SYR 0.5 ML 28G (insulin syringe-needle 12.7MM 1/2 ML 28 GAUGE X 1/2" u-100) | 1 | |
| EASY TOUCH SYR 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X 1/2" u-100) | 1 | |
| EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" | 1 | |
| EASY TOUCH SYR 1 ML 28G (insulin syringe-needle 12.7MM 1 ML 28 GAUGE X 1/2" u-100) | 1 | |
| EASY TOUCH SYR 1 ML 29G (insulin syringe-needle 12.7MM 1 ML 29 GAUGE X 1/2" u-100) | 1 | |
| EASY TOUCH UNI-SLIP SYR 1 ML (insulin syringe needleless) | 1 | |
| EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4" | 1 | |
| EMBRACE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2" | 1 | |
| EMBRACE PEN NEEDLE 30G 5MM (pen needle, diabetic) 30 GAUGE X 3/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| EMBRACE PEN NEEDLE 30G 8MM (pen needle, diabetic) 30 GAUGE X 5/16" | 1 | |
| EMBRACE PEN NEEDLE 31G 5MM (pen needle, diabetic) 31 GAUGE X 3/16" | 1 | |
| EMBRACE PEN NEEDLE 31G 6MM (pen needle, diabetic) 31 GAUGE X 1/4" | 1 | |
| EMBRACE PEN NEEDLE 31G 8MM (pen needle, diabetic) 31 GAUGE X 5/16" | 1 | |
| EMBRACE PEN NEEDLE 32G 4MM (pen needle, diabetic) 32 GAUGE X 5/32" | 1 | |
| EQL INSULIN 0.3 ML SYRINGE (Ultra Comfort Insulin SHORT NEEDLE 0.3 ML 30 Syringe) | 1 | |
| EQL INSULIN 0.5 ML SYRINGE (Ultra Comfort Insulin SHORT NEEDLE 1/2 ML 30 GAUGE Syringe) | 1 | |
| EQL INSULIN 1 ML SYRINGE (Ultra Comfort Insulin SHORT NEEDLE 1 ML 30 GAUGE X Syringe) 7/16" | 1 | |
| EXEL INSULIN SYRINGE 27G-1 ML (insulin syringe-needle 1 ML 27 GAUGE X 1/2" u-100) | 1 | |
| FIFTY50 INS 0.5 ML 31GX5/16" (Advocate Syringes) SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16" | 1 | |
| FIFTY50 INS SYR 1 ML 31GX5/16" (Advocate Syringes) SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16" | 1 | |
| FIFTY50 PEN 31G X 3/16" NEEDLE (pen needle, diabetic) (OTC) 31 GAUGE X 3/16" | 1 | |
| FP INSULIN 1 ML SYRINGE 1 ML (Ultra Comfort Insulin 28 GAUGE Syringe) | 1 | |
| FREESTYLE PREC 0.5 ML 30GX5/16 (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100) | 1 | |
| FREESTYLE PREC 0.5 ML 31GX5/16 (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100) | 1 | |
| FREESTYLE PREC 1 ML 30GX5/16" (insulin syringe-needle 1 ML 30 GAUGE X 5/16 u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| FREESTYLE PREC 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100) | 1 | |
| GAUZE PAD TOPICAL BANDAGE 2 (gauze bandage) X 2 " | 1 | |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2" | 1 | |
| GNP ULTRA COMFORT 0.5 ML (insulin syringe-needle SYR 1/2 ML 29 , 1/2 ML 30 GAUGE u-100) | 1 | |
| GNP ULTRA COMFORT 1 ML (insulin syringe-needle SYRINGE 1 ML 28 GAUGE, 1 ML u-100) 30 GAUGE X 7/16" | 1 | |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE | 1 | |
| GNP ULTRA COMFORT 3/10 ML (insulin syringe-needle SYR 0.3 ML 30 u-100) | 1 | |
| HEALTHWISE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16" | 1 | |
| HEALTHWISE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16" | 1 | |
| HEALTHWISE INS 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16" | 1 | |
| HEALTHWISE INS 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16" | 1 | |
| HEALTHWISE INS 1 ML 30GX5/16" (insulin syringe-needle 1 ML 30 GAUGE X 5/16 u-100) | 1 | |
| HEALTHWISE INS 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100) | 1 | |
| HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16" | 1 | |
| HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| HEALTHWISE PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 1 | |
| HEALTHY ACCENTS PENTIP 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32" | 1 | |
| HEALTHY ACCENTS PENTIP 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16" | 1 | |
| HEALTHY ACCENTS PENTIP 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4" | 1 | |
| HEALTHY ACCENTS PENTIP 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16" | 1 | |
| HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2" | 1 | |
| INCONTROL PEN NEEDLE 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2" | 1 | |
| INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32" | 1 | |
| INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16" | 1 | |
| INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4" | 1 | |
| INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16" | 1 | |
| INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN | 2 | |
| INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN | 2 | |
| INSULIN SYR 0.3 ML 31GX1/4(1/2) (UltiCare Insuln 0.3 ML 31 GAUGE X 1/4" Syr(half unit)) | 1 | |
| INSULIN SYRIN 0.3 ML 30GX1/2" (Comfort EZ Insulin SHORT NEEDLE 0.3 ML 30 GAUGE Syringe) X 1/2" | 1 | |
| INSULIN SYRIN 0.5 ML 28GX1/2" (Comfort EZ Insulin 1/2 ML 28 GAUGE X 1/2" Syringe) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| INSULIN SYRIN 0.5 ML 29GX1/2" (Comfort EZ Insulin Syringe) | 1 | |
| INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2" | 1 | |
| INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" | 1 | |
| INSULIN SYRINGE 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" | 1 | |
| INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE | 1 | |
| INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" | 1 | |
| INSULIN SYRINGE 0.5 ML 1/2 ML 29 | 1 | |
| INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" | 1 | |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE | 1 | |
| INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2" | 1 | |
| INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16" | 1 | |
| INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" | 1 | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE | 1 | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" | 1 | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE | 1 | |
| INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| INSUPEN 31G ULTRAFIN NEEDLE (pen needle, diabetic) 31 GAUGE X 1/4", 31 GAUGE X 5/16" | 1 | |
| INSUPEN 32G 6MM PEN NEEDLE (pen needle, diabetic) 32 GAUGE X 1/4" | 1 | |
| INSUPEN 32G 8MM PEN NEEDLE (pen needle, diabetic) 32 GAUGE X 5/16" | 1 | |
| INSUPEN PEN NEEDLE (pen needle, diabetic) 29GX12MM 29 GAUGE X 1/2" | 1 | |
| INSUPEN PEN NEEDLE 31GX3/16" (pen needle, diabetic) 31 GAUGE X 3/16" | 1 | |
| INSUPEN PEN NEEDLE 32GX4MM (pen needle, diabetic) 32 GAUGE X 5/32" | 1 | |
| INSUPEN PEN NEEDLE 33GX4MM (pen needle, diabetic) 33 GAUGE X 5/32" | 1 | |
| LISCO SPONGES 100/BAG 2 X 2 " | 1 | |
| LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4" | 1 | |
| LITE TOUCH INSULIN 0.5 ML SYR (insulin syringe-needle 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 u-100) ML 30 GAUGE | 1 | |
| LITE TOUCH INSULIN 1 ML SYR 1 (insulin syringe-needle ML 28 GAUGE, 1 ML 30 GAUGE X u-100) 7/16" | 1 | |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE | 1 | |
| LITE TOUCH INSULIN SYR 1 ML 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100) | 1 | |
| LITE TOUCH PEN NEEDLE 29G 29 (pen needle, diabetic) GAUGE X 1/2" | 1 | |
| LITE TOUCH PEN NEEDLE 31G 31 (pen needle, diabetic) GAUGE X 3/16", 31 GAUGE X 5/16" | 1 | |
| LITETOUCH INS 0.3 ML 29GX1/2" (insulin syringe-needle 0.3 ML 29 GAUGE X 1/2" u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| LITETOUCH INS 0.3 ML 30GX5/16" (insulin syringe-needle 0.3 ML 30 GAUGE X 5/16" u-100) | 1 | |
| LITETOUCH INS 0.3 ML 31GX5/16" (insulin syringe-needle 0.3 ML 31 GAUGE X 5/16" u-100) | 1 | |
| LITETOUCH INS 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100) | 1 | |
| LITETOUCH SYR 0.5 ML 28GX1/2" (insulin syringe-needle 1/2 ML 28 GAUGE X 1/2" u-100) | 1 | |
| LITETOUCH SYR 0.5 ML 29GX1/2" (insulin syringe-needle 0.5 ML 29 GAUGE X 1/2" u-100) | 1 | |
| LITETOUCH SYR 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100) | 1 | |
| LITETOUCH SYRIN 1 ML 28GX1/2" (insulin syringe-needle 1 ML 28 GAUGE X 1/2" u-100) | 1 | |
| LITETOUCH SYRIN 1 ML 29GX1/2" (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100) | 1 | |
| LITETOUCH SYRIN 1 ML 30GX5/16" (insulin syringe-needle 1 ML 30 GAUGE X 5/16" u-100) | 1 | |
| MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16" | 1 | |
| MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16" | 1 | |
| MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2" | 1 | |
| MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2" | 1 | |
| MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" | 1 | |
| MAXICOMFORT II PEN NDL 31GX6MM (pen needle, diabetic) 31 GAUGE X 1/4" | 1 | |
| MAXICOMFORT INS 0.5 ML 27GX1/2" (insulin syringe-needle 1/2 ML 27 GAUGE X 1/2" u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| MAXI-COMFORT INS 0.5 ML 28G (insulin syringe-needle 1/2 ML 28 GAUGE X 1/2" u-100) | 1 | |
| MAXICOMFORT INS 1 ML (insulin syringe-needle 27GX1/2" 1 ML 27 GAUGE X 1/2" u-100) | 1 | |
| MAXI-COMFORT INS 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100) | 1 | |
| MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16" | 1 | |
| MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16" | 1 | |
| MICRODOT PEN NEEDLE (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4" | 1 | |
| MICRODOT PEN NEEDLE (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32" | 1 | |
| MICRODOT PEN NEEDLE (pen needle, diabetic) 33GX4MM 33 GAUGE X 5/32" | 1 | |
| MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16" | 1 | |
| MINI PEN NEEDLE 32G 4MM 32 (1st Tier Unifine GAUGE X 5/32" Pentips) | 1 | |
| MINI PEN NEEDLE 32G 5MM 32 (CareFine Pen Needle) GAUGE X 3/16" | 1 | |
| MINI PEN NEEDLE 32G 6MM 32 (BD Ultra-Fine Micro GAUGE X 1/4" Pen Needle) | 1 | |
| MINI PEN NEEDLE 32G 8MM 32 (Comfort EZ Pen GAUGE X 5/16" Needles) | 1 | |
| MINI PEN NEEDLE 33G 4MM 33 (Advocate Pen Needle) GAUGE X 5/32" | 1 | |
| MINI PEN NEEDLE 33G 5MM 33 (Comfort EZ Pen GAUGE X 3/16" Needles) | 1 | |
| MINI PEN NEEDLE 33G 6MM 33 (Comfort EZ Pen GAUGE X 1/4" Needles) | 1 | |
| MINI ULTRA-THIN II PEN NDL 31G (pen needle, diabetic) STERILE 31 GAUGE X 3/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------------------------|----------------------------|
| MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE | (insulin syringe-needle u-100) | 1 |
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 |
| MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) | (insulin syringes (disposable)) | 1 |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 |
| MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2" | | 1 |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| MONOJECT SYRINGE 0.3 ML 0.3 (insulin syringe-needle ML 31 GAUGE X 5/16" u-100) | 1 | |
| MONOJECT SYRINGE 0.5 ML 0.5 (insulin syringe-needle ML 31 GAUGE X 5/16" u-100) | 1 | |
| MONOJECT SYRINGE 1 ML 1 ML (insulin syringe-needle 31 GAUGE X 5/16 u-100) | 1 | |
| NOVOFINE 30 NEEDLE | 1 | |
| NOVOFINE 32G NEEDLES 32 (pen needle, diabetic) GAUGE X 1/4" | 1 | |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6" | 1 | |
| NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5" | 1 | |
| OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE | 2 | QL (1 per 365 days) |
| OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |
| OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE | 2 | QL (1 per 365 days) |
| OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |
| OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |
| OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE | 2 | QL (1 per 365 days) |
| OMNIPOD DASH PDM KIT (GEN 4) | 2 | QL (1 per 365 days) |
| OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |
| OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |
| OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |
| OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |
| OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |
| OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |
| OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE | 2 | QL (10 per 30 days) |
| PC UNIFINE PENTIPS 8MM (pen needle, diabetic) NEEDLE SHORT 31 GAUGE X 5/16" | 1 | |
| PEN NEEDLE 30G 5MM OUTER 30 (Embrace Pen Needle) GAUGE X 3/16" | 1 | |
| PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle) GAUGE X 5/16" | 1 | |
| PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16" | 1 | |
| PEN NEEDLE, DIABETIC NEEDLE (1st Tier Unifine 29 GAUGE X 1/2" Pentips Plus) | 1 | |
| PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2" | 1 | |
| PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32" | 1 | |
| PEN NEEDLES 6MM 31G (1st Tier Unifine 31GX6MM, STRL 31 GAUGE X 1/4" Pentips) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" | 1 | |
| PENTIPS PEN NEEDLE 29GX1/2" (pen needle, diabetic) 29 GAUGE X 1/2" | 1 | |
| PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic) MINI, 5MM 31 GAUGE X 3/16" | 1 | |
| PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic) SHORT, 8MM 31 GAUGE X 5/16" | 1 | |
| PENTIPS PEN NEEDLE 32G 6MM (pen needle, diabetic) 32 GAUGE X 1/4" | 1 | |
| PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 1 | |
| PENTIPS PEN NEEDLE 6MM 31G (pen needle, diabetic) 31 GAUGE X 1/4" | 1 | |
| PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic) GAUGE X 3/16" | 1 | |
| PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic) GAUGE X 5/32" | 1 | |
| PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | 1 | |
| PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | 1 | |
| PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100) | 1 | |
| PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100) | 1 | |
| PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100) | 1 | |
| PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle ML 30 GAUGE X 1/2" u-100) | 1 | |
| PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle ML 30 GAUGE X 5/16 u-100) | 1 | |
| PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic) | 1 | |
| PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4" (pen needle, diabetic) | 1 | |
| PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic) | 1 | |
| PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16" (pen needle, diabetic) | 1 | |
| PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety) | 1 | |
| PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 1 | |
| PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 1 | |
| PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 1 | |
| PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic) | 1 | |
| PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic) | 1 | |
| PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic) | 1 | |
| RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32" | 1 | |
| RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64" | 1 | |
| RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64" | 1 | |
| RELION INS SYR 0.3 ML (BD Veo Insulin 31GX6MM 0.3 ML 31 GAUGE X Syringe UF) 15/64" | 1 | |
| RELION INS SYR 0.5 ML (BD Veo Insulin 31GX6MM 1/2 ML 31 GAUGE X Syringe UF) 15/64" | 1 | |
| RELION INS SYR 1 ML 31GX15/64" (BD Veo Insulin 1 ML 31 GAUGE X 15/64" Syringe UF) | 1 | |
| RELI-ON INSULIN 0.5 ML SYR 1/2 (Ultilet Insulin Syringe) ML 29 | 1 | |
| RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16" | 1 | |
| RELION MINI PEN 31G X 1/4" NDL (pen needle, diabetic) 31 GAUGE X 1/4" | 1 | |
| RELION NEEDLES NEEDLE 31 (pen needle, diabetic) GAUGE X 1/4" | 1 | |
| RELION PEN NEEDLES NEEDLE 32 (pen needle, diabetic) GAUGE X 5/32" | 1 | |
| SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16" | 1 | |
| SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2" | 1 | |
| SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16" | 1 | |
| SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------------------------|----------------------------|
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2" | 1 | |
| SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" | (Comfort EZ PRO Safety Pen Ndl) | 1 |
| SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 1 |
| SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" | 1 | |
| SECURES SAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16" | 1 | |
| SECURES SAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2" | 1 | |
| SECURES SAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2" | 1 | |
| SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16" | 1 | |
| SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" | 1 | |
| SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16" | 1 | |
| STERILE PADS 2" X 2" 2 X 2 " (gauze bandage) | 1 | |
| SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 1 | |
| SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 1 | |
| NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100) | 1 | |
| SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 1 |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SURE COMFORT 1 ML SYRINGE 1 (insulin syringe-needle ML 28 GAUGE X 1/2", 1 ML 29 u-100) GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | 1 | |
| SURE COMFORT 3/10 ML (insulin syringe-needle SYRINGE 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" | 1 | |
| SURE COMFORT 3/10 ML (insulin syringe-needle SYRINGE INSULIN SYRINGE 0.3 u-100) ML 31 GAUGE X 5/16" | 1 | |
| SURE COMFORT 30G PEN NEEDLE (pen needle, diabetic) 30 GAUGE X 5/16" | 1 | |
| SURE COMFORT INS 0.3 ML (insulin syringe-needle 31GX1/4 0.3 ML 31 GAUGE X 1/4" u-100) | 1 | |
| SURE COMFORT INS 0.5 ML (insulin syringe-needle 31GX1/4 1/2 ML 31 GAUGE X 1/4" u-100) | 1 | |
| SURE COMFORT INS 1 ML (insulin syringe-needle 31GX1/4" 1 ML 31 GAUGE X 1/4" u-100) | 1 | |
| SURE COMFORT PEN NDL (pen needle, diabetic) 29GX1/2" 12.7MM 29 GAUGE X 1/2" | 1 | |
| SURE COMFORT PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16" | 1 | |
| SURE COMFORT PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 1 | |
| SURE COMFORT PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 1 | |
| SURE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4" | 1 | |
| SURE-FINE PEN NEEDLES 12.7MM (pen needle, diabetic) 29 GAUGE X 1/2" | 1 | |
| SURE-FINE PEN NEEDLES 5MM 31 (pen needle, diabetic) GAUGE X 3/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 1 | |
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 1 | |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 1 | |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2" | 1 | |
| TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2" | 1 | |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16" | 1 | |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64" | 1 | |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16" | 1 | |
| TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2" | 1 | |
| TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2" | 1 | |
| TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16" | 1 | |
| TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64" | 1 | |
| TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 1 | |
| TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 1 | |
| TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 1 | |
| TECHLITE PEN NEEDLE 29GX1/2" (pen needle, diabetic) 29 GAUGE X 1/2" | 1 | |
| TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8" | 1 | |
| TECHLITE PEN NEEDLE 31GX1/4" (pen needle, diabetic) 31 GAUGE X 1/4" | 1 | |
| TECHLITE PEN NEEDLE 31GX3/16" (pen needle, diabetic) 31 GAUGE X 3/16" | 1 | |
| TECHLITE PEN NEEDLE 31GX5/16" (pen needle, diabetic) 31 GAUGE X 5/16" | 1 | |
| TECHLITE PEN NEEDLE 32GX1/4" (pen needle, diabetic) 32 GAUGE X 1/4" | 1 | |
| TECHLITE PEN NEEDLE 32GX5/16" (pen needle, diabetic) 32 GAUGE X 5/16" | 1 | |
| TECHLITE PEN NEEDLE 32GX5/32" (pen needle, diabetic) 32 GAUGE X 5/32" | 1 | |
| TECHLITE PLUS PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 1 | |
| TERUMO INS SYRINGE U100-1 ML (insulin syringe-needle u-100) 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TERUMO INS SYRINGE U100-1 ML (Thinpro Insulin Syringe) 1 ML 30 GAUGE X 3/8" | 1 | |
| TERUMO INS SYRINGE U100-1/2 (insulin syringe-needle u-100) ML 1/2 ML 30 X 3/8" | 1 | |
| TERUMO INS SYRINGE U100-1/3 (insulin syringe-needle u-100) ML 0.3 ML 30 X 3/8" | 1 | |
| TERUMO INS SYRNG U100-1/2 (insulin syringe-needle u-100) ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" | 1 | |
| THINPRO INS SYRIN U100-0.3 ML (insulin syringe-needle u-100) 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8" | 1 | |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8" | 1 | |
| THINPRO INS SYRIN U100-0.5 ML (insulin syringe-needle u-100) 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" | 1 | |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8" | 1 | |
| THINPRO INS SYRIN U100-1 ML 1 (insulin syringe-needle u-100) ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" | 1 | |
| THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8" | 1 | |
| TOPCARE CLICKFINE 31G X 1/4" (pen needle, diabetic) 31 GAUGE X 1/4" | 1 | |
| TOPCARE CLICKFINE 31G X 5/16" (pen needle, diabetic) 31 GAUGE X 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| TOPCARE ULTRA COMFORT (insulin syringe-needle SYRINGE 0.3 ML 29 GAUGE X 1/2", u-100) 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | 1 | |
| TRUE CMFRT PRO 0.5 ML 30G (insulin syringe-needle 5/16" 0.5 ML 30 GAUGE X 5/16" u-100) | 1 | |
| TRUE CMFRT PRO 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100) | 1 | |
| TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16" | 1 | |
| TRUE CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety) | 1 | |
| TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 1 | |
| TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 1 | |
| TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" | 1 | |
| TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" | 1 | |
| TRUE COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100) | 1 | |
| TRUE COMFORT 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100) | 1 | |
| TRUE COMFORT PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 1 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX5MM 31 GAUGE X 3/16" | 1 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TRUE COMFORT PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16" | 1 | |
| TRUE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4" | 1 | |
| TRUE COMFORT PEN NDL (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32" | 1 | |
| TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32" | 1 | |
| TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 5MM 33 GAUGE X 3/16" | 1 | |
| TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4" | 1 | |
| TRUE COMFORT PRO 1 ML 30G (insulin syringe-needle 1/2" 1 ML 30 GAUGE X 1/2" u-100) | 1 | |
| TRUE COMFORT PRO 1 ML 30G (insulin syringe-needle 5/16" 1 ML 30 GAUGE X 5/16 u-100) | 1 | |
| TRUE COMFORT PRO 1 ML 31G (insulin syringe-needle 5/16" 1 ML 31 GAUGE X 5/16 u-100) | 1 | |
| TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16" | 1 | |
| TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" | 1 | |
| TRUE COMFORT PRO 0.5 ML 30G (insulin syringe-needle 1/2" 0.5 ML 30 GAUGE X 1/2" u-100) | 1 | |
| TRUE COMFORT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16" | 1 | |
| TRUE COMFORT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" | 1 | |
| TRUEPLUS PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2" | 1 | |
| TRUEPLUS PEN NEEDLE 31G 5MM (pen needle, diabetic) 31 GAUGE X 3/16" | 1 | |
| TRUEPLUS PEN NEEDLE 31G 8MM (pen needle, diabetic) 31 GAUGE X 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic) | 1 | |
| TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic) | 1 | |
| TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark) | 1 | |
| ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100) | 1 | |
| ULTICARE INS SYR 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16" (Advocate Syringes) | 1 | |
| ULTICARE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ULTICARE INS SYR 0.3 ML 31G (Advocate Syringes) 8MM 0.3 ML 31 GAUGE X 5/16" | 1 | |
| ULTICARE INS SYR 0.5 ML 31G (insulin syringe-needle 6MM 1/2 ML 31 GAUGE X 1/4" u-100) | 1 | |
| ULTICARE INS SYR 1 ML 30GX1/2" (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100) | 1 | |
| ULTICARE PEN NEEDLE 31GX3/16" (pen needle, diabetic) 31 GAUGE X 3/16" | 1 | |
| ULTICARE PEN NEEDLE 6MM 31G (pen needle, diabetic) 31 GAUGE X 1/4" | 1 | |
| ULTICARE PEN NEEDLE 8MM 31G (pen needle, diabetic) 31 GAUGE X 5/16" | 1 | |
| ULTICARE PEN NEEDLES 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2" | 1 | |
| ULTICARE PEN NEEDLES 4MM (pen needle, diabetic) 32G MICRO, 32GX4MM 32 GAUGE X 5/32" | 1 | |
| ULTICARE PEN NEEDLES 6MM (pen needle, diabetic) 32G 32 GAUGE X 1/4" | 1 | |
| ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16" | 1 | |
| ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16" | 1 | |
| ULTICARE SYR 0.3 ML 29G (Comfort EZ Insulin 12.7MM 0.3 ML 29 GAUGE X 1/2" Syringe) | 1 | |
| ULTICARE SYR 0.3 ML 30GX1/2" (insulin syringe-needle 0.3 ML 30 GAUGE X 1/2" u-100) | 1 | |
| ULTICARE SYR 0.3 ML 31GX5/16" (insulin syringe-needle SHORT NDL 0.3 ML 31 GAUGE X u-100) 5/16" | 1 | |
| ULTICARE SYR 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100) | 1 | |
| ULTICARE SYR 0.5 ML 31GX5/16" (insulin syringe-needle SHORT NDL 0.5 ML 31 GAUGE X u-100) 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ULTICARE SYR 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100) | 1 | |
| ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2" | 1 | |
| ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32" | 1 | |
| ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2" | 1 | |
| ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2" | 1 | |
| ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16" | 1 | |
| ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2" | 1 | |
| ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16" | 1 | |
| ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4" | 1 | |
| ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16" | 1 | |
| ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4" | 1 | |
| ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16" | 1 | |
| ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16" | 1 | |
| ULTILET INSULIN SYRINGE 0.3 ML (insulin syringe-needle 0.3 ML 29 GAUGE X 1/2", 0.3 ML u-100) 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" | 1 | |
| ULTILET INSULIN SYRINGE 0.5 ML (insulin syringe-needle 0.5 ML 29 GAUGE X 1/2", 0.5 ML u-100) 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ULTILET INSULIN SYRINGE 1 ML 1 (insulin syringe-needle ML 29 GAUGE X 1/2", 1 ML 30 u-100) GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | 1 | |
| ULTILET PEN NEEDLE 29 GAUGE | 1 | |
| ULTILET PEN NEEDLE 4MM 32G (pen needle, diabetic) 32 GAUGE X 5/32" | 1 | |
| ULTRA COMFORT 0.3 ML (insulin syringe-needle SYRINGE 0.3 ML 30 GAUGE X u-100) 5/16" | 1 | |
| ULTRA COMFORT 0.5 ML (insulin syringe-needle 28GX1/2" CONVERTS TO 29G 1/2 u-100) ML 28 GAUGE X 1/2" | 1 | |
| ULTRA COMFORT 0.5 ML (insulin syringe-needle 29GX1/2" 0.5 ML 29 GAUGE X u-100) 1/2" | 1 | |
| ULTRA COMFORT 0.5 ML (insulin syringe-needle SYRINGE 1/2 ML 28 GAUGE u-100) | 1 | |
| ULTRA COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X u-100) 5/16 | 1 | |
| ULTRA COMFORT 1 ML SYRINGE (insulin syringe-needle 1 ML 28 GAUGE X 1/2" u-100) | 1 | |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2" | 1 | |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16" | 1 | |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16" | 1 | |
| ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16" | 1 | |
| ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 1 | |
| ULTRA FLO PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic) | 1 | |
| ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic) | 1 | |
| ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 1 | |
| ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 1 | |
| ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ULTRACARE PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16" | 1 | |
| ULTRACARE PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16" | 1 | |
| ULTRACARE PEN NEEDLE (pen needle, diabetic) 32GX1/4" 32 GAUGE X 1/4" | 1 | |
| ULTRACARE PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16" | 1 | |
| ULTRACARE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 1 | |
| ULTRACARE PEN NEEDLE (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32" | 1 | |
| ULTRA-THIN II 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100) | 1 | |
| ULTRA-THIN II INS 0.3 ML 30G 0.3 (insulin syringe-needle ML 30 GAUGE X 5/16" u-100) | 1 | |
| ULTRA-THIN II INS 0.3 ML 31G 0.3 (insulin syringe-needle ML 31 GAUGE X 5/16" u-100) | 1 | |
| ULTRA-THIN II INS 0.5 ML 29G 0.5 (insulin syringe-needle ML 29 GAUGE X 1/2" u-100) | 1 | |
| ULTRA-THIN II INS 0.5 ML 30G 0.5 (insulin syringe-needle ML 30 GAUGE X 5/16" u-100) | 1 | |
| ULTRA-THIN II INS 0.5 ML 31G 0.5 (insulin syringe-needle ML 31 GAUGE X 5/16" u-100) | 1 | |
| ULTRA-THIN II INS SYR 1 ML 29G (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100) | 1 | |
| ULTRA-THIN II INS SYR 1 ML 30G (insulin syringe-needle 1 ML 30 GAUGE X 5/16 u-100) | 1 | |
| ULTRA-THIN II PEN NDL 29GX1/2" (pen needle, diabetic) 29 GAUGE X 1/2" | 1 | |
| ULTRA-THIN II PEN NDL (pen needle, diabetic) 31GX5/16 31 GAUGE X 5/16" | 1 | |
| UNIFINE PEN NEEDLE 32G 4MM (pen needle, diabetic) 32 GAUGE X 5/32" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| UNIFINE PENTIPS 12MM 29G (pen needle, diabetic) 29GX12MM, STRL 29 GAUGE X 1/2" | 1 | |
| UNIFINE PENTIPS 31GX3/16" (pen needle, diabetic) 31GX5MM,STRL,MINI 31 GAUGE X 3/16" | 1 | |
| UNIFINE PENTIPS 32GX1/4" 32 (pen needle, diabetic) GAUGE X 1/4" | 1 | |
| UNIFINE PENTIPS 32GX5/32" (pen needle, diabetic) 32GX4MM, STRL, NANO 32 GAUGE X 5/32" | 1 | |
| UNIFINE PENTIPS 33GX5/32" 33 (pen needle, diabetic) GAUGE X 5/32" | 1 | |
| UNIFINE PENTIPS 6MM 31G 31 (pen needle, diabetic) GAUGE X 1/4" | 1 | |
| UNIFINE PENTIPS MAX 30GX3/16" (pen needle, diabetic) 30 GAUGE X 3/16" | 1 | |
| UNIFINE PENTIPS NEEDLES 29G 29 GAUGE | 1 | |
| UNIFINE PENTIPS PLUS 29GX1/2" (pen needle, diabetic) 12MM 29 GAUGE X 1/2" | 1 | |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16" | 1 | |
| UNIFINE PENTIPS PLUS 31GX1/4" (pen needle, diabetic) ULTRA SHORT, 6MM 31 GAUGE X 1/4" | 1 | |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX3/16" MINI 31 GAUGE X 3/16" | 1 | |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX5/16" SHORT 31 GAUGE X 5/16" | 1 | |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 1 | |
| UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32" | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16" | 1 | |
| UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16" | 1 | |
| UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32" | 1 | |
| UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16" | 1 | |
| UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16" | 1 | |
| UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 1 | |
| UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 1 | |
| UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 1 | |
| UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32" | 1 | |
| UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 1 | |
| UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 1 | |
| UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 1 | |
| UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 1 | |
| VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |
| VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16" | 1 | |
| VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| VERIFINE INS SYR 1 ML 29G 1/2" (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100) | 1 | |
| VERIFINE PEN NEEDLE 29G 12MM (pen needle, diabetic) 29 GAUGE X 1/2" | 1 | |
| VERIFINE PEN NEEDLE 31G 5MM (pen needle, diabetic) 31 GAUGE X 3/16" | 1 | |
| VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4" | 1 | |
| VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 1 | |
| VERIFINE PEN NEEDLE 32G 6MM (pen needle, diabetic) 32 GAUGE X 1/4" | 1 | |
| VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 1 | |
| VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16" | 1 | |
| VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16" | 1 | |
| VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 1 | |
| VERIFINE PLUS PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 1 | |
| VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32" | 1 | |
| VERIFINE SYRING 0.5 ML 29G 1/2" (insulin syringe-needle 0.5 ML 29 GAUGE X 1/2" u-100) | 1 | |
| VERIFINE SYRING 1 ML 31G 5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100) | 1 | |
| VERIFINE SYRNG 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100) | 1 | |
| VERIFINE SYRNG 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 " | 1 | |
| V-GO 20 DEVICE | 2 | QL (30 per 30 days) |
| V-GO 30 DEVICE | 2 | QL (30 per 30 days) |
| V-GO 40 DEVICE | 2 | QL (30 per 30 days) |
| Enzyme Replacement/Modifiers | | |
| Enzyme Replacement/Modifiers | | |
| CERDELGA ORAL CAPSULE 84 MG | 4 | PA |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 - 30,000 UNIT | 2 | |
| GALAFOLD ORAL CAPSULE 123 MG | 4 | PA; QL (14 per 28 days) |
| <i>javygtor oral tablet,soluble 100 mg</i> (sapropterin) | 4 | PA |
| <i>miglustat oral capsule 100 mg</i> (Yargesa) | 4 | PA; QL (90 per 30 days) |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin) | 4 | PA |
| ORFADIN ORAL SUSPENSION 4 MG/ML | 4 | PA |
| PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML | 4 | PA |
| PULMOZYME INHALATION SOLUTION 1 MG/ML | 4 | PA BvD |
| <i>sapropterin oral tablet,soluble 100 mg</i> (Javygtor) | 4 | PA |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML | 4 | PA; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>yargesa oral capsule 100 mg</i> (miglustat) | 4 | PA; QL (90 per 30 days) |
| ZENPEP ORAL CAPSULE, DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT | 2 | |
| Eye, Ear, Nose, Throat Agents | | |
| Eye, Ear, Nose, Throat Agents, Miscellaneous | | |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine) | 1 | |
| <i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i> | 1 | QL (30 per 25 days) |
| <i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy) | 1 | QL (30 per 25 days) |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i> | 1 | |
| <i>cromolyn ophthalmic (eye) drops 4 %</i> | 1 | |
| <i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl) | 1 | |
| CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 % | 4 | PA; QL (60 per 28 days) |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i> | 1 | |
| <i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i> | 1 | QL (30 per 28 days) |
| <i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i> | 1 | QL (15 per 10 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>levofloxacin ophthalmic (eye) drops 1.5 %</i> | 1 | |
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf) | 1 | |
| <i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Eye Allergy Itch Relief) | 1 | |
| <i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine) | 1 | |
| Eye, Ear, Nose, Throat Anti-Infectives Agents | | |
| <i>acetic acid otic (ear) solution 2 %</i> | 1 | |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> | 1 | |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin) | 1 | |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> | 1 | |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> | 1 | QL (7.5 per 7 days) |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i> | 1 | QL (3.5 per 4 days) |
| <i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> | 1 | |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i> | 1 | |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i> | 1 | |
| <i>levofloxacin ophthalmic (eye) drops 0.5 %</i> | 1 | |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 % | 3 | |
| <i>neomycin-bacitracin-poly-hc</i> (Neo-Polycin HC) <i>ophthalmic (eye) ointment 3.5-</i> <i>400-10,000 mg-unit/g-1%</i> | 1 | |
| <i>neomycin-bacitracin-polymyxin</i> (Neo-Polycin) <i>ophthalmic (eye) ointment 3.5-</i> <i>400-10,000 mg-unit-unit/g</i> | 1 | |
| <i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) drops,suspension</i> <i>3.5mg/ml-10,000 unit/ml-0.1 %</i> | 1 | |
| <i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) ointment 3.5</i> <i>mg/g-10,000 unit/g-0.1 %</i> | 1 | |
| <i>neomycin-polymyxin-gramicidin</i> <i>ophthalmic (eye) drops 1.75 mg-</i> <i>10,000 unit-0.025mg/ml</i> | 1 | |
| <i>neomycin-polymyxin-hc</i> <i>ophthalmic (eye) drops,suspension</i> <i>3.5-10,000-10 mg-unit-mg/ml</i> | 1 | |
| <i>neomycin-polymyxin-hc otic (ear)</i> <i>drops,suspension 3.5-10,000-1</i> <i>mg/ml-unit/ml-%</i> | 1 | |
| <i>neomycin-polymyxin-hc otic (ear)</i> <i>solution 3.5-10,000-1 mg/ml-</i> <i>unit/ml-%</i> | 1 | |
| <i>neo-polycin hc ophthalmic (eye)</i> (neomycin-bacitracin- <i>ointment 3.5-400-10,000 mg-</i> poly-hc) <i>unit/g-1%</i> | 1 | |
| <i>neo-polycin ophthalmic (eye)</i> (neomycin-bacitracin- <i>ointment 3.5-400-10,000 mg-unit-</i> polymyxin) <i>unit/g</i> | 1 | |
| <i>ofloxacin ophthalmic (eye) drops</i> (Ocuflox) <i>0.3 %</i> | 1 | |
| <i>ofloxacin otic (ear) drops 0.3 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>polycin ophthalmic (eye) ointment</i> (bacitracin-polymyxin 500-10,000 unit/gram b) | 1 | |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> | 1 | |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> | 1 | |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i> | 1 | |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | 1 | |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i> | 1 | |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> | 1 | |
| <i>trifluridine ophthalmic (eye) drops 1 %</i> | 1 | |
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 % | 3 | |
| ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 % | 2 | |
| Eye, Ear, Nose, Throat Anti- Inflammatory Agents | | |
| <i>bromfenac ophthalmic (eye) drops</i> (Prolensa) 0.07 % | 2 | |
| <i>bromfenac ophthalmic (eye) drops</i> (BromSite) 0.075 % | 2 | |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i> | 1 | |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i> | 1 | |
| <i>difluprednate ophthalmic (eye)</i> (Durezol) drops 0.05 % | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 % | 2 | QL (8.3 per 14 days) |
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i> | 1 | QL (50 per 25 days) |
| <i>fluocinolone acetonide oil otic (ear) (DermOtic Oil) drops 0.01 %</i> | 1 | |
| <i>fluorometholone ophthalmic (eye) (FML Liquifilm) drops,suspension 0.1 %</i> | 3 | |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i> | 1 | |
| <i>fluticasone propionate nasal (24 Hour Allergy spray,suspension 50 mcg/actuation Relief)</i> | 1 | QL (16 per 30 days) |
| ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 % | 2 | |
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % | 2 | QL (5.6 per 14 days) |
| <i>ketorolac ophthalmic (eye) drops (Acular) 0.5 %</i> | 1 | QL (10 per 25 days) |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 % | 2 | QL (3.5 per 14 days) |
| LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 % | 2 | QL (5 per 16 days) |
| <i>loteprednol etabonate ophthalmic (Lotemax) (eye) drops,gel 0.5 %</i> | 1 | QL (10 per 14 days) |
| <i>loteprednol etabonate ophthalmic (Alrex) (eye) drops,suspension 0.2 %</i> | 2 | ST; QL (10 per 25 days) |
| <i>mometasone nasal spray,non- (Allergy Nasal aerosol 50 mcg/actuation (mometasone))</i> | 1 | QL (34 per 30 days) |
| <i>prednisolone acetate ophthalmic (Pred Forte) (eye) drops,suspension 1 %</i> | 3 | |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i> | 1 | |
| RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 % | 2 | QL (5.5 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| RESTASIS OPHTHALMIC (EYE) (cyclosporine) DROPPERETTE 0.05 % | 1 | QL (60 per 30 days) |
| XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION | 2 | ST; QL (32 per 30 days) |
| XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 % | 2 | QL (60 per 30 days) |
| Gastrointestinal Agents | | |
| Antiulcer Agents And Acid Suppressants | | |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i> | 1 | |
| <i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole)) | 1 | QL (30 per 30 days) |
| <i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i> (Nexium) | 1 | QL (60 per 30 days) |
| <i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet) | 1 | ST; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet) | 1 | ST; QL (60 per 30 days) |
| <i>esomeprazole sodium intravenous recon soln 20 mg, 40 mg</i> | 1 | |
| <i>famotidine (pf) intravenous solution 20 mg/2 ml</i> | 1 | |
| <i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i> | 1 | |
| <i>famotidine intravenous solution 10 mg/ml</i> | 1 | |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller) | 1 | |
| <i>famotidine oral tablet 40 mg</i> (Pepcid) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-------------------------------|------------------|----------------------------|
| <i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> | (Acid Reducer (lansoprazole)) | 1 | QL (30 per 30 days) |
| <i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> | (Prevacid) | 1 | QL (60 per 30 days) |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> | (Cytotec) | 1 | |
| <i>nizatidine oral capsule 150 mg, 300 mg</i> | | 1 | |
| <i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i> | | 1 | |
| <i>pantoprazole intravenous recon soln 40 mg</i> | (Protonix) | 1 | |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> | (Protonix) | 1 | QL (30 per 30 days) |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> | (Protonix) | 1 | QL (60 per 30 days) |
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> | (AcipHex) | 1 | QL (30 per 30 days) |
| <i>sucralfate oral tablet 1 gram</i> | (Carafate) | 1 | |
| Gastrointestinal Agents, Other | | | |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> | (Carbaglu) | 4 | PA |
| <i>constulose oral solution 10 gram/15 ml</i> | (lactulose) | 1 | |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> | (Gastrocrom) | 1 | |
| <i>dicyclomine oral capsule 10 mg</i> | | 1 | |
| <i>dicyclomine oral solution 10 mg/5 ml</i> | | 1 | |
| <i>dicyclomine oral tablet 20 mg</i> | | 1 | |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> | (Lomotil) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>enulose oral solution 10 gram/15 ml</i> | (lactulose) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG | 4 | PA |
| <i>generlac oral solution 10 gram/15 ml</i> (lactulose) | 1 | |
| <i>glycopyrrolate oral tablet 1 mg</i> (Robinul) | 1 | |
| <i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte) | 1 | |
| <i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i> | 1 | |
| <i>lactulose oral solution 10 gram/15 ml</i> (Constulose) | 1 | |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | 2 | QL (30 per 30 days) |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM | 2 | QL (34 per 30 days) |
| LOKELMA ORAL POWDER IN PACKET 5 GRAM | 2 | QL (30 per 30 days) |
| <i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide)) | 1 | |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza) | 2 | QL (60 per 30 days) |
| <i>methscopolamine oral tablet 2.5 mg, 5 mg</i> | 1 | |
| <i>metoclopramide hcl injection solution 5 mg/ml</i> | 1 | |
| <i>metoclopramide hcl injection syringe 5 mg/ml</i> | 1 | |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i> | 1 | |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan) | 1 | |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG | 2 | QL (30 per 30 days) |
| OCALIVA ORAL TABLET 10 MG, 5 MG | 4 | PA; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| RAVICTI ORAL LIQUID 1.1 GRAM/ML | 4 | PA |
| <i>sodium phenylbutyrate oral tablet</i> (Buphenyl) 500 mg | 4 | PA |
| <i>sodium polystyrene sulfonate oral powder</i> | 1 | |
| <i>sps (with sorbitol) oral suspension</i> 15-20 gram/60 ml | 1 | |
| <i>ursodiol oral capsule</i> 300 mg | 1 | |
| <i>ursodiol oral tablet</i> 250 mg | 1 | |
| <i>ursodiol oral tablet</i> 500 mg (URSO Forte) | 1 | |
| VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM | 2 | QL (30 per 30 days) |
| XERMELO ORAL TABLET 250 MG | 4 | PA; QL (84 per 28 days) |
| Laxatives | | |
| CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML | 2 | |
| <i>gavilyte-c oral recon soln</i> 240-22.72-6.72 -5.84 gram (peg 3350-electrolytes) | 1 | |
| <i>gavilyte-g oral recon soln</i> 236-22.74-6.74 -5.86 gram (peg 3350-electrolytes) | 1 | |
| <i>gavilyte-n oral recon soln</i> 420 gram (peg-electrolyte soln) | 1 | |
| <i>peg-electrolyte soln oral recon soln</i> 420 gram (GaviLyte-N) | 1 | |
| <i>sodium,potassium,mag sulfates oral recon soln</i> 17.5-3.13-1.6 gram (Suprep Bowel Prep Kit) | 2 | |
| <i>sodium,potassium,mag sulfates oral recon soln</i> 17.5-3.13-1.6 gram 2 pack (480ml) | 2 | |
| SUTAB ORAL TABLET 1.479-0.188-0.225 GRAM | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| Phosphate Binders | | |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i> | 1 | |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i> | 1 | |
| <i>sevelamer carbonate oral powder (Renvela) in packet 0.8 gram, 2.4 gram</i> | 1 | |
| <i>sevelamer carbonate oral tablet (Renvela) 800 mg</i> | 1 | |
| <i>sevelamer hcl oral tablet 400 mg</i> | 1 | |
| VELPHORO ORAL TABLET,CHEWABLE 500 MG | 2 | |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> | 1 | |
| <i>fesoterodine oral tablet extended (Toviaz) release 24 hr 4 mg, 8 mg</i> | 1 | |
| MYRBETRIQ ORAL TABLET (mirabegron) EXTENDED RELEASE 24 HR 25 MG, 50 MG | 1 | |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i> | 1 | |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 1 | |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i> | 1 | |
| <i>solifenacin oral tablet 10 mg, 5 mg (Vesicare)</i> | 1 | |
| <i>tolterodine oral capsule,extended (Detrol LA) release 24hr 2 mg, 4 mg</i> | 1 | |
| <i>tolterodine oral tablet 1 mg, 2 mg (Detrol)</i> | 1 | |
| <i>tropium oral tablet 20 mg</i> | 1 | |
| Genitourinary Agents, Miscellaneous | | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral) | 1 | QL (30 per 30 days) |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart) | 1 | |
| <i>finasteride oral tablet 5 mg</i> (Proscar) | 1 | |
| <i>tamsulosin oral capsule 0.4 mg</i> (Flomax) | 1 | |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | |
| <i>tiopronin oral tablet 100 mg</i> (Thiola) | 4 | |
| Heavy Metal Antagonists | | |
| Heavy Metal Antagonists | | |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle) | 4 | PA |
| <i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu) | 4 | PA |
| <i>deferasirox oral tablet 90 mg</i> (Jadenu) | 1 | PA |
| <i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade) | 1 | PA |
| <i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade) | 4 | PA |
| <i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox) | 4 | PA |
| FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG | 4 | PA |
| FERRIPROX ORAL SOLUTION 100 MG/ML | 4 | PA |
| FERRIPROX ORAL TABLET 1,000 MG (deferiprone) | 4 | PA |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs) | 4 | PA |
| <i>trientine oral capsule 250 mg</i> (Syprine) | 4 | PA; QL (240 per 30 days) |
| Hormonal Agents, Stimulant/Replacement/Modifying | | |
| Androgens | | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | 1 | |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin) | 1 | PA |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone) | 1 | PA |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i> | 1 | PA |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i> | 1 | PA; QL (5 per 28 days) |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo) | 1 | PA; QL (300 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel) | 1 | PA; QL (150 per 30 days) |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel) | 1 | PA; QL (300 per 30 days) |
| <i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i> | 1 | PA; QL (180 per 30 days) |
| XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML | 2 | PA; QL (2 per 28 days) |
| Estrogens And Antiestrogens | | |
| <i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol) | 1 | PA-HRM; QL (8 per 28 days); AGE (Max 64 Years) |
| DUAVEE ORAL TABLET 0.45-20 MG | 2 | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti) | 1 | PA-HRM; QL (8 per 28 days); AGE (Max 64 Years) |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara) | 1 | PA-HRM; QL (4 per 28 days); AGE (Max 64 Years) |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace) | 1 | |
| <i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm) | 1 | QL (18 per 28 days) |
| <i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i> (Delestrogen) | 1 | |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR | 3 | QL (1 per 84 days) |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol) | 1 | PA-HRM; QL (8 per 28 days); AGE (Max 64 Years) |
| <i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet) | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv) | 1 | PA-HRM; AGE (Max 64 Years) |
| PREMARIN INJECTION RECON SOLN 25 MG | 2 | |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG | 2 | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens) | 2 | PA-HRM; AGE (Max 64 Years) |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM | 2 | |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14) | 2 | PA-HRM; AGE (Max 64 Years) |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 2 | PA-HRM; AGE (Max 64 Years) |
| <i>raloxifene oral tablet 60 mg</i> (Evista) | 1 | |
| <i>yuvafem vaginal tablet 10 mcg</i> (estradiol) | 1 | QL (18 per 28 days) |
| Glucocorticoids/Mineralocorticoids | | |
| <i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan) | 1 | |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i> | 1 | |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> | 1 | |
| <i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i> | 1 | |
| <i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i> | 1 | |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i> | 1 | |
| <i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i> | 1 | |
| <i>fludrocortisone oral tablet 0.1 mg</i> | 1 | |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef) | 1 | |
| <i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol) | 1 | |
| <i>methylprednisolone oral tablet 32 mg</i> | 1 | |
| <i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak)) | 1 | |
| <i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i> | 1 | |
| <i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol) | 1 | |
| <i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i> | 1 | PA BvD |
| <i>prednisolone oral solution 15 mg/5 ml</i> | 1 | PA BvD |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i> | 1 | PA BvD |
| <i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred) | 1 | PA BvD |
| <i>prednisone oral solution 5 mg/5 ml</i> | 1 | PA BvD |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> | 1 | PA BvD |
| <i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i> | 1 | |
| SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML | 3 | |
| <i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog) | 1 | |
| Pituitary | | |
| ACTHAR INJECTION GEL 80 UNIT/ML | 4 | PA; QL (35 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 40 UNIT/0.5 ML | 4 | PA; QL (15 per 30 days) |
| ACTHAR SELFJECT SUBCUTANEOUS PEN INJECTOR 80 UNIT/ML | 4 | PA; QL (30 per 30 days) |
| CORTROPHIN GEL INJECTION GEL 80 UNIT/ML | 4 | PA; QL (35 per 28 days) |
| <i>desmopressin 10 mcg/0.1 ml spr</i> <i>10 mcg/spray (0.1 ml)</i> | 1 | |
| <i>desmopressin injection solution 4 mcg/ml</i> (DDAVP) | 1 | |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i> | 1 | |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP) | 1 | |
| EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG | 4 | PA; QL (30 per 30 days) |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML | 4 | |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot) | 4 | PA NSO; QL (0.5 per 28 days) |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG | 4 | PA NSO |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG | 4 | PA NSO |
| NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i> | 1 | |
| <i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i> (Sandostatin) | 1 | |
| <i>octreotide acetate injection solution 500 mcg/ml</i> (Sandostatin) | 4 | |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i> | 1 | |
| ORGOVYX ORAL TABLET 120 MG | 4 | PA NSO |
| ORLISSA ORAL TABLET 150 MG | 4 | PA; QL (28 per 28 days) |
| ORLISSA ORAL TABLET 200 MG | 4 | PA; QL (56 per 28 days) |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG | 4 | PA |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | 4 | PA; QL (60 per 30 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML (lanreotide) | 4 | PA NSO; QL (0.5 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML (lanreotide) | 4 | PA NSO; QL (0.2 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML (lanreotide) | 4 | PA NSO; QL (0.3 per 28 days) |
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 4 | PA |
| SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML | 4 | PA |
| Progestins | | |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML | 3 | QL (1 per 84 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>medroxyprogesterone</i> (Depo-Provera) <i>intramuscular suspension 150</i> <i>mg/ml</i> | 1 | QL (1 per 84 days) |
| <i>medroxyprogesterone</i> (Depo-Provera) <i>intramuscular syringe 150 mg/ml</i> | 1 | QL (1 per 84 days) |
| <i>medroxyprogesterone oral tablet</i> (Provera) <i>10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>megestrol oral suspension 400</i> <i>mg/10 ml (40 mg/ml)</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>norethindrone acetate oral tablet 5</i> <i>mg</i> | 1 | |
| <i>progesterone intramuscular oil 50</i> <i>mg/ml</i> | 1 | |
| <i>progesterone micronized oral</i> (Prometrium) <i>capsule 100 mg, 200 mg</i> | 1 | |
| Thyroid And Antithyroid Agents | | |
| <i>levothyroxine oral tablet 100 mcg,</i> (Euthyrox) <i>112 mcg, 125 mcg, 137 mcg, 150</i> <i>mcg, 175 mcg, 200 mcg, 25 mcg,</i> <i>50 mcg, 75 mcg, 88 mcg</i> | 1 | |
| <i>levothyroxine oral tablet 300 mcg</i> (Levo-T) | 1 | |
| <i>liothyronine oral tablet 25 mcg, 5</i> (Cytomel) <i>mcg, 50 mcg</i> | 1 | |
| <i>methimazole oral tablet 10 mg, 5</i> <i>mg</i> | 1 | |
| <i>propylthiouracil oral tablet 50 mg</i> | 1 | |
| Immunological Agents | | |
| Immunological Agents | | |
| ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML | 4 | PA |
| ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML) | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML | 4 | PA |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG | 4 | |
| ASTAGRAF XL ORAL (tacrolimus) CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG | 3 | PA BvD |
| <i>azathioprine oral tablet 50 mg</i> (Imuran) | 1 | PA BvD |
| <i>azathioprine sodium injection recon soln 100 mg</i> | 1 | PA BvD |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML | 4 | PA; QL (8 per 28 days) |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML | 4 | PA; QL (8 per 28 days) |
| BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML | 4 | PA NSO; QL (2 per 28 days) |
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML | 4 | PA |
| COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 4 | PA |
| COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 4 | PA |
| COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML) | 4 | PA |
| <i>cyclosporine intravenous solution</i> (Sandimmune) <i>250 mg/5 ml</i> | 1 | PA BvD |
| <i>cyclosporine modified oral capsule</i> (Gengraf) <i>100 mg, 25 mg</i> | 1 | PA BvD |
| <i>cyclosporine modified oral capsule</i> <i>50 mg</i> | 1 | PA BvD |
| <i>cyclosporine modified oral solution</i> (Gengraf) <i>100 mg/ml</i> | 1 | PA BvD |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune) | 1 | PA BvD |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML | 4 | PA |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML | 4 | PA |
| ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML) | 4 | PA |
| ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML) | 4 | PA |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML | 4 | PA |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) | 4 | PA |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML) | 4 | PA |
| <i>everolimus (immunosuppressive) oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> (Zortress) | 4 | PA BvD |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 % | 4 | PA BvD |
| GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML | 4 | PA |
| GAMMAGARD LIQUID INJECTION SOLUTION 10 % | 4 | PA BvD |
| GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM | 4 | PA BvD |
| GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 % | 4 | PA BvD |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML) | 4 | PA BvD |
| <i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified) | 1 | PA BvD |
| <i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified) | 1 | PA BvD |
| HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 4 | PA; Only NDCs starting with 00074 |
| HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 4 | PA; Only NDCs starting with 00074 |
| HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 4 | PA; Only NDCs starting with 00074 |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 4 | PA; Only NDCs starting with 00074 |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML | 4 | PA; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 4 | PA; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 4 | PA; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML | 4 | PA; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML | 4 | PA; Only NDCs starting with 00074 |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML | 4 | PA; Only NDCs starting with 00074 |
| <i>infliximab intravenous recon soln 100 mg</i> (Remicade) | 4 | PA |
| KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML | 4 | PA |
| KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML | 4 | PA |
| KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML | 4 | PA |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava) | 1 | |
| <i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous) | 1 | PA BvD |
| <i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept) | 1 | PA BvD |
| <i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept) | 4 | PA BvD |
| <i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept) | 1 | PA BvD |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic) | 1 | PA BvD |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG | 4 | PA BvD |
| OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 % | 4 | PA BvD |
| OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG | 4 | PA |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML | 4 | PA |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML | 4 | PA |
| OTEZLA ORAL TABLET 20 MG, 30 MG | 4 | PA |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)- 30 MG (47), 10 MG (4)-20 MG (4)- 30 MG(19) | 4 | PA |
| PRIVIGEN INTRAVENOUS SOLUTION 10 % | 4 | PA BvD |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML | 3 | PA BvD |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG | 3 | PA BvD; ST |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML | 2 | |
| REZUROCK ORAL TABLET 200 MG | 4 | PA NSO |
| RIDAURA ORAL CAPSULE 3 MG | 4 | |
| RINVOQ LQ ORAL SOLUTION 1 MG/ML | 4 | PA; QL (360 per 30 days) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG | 4 | PA |
| <i>sirolimus oral solution 1 mg/ml</i> | 4 | PA BvD |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> | 1 | PA BvD |

You can find information on what the symbols and abbreviations on
this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML | 4 | PA |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 4 | PA |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML | 4 | PA |
| SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2) | 4 | PA |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) | 4 | PA |
| STELARA INTRAVENOUS SOLUTION 130 MG/26 ML | 4 | PA |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML | 4 | PA |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML | 4 | PA |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf) | 1 | PA BvD |
| TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML | 4 | PA |
| TALTZ SYRINGE SUBCUTANEOUS SYRINGE 20 MG/0.25 ML, 40 MG/0.5 ML, 80 MG/ML | 4 | PA |
| TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 4 | PA |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML | 4 | PA |
| TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML | 4 | PA; LA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| XELJANZ ORAL SOLUTION 1 MG/ML | 4 | PA |
| XELJANZ ORAL TABLET 10 MG, 5 MG | 4 | PA |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG | 4 | PA |
| Vaccines | | |
| ABRYSCO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML | 2 | \$0 copay |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 2 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 2 | \$0 copay |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 2 | \$0 copay |
| AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML | 2 | \$0 copay |
| AREXVY ANTIGEN COMPONENT 120 MCG | 2 | \$0 copay |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG | 2 | \$0 copay |
| BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML | 2 | \$0 copay |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML | 2 | \$0 copay |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8- 5 LF-MCG-LF/0.5ML | 2 | \$0 copay |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML | 2 | |
| DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML | 2 | QL (3 per 365 days) |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML | 2 | PA BvD; \$0 copay |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML | 2 | PA BvD; \$0 copay |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML | 2 | PA BvD; \$0 copay |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML | 2 | \$0 copay; QL (1.5 per 365 days) |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 2 | \$0 copay; QL (1.5 per 365 days) |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML | 2 | \$0 copay |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML | 2 | |
| HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML | 2 | PA BvD; \$0 copay |
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 2 | |
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT | 2 | PA BvD; \$0 copay |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML | 2 | |
| IPOL INJECTION SUSPENSION 40- 8-32 UNIT/0.5 ML | 2 | \$0 copay |
| IXCHIQ (PF) INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML | 2 | \$0 copay |
| IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML | 2 | \$0 copay |
| JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5 | 2 | \$0 copay |
| KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML | 2 | |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML | 2 | \$0 copay |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML | 2 | \$0 copay |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML | 2 | \$0 copay |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML | 2 | \$0 copay |
| MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML | 2 | \$0 copay |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG- 10LF/0.5 ML | 2 | |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML | 2 | |

You can find information on what the symbols and abbreviations on
this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML | 2 | \$0 copay |
| PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML | 2 | \$0 copay |
| PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | 2 | \$0 copay |
| PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML | 2 | |
| PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML | 2 | PA BvD; \$0 copay |
| PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML | 2 | \$0 copay |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5 | 2 | |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML) | 2 | |
| QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF- 48 MCG- 5 LF UNIT/0.5ML | 2 | |
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT | 2 | PA BvD; \$0 copay |

You can find information on what the symbols and abbreviations on
this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------------|
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML | 2 | PA BvD; \$0 copay |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML | 2 | PA BvD; \$0 copay |
| ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML | 2 | |
| ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML | 2 | |
| ROTATEQ VACCINE ORAL SOLUTION 2 ML | 2 | |
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML | 2 | \$0 copay; QL (2 per 365 days) |
| TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td) | 2 | \$0 copay |
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML | 2 | \$0 copay |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML | 2 | \$0 copay |
| TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML | 2 | |
| TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML | 2 | QL (0.75 per 365 days) |
| TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML | 2 | \$0 copay; QL (1.5 per 365 days) |
| TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | 2 | \$0 copay |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------------|
| TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML | 2 | \$0 copay |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML | 2 | \$0 copay |
| TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML | 2 | \$0 copay |
| (typhoid vi polysacch vaccine) | | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML | 2 | |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML | 2 | \$0 copay |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML | 2 | |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML | 2 | \$0 copay |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML | 2 | \$0 copay; QL (2 per 365 days) |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL) | 2 | \$0 copay |

Inflammatory Bowel Disease

Agents

Inflammatory Bowel Disease

Agents

| | | |
|---|---|--|
| <i>alosetron oral tablet 0.5 mg</i> (Lotronex) | 1 | |
| <i>alosetron oral tablet 1 mg</i> (Lotronex) | 4 | |
| <i>balsalazide oral capsule 750 mg</i> (Colazal) | 1 | |
| <i>budesonide oral capsule, delayed, extend. release 3 mg</i> | 1 | |
| <i>budesonide rectal foam 2 mg/actuation</i> (Uceris) | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| DIPENTUM ORAL CAPSULE 250 MG | 4 | ST |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema) | 1 | |
| <i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol) | 1 | |
| <i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> (Apriso) | 1 | |
| <i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram</i> (Lialda) | 1 | QL (120 per 30 days) |
| <i>mesalamine oral tablet,delayed release (dr/ec) 800 mg</i> | 1 | |
| <i>mesalamine rectal suppository 1,000 mg</i> (Canasa) | 1 | |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine) | 1 | |
| <i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs) | 3 | |
| Metabolic Bone Disease Agents | | |
| Metabolic Bone Disease Agents | | |
| <i>alendronate oral solution 70 mg/75 ml</i> | 1 | QL (300 per 28 days) |
| <i>alendronate oral tablet 10 mg, 5 mg</i> | 1 | QL (30 per 30 days) |
| <i>alendronate oral tablet 35 mg</i> | 1 | QL (4 per 28 days) |
| <i>alendronate oral tablet 70 mg</i> (Fosamax) | 1 | QL (4 per 28 days) |
| <i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i> | 1 | QL (3.7 per 28 days) |
| <i>calcitriol intravenous solution 1 mcg/ml</i> | 1 | |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol) | 1 | |
| <i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol) | 1 | |
| <i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar) | 1 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>cinacalcet oral tablet 90 mg</i> (Sensipar) | 1 | QL (120 per 30 days) |
| <i>ibandronate intravenous solution 3 mg/3 ml</i> | 1 | QL (3 per 84 days) |
| <i>ibandronate intravenous syringe 3 mg/3 ml</i> | 1 | QL (3 per 84 days) |
| <i>ibandronate oral tablet 150 mg</i> | 1 | QL (1 per 28 days) |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE | 4 | PA; QL (2 per 28 days) |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar) | 1 | |
| <i>paricalcitol oral capsule 4 mcg</i> | 1 | |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML | 2 | QL (1 per 180 days) |
| RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG | 2 | QL (60 per 30 days) |
| <i>risedronate oral tablet 150 mg</i> (Actonel) | 1 | QL (1 per 28 days) |
| <i>risedronate oral tablet 30 mg, 5 mg</i> | 1 | QL (30 per 30 days) |
| <i>risedronate oral tablet 35 mg</i> (Actonel) | 1 | QL (4 per 28 days) |
| <i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i> | 1 | QL (4 per 28 days) |
| <i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia) | 1 | QL (4 per 28 days) |
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i> | 1 | QL (2.48 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML) | 2 | QL (1.56 per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML) | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>zoledronic acid intravenous recon soln 4 mg</i> | 1 | |
| <i>zoledronic acid intravenous solution 4 mg/5 ml</i> | 1 | |
| <i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast) | 1 | QL (100 per 300 days) |
| Miscellaneous Therapeutic Agents | | |
| Miscellaneous Therapeutic Agents | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML | 4 | PA |
| <i>betaine oral powder 1 gram/scoop</i> (Cystadane) | 4 | PA |
| <i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> | 1 | |
| COSENTYX INTRAVENOUS SOLUTION 25 MG/ML | 4 | PA |
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem) | 1 | |
| ELMIRON ORAL CAPSULE 100 MG | 3 | QL (90 per 30 days) |
| EVRYSDI ORAL RECON SOLN 0.75 MG/ML | 4 | PA |
| <i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari) | 4 | PA; QL (180 per 30 days) |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML | 2 | |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML | 2 | |
| GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML | 2 | |
| <i>hydroxyzine pamoate oral capsule</i> 100 mg, 50 mg | 1 | |
| <i>hydroxyzine pamoate oral capsule</i> (Vistaril) 25 mg | 1 | |
| <i>leucovorin calcium injection recon soln</i> 100 mg, 200 mg, 350 mg, 50 mg, 500 mg | 1 | |
| <i>leucovorin calcium injection solution</i> 10 mg/ml | 1 | |
| <i>leucovorin calcium oral tablet</i> 10 mg, 15 mg, 25 mg, 5 mg | 1 | |
| <i>levocarnitine (with sugar) oral solution</i> 100 mg/ml (Carnitor) | 1 | |
| <i>levocarnitine oral tablet</i> 330 mg (Carnitor) | 1 | |
| <i>levocarnitine sf 1 g/10 ml sol</i> 100 mg/ml (Carnitor (sugar-free)) | 1 | |
| <i>mesna intravenous solution</i> 100 mg/ml (Mesnex) | 1 | |
| MESNEX ORAL TABLET 400 MG | 4 | |
| <i>nitroglycerin rectal ointment</i> 0.4 % (w/w) (Rectiv) | 1 | QL (30 per 30 days) |
| OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML | 4 | PA |
| <i>pyridostigmine bromide oral syrup</i> 60 mg/5 ml (Mestinon) | 1 | |
| <i>pyridostigmine bromide oral tablet</i> 30 mg | 1 | |
| <i>pyridostigmine bromide oral tablet</i> 60 mg (Mestinon) | 1 | |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML) | 4 | PA; QL (4 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML | 4 | PA; QL (2 per 28 days) |
| TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML) | 4 | PA; QL (4 per 28 days) |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG | 4 | PA NSO; QL (56 per 28 days) |
| TYBOST ORAL TABLET 150 MG | 3 | QL (30 per 30 days) |
| VOWST ORAL CAPSULE | 4 | PA; QL (12 per 30 days) |
| ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML | 2 | |
| ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML | 2 | |
| Ophthalmic Agents | | |
| Antiglaucoma Agents | | |
| <i>acetazolamide oral capsule, extended release 500 mg</i> | 1 | |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | 1 | |
| <i>acetazolamide sodium injection recon soln 500 mg</i> | 1 | |
| <i>brimonidine ophthalmic (eye) drops 0.1 %</i> (Alphagan P) | 1 | |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> | 1 | |
| <i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan) | 1 | |
| <i>brinzolamide ophthalmic (eye) drops, suspension 1 %</i> (Azopt) | 1 | |
| <i>carteolol ophthalmic (eye) drops 1 %</i> | 1 | |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>dorzolamide-timolol ophthalmic (eye) drops</i> 22.3-6.8 mg/ml (Cosopt) | 1 | |
| <i>latanoprost ophthalmic (eye) drops</i> 0.005 % (Xalatan) | 1 | QL (2.5 per 25 days) |
| <i>levobunolol ophthalmic (eye) drops</i> 0.5 % | 1 | |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | 2 | QL (2.5 per 25 days) |
| <i>pilocarpine hcl ophthalmic (eye) drops</i> 1 %, 2 %, 4 % | 1 | |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 % | 2 | QL (2.5 per 25 days) |
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 % | 2 | QL (2.5 per 25 days) |
| SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 % | 2 | |
| <i>timolol maleate ophthalmic (eye) drops</i> 0.25 %, 0.5 % | 1 | |
| <i>timolol maleate ophthalmic (eye) gel forming solution</i> 0.25 %, 0.5 % | 1 | |
| <i>travoprost ophthalmic (eye) drops</i> 0.004 % (Travatan Z) | 1 | QL (2.5 per 25 days) |
| VYZULTA OPHTHALMIC (EYE) DROPS 0.024 % | 3 | QL (5 per 30 days) |
| Replacement Preparations | | |
| Replacement Preparations | | |
| <i>calcium chloride intravenous syringe</i> 100 mg/ml (10 %) | 1 | |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> | 1 | |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i> | 1 | |
| <i>electrolyte-148 intravenous parenteral solution</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ISOLYTE S IV SOLUTION-EXCEL SINGLE USE | 3 | |
| ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION | 3 | |
| ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 % | 3 | |
| <i>klor-con m10 oral tablet,er</i> (potassium chloride) <i>particles/crystals 10 meq</i> | 1 | |
| <i>klor-con m15 oral tablet,er</i> (potassium chloride) <i>particles/crystals 15 meq</i> | 1 | |
| <i>klor-con m20 oral tablet,er</i> (potassium chloride) <i>particles/crystals 20 meq</i> | 1 | |
| <i>magnesium sulfat</i> in d5w <i>intravenous piggyback 1 gram/100</i> <i>ml</i> | 1 | |
| <i>magnesium sulfat</i> in water <i>intravenous parenteral solution 20</i> <i>gram/500 ml (4 %), 40 gram/1,000</i> <i>ml (4 %)</i> | 1 | |
| <i>magnesium sulfat</i> in water <i>intravenous piggyback 2 gram/50</i> <i>ml (4 %), 4 gram/100 ml (4 %), 4</i> <i>gram/50 ml (8 %)</i> | 1 | |
| <i>magnesium sulfat</i> injection <i>solution 500 mg/ml (50 %)</i> | 3 | |
| <i>magnesium sulfat</i> injection <i>syringe 500 mg/ml (50 %)</i> | 1 | |
| NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION | 3 | |
| PLASMA-LYTE A INTRAVENOUS (electrolyte-a) PARENTERAL SOLUTION | 3 | |
| <i>potassium chloride intravenous</i> <i>solution 2 meq/ml, 2 meq/ml (20</i> <i>ml)</i> | 1 | PA BvD |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i> | 1 | |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i> | 1 | |
| <i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10) | 1 | |
| <i>potassium chloride oral tablet extended release 20 meq</i> (K-Tab) | 1 | |
| <i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8) | 1 | |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10) | 1 | |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15) | 1 | |
| <i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20) | 1 | |
| <i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i> | 1 | |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10) | 1 | |
| <i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15) | 1 | |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5) | 1 | |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i> | 1 | |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i> | 1 | |
| <i>sodium chloride 0.9% solution mini-bag, single use</i> | 1 | |

Respiratory Tract Agents

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| Anti-Inflammatories, Inhaled Corticosteroids | | |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol) | 2 | QL (12 per 30 days) |
| AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION | 2 | QL (32.1 per 30 days) |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | 2 | QL (30 per 30 days) |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol) | 2 | QL (60 per 30 days) |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE | 2 | QL (60 per 30 days) |
| <i>breyana inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (budesonide-formoterol) | 1 | QL (30.9 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> (Pulmicort) | 1 | PA BvD; QL (120 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> (Pulmicort) | 1 | PA BvD; QL (60 per 30 days) |
| <i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (Breyna) | 1 | QL (30.6 per 30 days) |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i> | 1 | QL (12 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i> | 1 | QL (24 per 30 days) |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i> | 1 | QL (21.2 per 30 days) |
| <i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub) | 1 | QL (60 per 30 days) |
| <i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol) | 1 | QL (60 per 30 days) |
| Antileukotrienes | | |
| <i>montelukast oral tablet 10 mg</i> (Singulair) | 1 | |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair) | 1 | |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate) | 1 | |
| Bronchodilators | | |
| AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION | 2 | QL (32.1 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA) | 1 | QL (17 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i> | 1 | QL (13.4 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i> | 1 | QL (36 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i> | 1 | PA BvD; QL (360 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| <i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i> | 1 | PA BvD; QL (120 per 30 days) |
| <i>albuterol sulfate oral syrup 2 mg/5 ml</i> | 1 | |
| <i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i> | 1 | |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION | 2 | QL (60 per 30 days) |
| ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION | 3 | QL (25.8 per 28 days) |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION | 2 | QL (10.7 per 30 days) |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION | 2 | QL (8 per 30 days) |
| <i>ipratropium bromide inhalation solution 0.02 %</i> | 1 | PA BvD; QL (312.5 per 30 days) |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i> | 1 | PA BvD; QL (540 per 30 days) |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE | 2 | QL (60 per 30 days) |
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION | 2 | QL (4 per 30 days) |
| SPIRIVA WITH HANDIHALER (tiotropium bromide) INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG | 1 | QL (30 per 30 days) |
| STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION | 2 | QL (4 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION | 2 | QL (4 per 28 days) |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i> | 1 | |
| <i>theophylline oral solution 80 mg/15 ml</i> | 1 | |
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i> | 1 | |
| <i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i> | 1 | |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5- 25 MCG, 200-62.5-25 MCG | 2 | QL (60 per 30 days) |
| Respiratory Tract Agents, Other | | |
| <i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)</i> | 1 | |
| <i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i> | 1 | PA BvD |
| BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG | 4 | QL (560 per 28 days) |
| CINQAIR INTRAVENOUS SOLUTION 10 MG/ML | 4 | PA |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i> | 1 | PA BvD |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML | 4 | PA; QL (1 per 28 days) |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML | 4 | PA; QL (1 per 28 days) |
| KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG | 4 | PA; QL (56 per 28 days) |
| KALYDECO ORAL TABLET 150 MG | 4 | PA; QL (56 per 28 days) |

You can find information on what the symbols and abbreviations on
this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 4 | PA; LA; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG | 4 | PA; LA; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML | 4 | PA; LA; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 4 | PA; LA; QL (0.4 per 28 days) |
| OFEV ORAL CAPSULE 100 MG, 150 MG | 4 | PA; QL (60 per 30 days) |
| ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG | 4 | PA; QL (56 per 28 days) |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG | 4 | PA; QL (112 per 28 days) |
| <i>pirfenidone oral capsule 267 mg</i> (Esbriet) | 4 | PA; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet) | 4 | PA; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 534 mg</i> | 4 | PA; QL (90 per 30 days) |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet) | 4 | PA; QL (90 per 30 days) |
| PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML | 4 | PA BvD |
| <i>roflumilast oral tablet 250 mcg</i> (Daliresp) | 1 | QL (28 per 28 days) |
| <i>roflumilast oral tablet 500 mcg</i> (Daliresp) | 1 | QL (30 per 30 days) |
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) | 4 | PA; QL (56 per 28 days) |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) | 4 | PA; QL (84 per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| WINREVAIR SUBCUTANEOUS KIT 45 MG, 45 MG (2 PACK), 60 MG, 60 MG (2 PACK) | 4 | PA; QL (1 per 21 days) |
| XOLAIR SUBCUTANEOUS AUTO- INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML | 4 | PA |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG | 4 | PA |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML | 4 | PA |
| Skeletal Muscle Relaxants | | |
| Skeletal Muscle Relaxants | | |
| <i>baclofen oral tablet 10 mg, 15 mg, 20 mg, 5 mg</i> | 1 | |
| <i>chlorzoxazone oral tablet 500 mg</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>dantrolene oral capsule 100 mg, 50 mg</i> | 1 | |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium) | 1 | |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i> | 1 | PA-HRM; AGE (Max 64 Years) |
| <i>revonto intravenous recon soln 20</i> (dantrolene) <i>mg</i> | 1 | |
| <i>tizanidine oral tablet 2 mg</i> | 1 | |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex) | 1 | |
| Sleep Disorder Agents | | |
| Sleep Disorder Agents | | |
| <i>armodafinil oral tablet 150 mg,</i> (Nuvigil) <i>200 mg, 250 mg, 50 mg</i> | 1 | PA; QL (30 per 30 days) |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG | 2 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations on
this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------|
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta) | 1 | QL (30 per 30 days) |
| <i>modafinil oral tablet 100 mg</i> (Provigil) | 1 | PA; QL (30 per 30 days) |
| <i>modafinil oral tablet 200 mg</i> (Provigil) | 1 | PA; QL (60 per 30 days) |
| <i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem) | 4 | PA; LA; QL (540 per 30 days) |
| SUNOSI ORAL TABLET 150 MG, 75 MG | 3 | PA; QL (30 per 30 days) |
| <i>tasimelteon oral capsule 20 mg</i> (Hetlioz) | 4 | PA; QL (30 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i> | 1 | QL (30 per 30 days) |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien) | 1 | QL (30 per 30 days) |
| Vasodilating Agents | | |
| Vasodilating Agents | | |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | 4 | PA; QL (90 per 30 days) |
| <i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension)) | 1 | PA; QL (60 per 30 days) |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis) | 4 | PA; QL (30 per 30 days) |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer) | 4 | PA; LA; QL (60 per 30 days) |
| OPSUMIT ORAL TABLET 10 MG | 4 | PA; QL (30 per 30 days) |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio) | 1 | PA; QL (360 per 30 days) |
| <i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq) | 1 | PA; QL (60 per 30 days) |
| TRACLEER ORAL TABLET FOR SUSPENSION 32 MG | 4 | PA; QL (112 per 28 days) |
| UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG | 4 | PA; QL (60 per 30 days) |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG | 4 | PA; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| UPTRAVI ORAL TABLET 200 MCG | 4 | PA; QL (240 per 30 days) |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60) | 4 | PA |
| Vitamins And Minerals | | |
| Vitamins And Minerals | | |
| <i>bal-care dha combo pack 27-1-430 mg</i> | 1 | |
| <i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i> | 1 | |
| <i>c-nate dha softgel 28 mg iron-1 mg -200 mg</i> | 1 | |
| <i>completenate tablet chew 29 mg iron- 1 mg</i> | 1 | |
| <i>folivane-ob capsule 85-1 mg</i> | 1 | |
| <i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i> | 1 | |
| <i>marnatal-f capsule 60 mg iron-1 mg</i> | 1 | |
| <i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1 | |
| <i>mynatal advance oral tablet 90-1-50 mg</i> | 1 | |
| <i>mynatal capsule 65 mg iron- 1 mg</i> | 1 | |
| <i>mynatal oral tablet 90-1-50 mg</i> | 1 | |
| <i>mynatal plus captab 65 mg iron- 1 mg</i> | 1 | |
| <i>mynatal-z captab 65 mg iron- 1 mg</i> | 1 | |
| <i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i> | 1 | |
| <i>newgen tablet 32-1,000 mg-mcg</i> | 1 | |
| <i>niva-plus tablet 27 mg iron- 1 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i> | 1 | |
| <i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron- 1 mg -50 mg</i> | 1 | |
| <i>o-cal prenatal tablet 15 mg iron- 1,000 mcg</i> | 1 | |
| <i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i> | 1 | |
| <i>pnv prenatal plus multivit tab (pnv,calcium 72-iron- gluten-free (rx) 27 mg iron- 1 mg folic acid)</i> | 1 | |
| <i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i> | 1 | |
| <i>pnv-omega softgel 28-1-300 mg</i> | 1 | |
| <i>pr natal 400 combo pack 29-1-400 mg</i> | 1 | |
| <i>pr natal 400 ec combo pack 29-1-400 mg</i> | 1 | |
| <i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i> | 1 | |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i> | 1 | |
| <i>prena1 true combo pack 30 mg iron- 1.4 mg-300 mg</i> | 1 | |
| <i>prenaissance oral capsule 29-1.25-55-325 mg</i> | 1 | |
| <i>prenaissance plus oral capsule 28-1-50-250 mg</i> | 1 | |
| <i>prenatabs fa tablet 29-1 mg</i> | 1 | |
| <i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i> | 1 | |
| <i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i> | 1 | |
| <i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic) | 1 | |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1 | |
| <i>prenatal-u capsule 106.5-1 mg</i> | 1 | |
| <i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1 | |
| <i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i> | 1 | |
| <i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i> | 1 | |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i> | 1 | |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i> | 1 | |
| <i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i> | 1 | |
| <i>taron-c dha capsule 35-1-200 mg</i> | 1 | |
| <i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i> | 1 | |
| <i>triveen-duo dha combo pack 29-1-400 mg</i> | 1 | |
| <i>vinate care oral tablet,chewable 40 mg iron- 1 mg</i> | 1 | |
| <i>virt-c dha softgel (rx) 35-1-200 mg</i> | 1 | |
| <i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i> | 1 | |
| <i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i> | 1 | |
| <i>virt-pn plus softgel (rx) 28-1-300 mg</i> | 1 | |
| <i>vitafol gummies 3.33 mg iron-0.33 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>vitafol nano tablet 18 mg iron- 1 mg</i> | 1 | |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i> | 1 | |
| <i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i> | 1 | |
| <i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i> | 1 | |
| <i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i> | 1 | |
| <i>zatean-pn plus softgel 28-1-300 mg</i> | 1 | |
| <i>zingiber tablet 1.2 mg-40 mg-124.1 mg-100 mg</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the page number vii.

INDEX

| | | |
|------------------------------------|--------------------------------|--|
| 1 | | |
| 1ST TIER UNIFINE PENTIPS | | |
| | 117, 118 | |
| 1ST TIER UNIFINE PENTIPS | | |
| PLUS | 118 | |
| A | | |
| <i>abacavir</i> | 69 | |
| <i>abacavir-lamivudine</i> | 69 | |
| ABELCET | 52 | |
| ABILIFY ASIMTUFII | 63 | |
| ABILIFY MAINTENA | 63 | |
| <i>abiraterone</i> | 19 | |
| ABOUTTIME PEN NEEDLE | 118 | |
| ABRAXANE | 20 | |
| ABRYSVO (PF) | 188 | |
| <i>acamprosate</i> | 9 | |
| <i>acarbose</i> | 47 | |
| <i>accutane</i> | 111 | |
| <i>acebutolol</i> | 86 | |
| <i>acetaminophen-codeine</i> | 3 | |
| <i>acetazolamide</i> | 198 | |
| <i>acetazolamide sodium</i> | 198 | |
| <i>acetic acid</i> | 165 | |
| <i>acetylcysteine</i> | 205 | |
| <i>acitretin</i> | 111 | |
| ACTEMRA | 181, 182 | |
| ACTEMRA ACTPEN | 181 | |
| ACTHAR | 178 | |
| ACTHAR SELFJECT | 179 | |
| ACTHIB (PF) | 188 | |
| ACTIMMUNE | 196 | |
| <i>acyclovir</i> | 76, 111 | |
| | | <i>allopurinol</i> |
| | | 54 |
| | | <i>alosectron</i> |
| | | 193 |
| | | <i>alprazolam</i> |
| | | 10 |
| | | <i>altavera (28)</i> |
| | | 101 |
| | | ALTRENO |
| | | 117 |
| | | ALUNBRIG |
| | | 20 |
| | | ALVAIZ |
| | | 78 |
| | | <i>alyacen 1/35 (28)</i> |
| | | 101 |
| | | <i>alyacen 7/7/7 (28)</i> |
| | | 101 |
| | | <i>alyq</i> |
| | | 208 |
| | | <i>amabelz</i> |
| | | 175 |
| | | <i>amantadine hcl</i> |
| | | 61 |
| | | <i>ambrisentan</i> |
| | | 208 |
| | | <i>amethia</i> |
| | | 101 |
| | | <i>amiloride</i> |
| | | 91 |
| | | <i>amiloride-hydrochlorothiazide</i> |
| | | |
| | | 91 |
| | | <i>amiodarone</i> |
| | | 85 |
| | | <i>amitriptyline</i> |
| | | 43 |
| | | <i>amlodipine</i> |
| | | 90 |
| | | <i>amlodipine-atorvastatin</i> |
| | | 92 |
| | | <i>amlodipine-benazepril</i> |
| | | 90 |
| | | <i>amlodipine-olmesartan</i> |
| | | 91 |
| | | <i>amlodipine-valsartan</i> |
| | | 91 |
| | | <i>amlodipine-valsartan-</i> |
| | | <i>hcthiaid</i> |
| | | 91 |
| | | <i>ammonium lactate</i> |
| | | 112 |
| | | <i>amoxapine</i> |
| | | 43 |
| | | <i>amoxicillin</i> |
| | | 16 |
| | | <i>amoxicillin-pot clavulanate</i> |
| | | 16 |
| | | <i>amphotericin b</i> |
| | | 52 |
| | | <i>amphotericin b liposome</i> |
| | | 52 |
| | <i>acyclovir sodium</i> | 76 |
| | ADACEL(TDAP | |
| | ADOLESN/ADULT)(PF) .. | 188 |
| | <i>adapalene</i> | 117 |
| | <i>adefovir</i> | 76 |
| | ADEMPAS | 208 |
| | <i>adrucil</i> | 20 |
| | ADVAIR HFA | 202 |
| | ADVOCATE PEN NEEDLE .. | 119 |
| | ADVOCATE SYRINGES | 118, |
| | 119 | |
| | <i>afirmelle</i> | 101 |
| | AIRSUPRA | 202, 203 |
| | AJOVY AUTOINJECTOR | 55 |
| | AJOVY SYRINGE | 55 |
| | AKEEGA | 20 |
| | AKYNZEO (FOSNETUPITANT) | |
| | | 58 |
| | AKYNZEO (NETUPITANT) .. | 58 |
| | <i>ala-cort</i> | 114 |
| | <i>albendazole</i> | 60 |
| | <i>albuterol sulfate</i> | 203, 204 |
| | <i>alclometasone</i> | 114 |
| | ALCOHOL PADS | 111 |
| | ALCOHOL PREP PADS | 112 |
| | ALCOHOL PREP SWABS | 111 |
| | ALCOHOL SWABS | 111 |
| | ALCOHOL WIPES | 112 |
| | ALECENSA | 20 |
| | <i>alendronate</i> | 194 |
| | <i>alfuzosin</i> | 174 |
| | <i>aliskiren</i> | 95 |

| | | | | | |
|-----------------------------------|----------|--------------------------------------|-----|-------------------------------------|-----|
| <i>ampicillin</i> | 16 | ASSURE ID PRO PEN NEEDLE | | B | |
| <i>ampicillin sodium</i> | 17 | | 119 | <i>bacitracin</i> | 165 |
| <i>ampicillin-sulbactam</i> | 17 | ASTAGRAF XL..... | 182 | <i>bacitracin-polymyxin b</i> | 165 |
| <i>anagrelide</i> | 80 | <i>atazanavir</i> | 70 | <i>baclofen</i> | 207 |
| <i>anastrozole</i> | 20 | <i>atenolol</i> | 86 | <i>bal-care dha</i> | 209 |
| ANKTIVA..... | 20 | <i>atenolol-chlorthalidone</i> | 87 | <i>bal-care dha essential</i> | 209 |
| ANORO ELLIPTA | 204 | <i>atomoxetine</i> | 96 | <i>balsalazide</i> | 193 |
| <i>apomorphine</i> | 61 | <i>atorvastatin</i> | 92 | BALVERSA | 20 |
| APONVIE | 58 | <i>atovaquone</i> | 60 | <i>balziva (28)</i> | 102 |
| <i>apraclonidine</i> | 164 | <i>atovaquone-proguanil</i> | 60 | BCG VACCINE, LIVE (PF).... | 188 |
| <i>aprepitant</i> | 58 | <i>atropine</i> | 164 | BD ALCOHOL SWABS | 112 |
| APRETUDE..... | 69 | ATROVENT HFA..... | 204 | BD AUTOSHIELD DUO PEN | |
| <i>apri</i> | 101 | <i>aubra eq</i> | 101 | NEEDLE..... | 120 |
| APTIOM..... | 37 | AUGTYRO | 20 | BD ECLIPSE LUER-LOK..... | 120 |
| APTIVUS..... | 70 | <i>aurovela 1.5/30 (21)</i> | 101 | BD INSULIN SYRINGE | 120 |
| AQINJECT PEN NEEDLE.... | 119 | <i>aurovela 1/20 (21)</i> | 101 | BD INSULIN SYRINGE (HALF | |
| <i>aranelle (28)</i> | 101 | <i>aurovela 24 fe</i> | 101 | UNIT) | 120 |
| ARCALYST | 182 | <i>aurovela fe 1.5/30 (28)</i> | 101 | BD INSULIN SYRINGE SLIP TIP | |
| AREXVY (PF) | 188 | <i>aurovela fe 1-20 (28)</i> | 101 | | 120 |
| AREXVY ANTIGEN | | AUSTEDO..... | 96 | BD INSULIN SYRINGE U-500 | |
| COMPONENT..... | 188 | AUSTEDO XR | 96 | | 120 |
| <i>aripiprazole</i> | 63 | AUSTEDO XR TITRATION | | BD INSULIN SYRINGE ULTRA- | |
| ARISTADA | 63, 64 | KT(WK1-4)..... | 96 | FINE | 120 |
| ARISTADA INITIO | 63 | AUVELITY | 43 | BD NANO 2ND GEN PEN | |
| <i>armodafinil</i> | 207 | <i>aviane</i> | 102 | NEEDLE..... | 121 |
| ARNUITY ELLIPTA..... | 202 | AVONEX..... | 96 | BD SAFETYGLIDE INSULIN | |
| <i>ascomp with codeine</i> | 3 | <i>ayuna</i> | 102 | SYRINGE..... | 121 |
| <i>asenapine maleate</i> | 64 | AYVAKIT | 20 | BD SAFETYGLIDE SYRINGE | |
| <i>ashlyna</i> | 101 | <i>azacitidine</i> | 20 | | 121 |
| <i>aspirin-dipyridamole</i> | 80 | <i>azathioprine</i> | 182 | BD ULTRA-FINE MICRO PEN | |
| ASSURE ID DUO PRO SFTY | | <i>azathioprine sodium</i> | 182 | NEEDLE..... | 121 |
| PEN NDL | 119 | <i>azelastine</i> | 164 | BD ULTRA-FINE MINI PEN | |
| ASSURE ID DUO-SHIELD.. | 119 | <i>azithromycin</i> | 15 | NEEDLE..... | 121 |
| ASSURE ID INSULIN SAFETY | | <i>aztreonam</i> | 15 | BD ULTRA-FINE NANO PEN | |
| | 119, 120 | <i>azurette (28)</i> | 102 | NEEDLE..... | 121 |
| ASSURE ID PEN NEEDLE ... | 119 | | | | |

| | | | | | |
|--|----------|--|----------|--|----------|
| BD ULTRA-FINE ORIG PEN NEEDLE..... | 121 | <i>bisoprolol-</i> <i>hydrochlorothiazide</i> | 87 | <i>butalbital-aspirin-caffeine</i> | 3 |
| BD ULTRA-FINE SHORT PEN NEEDLE..... | 121 | <i>bleomycin</i> | 21 | C | |
| BD VEO INSULIN SYR (HALF UNIT)..... | 122 | <i>blisovi 24 fe</i> | 102 | CABENUVA | 70 |
| BD VEO INSULIN SYRINGE UF | 122 | <i>blisovi fe 1.5/30 (28)</i> | 102 | <i>cabergoline</i> | 61 |
| BELSOMRA | 207 | <i>blisovi fe 1/20 (28)</i> | 102 | CABLIVI | 80 |
| <i>benazepril</i> | 84 | BOOSTRIX TDAP | 188, 189 | CABOMETYX | 21 |
| <i>benazepril-</i> <i>hydrochlorothiazide</i> | 84 | BORDERED GAUZE..... | 122 | <i>cabotegravir</i> | 70 |
| <i>bendamustine</i> | 20 | <i>bortezomib</i> | 21 | <i>caffeine citrate</i> | 96 |
| BENDAMUSTINE..... | 20 | <i>bosentan</i> | 208 | <i>calcipotriene</i> | 112 |
| BENDEKA..... | 21 | BOSULIF..... | 21 | <i>calcitonin (salmon)</i> | 194 |
| BENLYSTA | 182 | BRAFTOVI | 21 | <i>calcitriol</i> | 194 |
| <i>benztropine</i> | 61 | BREO ELLIPTA..... | 202 | <i>calcium acetate(phosphat bind)</i> | 173 |
| BESREMI | 182 | <i>breyna</i> | 202 | <i>calcium chloride</i> | 199 |
| <i>betaine</i> | 196 | BREZTRI AEROSPHERE | 204 | CALQUENCE (ACALABRUTINIB MAL) ... | 21 |
| <i>betamethasone acet,sod phos</i> | 177 | <i>brillyn</i> | 102 | <i>camila</i> | 102 |
| <i>betamethasone dipropionate</i> | 114, 115 | BRILINTA..... | 80 | <i>candesartan</i> | 83 |
| <i>betamethasone valerate</i> | 115 | <i>brimonidine</i> | 198 | <i>candesartan-</i> <i>hydrochlorothiazid</i> | 83 |
| <i>betamethasone, augmented</i> | 115 | <i>brimonidine-timolol</i> | 198 | CAPLYTA..... | 64 |
| BETASERON..... | 96 | <i>brinzolamide</i> | 198 | CAPRELSA | 21 |
| <i>betaxolol</i> | 87 | BRIVIACT..... | 37 | <i>captopril</i> | 84 |
| <i>bethanechol chloride</i> | 173 | <i>bromfenac</i> | 167 | <i>carbamazepine</i> | 37, 38 |
| <i>bexarotene</i> | 21 | <i>bromocriptine</i> | 61 | <i>carbidopa-levodopa</i> | 61 |
| BEXSERO..... | 188 | BRONCHITOL | 205 | <i>carbidopa-levodopa-</i> <i>entacapone</i> | 62 |
| <i>bicalutamide</i> | 21 | BRUKINSA..... | 21 | CAREFINE PEN NEEDLE.... | 122 |
| BICILLIN L-A | 17 | <i>budesonide</i> | 193, 202 | CARETOUCH ALCOHOL PREP PAD..... | 112 |
| BIKTARVY | 70 | <i>budesonide-formoterol</i> | 202 | CARETOUCH INSULIN SYRINGE..... | 123 |
| <i>bisoprolol fumarate</i> | 87 | <i>bumetanide</i> | 91 | CARETOUCH PEN NEEDLE | 122, 123 |
| | | <i>buprenorphine hcl</i> | 3, 9 | <i>carglumic acid</i> | 170 |
| | | <i>buprenorphine-naloxone</i> | 9 | <i>carteolol</i> | 198 |
| | | <i>bupropion hcl</i> | 43, 44 | | |
| | | <i>bupropion hcl (smoking deter)</i> | 9 | | |
| | | <i>buspirone</i> | 196 | | |
| | | <i>butalbital-acetaminophen- caff</i> | 3 | | |

| | | | | | |
|---|--------|--|----------|--|-----|
| <i>cartia xt</i> | 88 | <i>cholestyramine light</i> | 92 | CLINIMIX 8%-D10W(SULFITE-FREE)..... | 81 |
| <i>carvedilol</i> | 87 | <i>ciclopirox</i> | 52 | CLINIMIX 8%-D14W(SULFITE-FREE)..... | 81 |
| <i>caspofungin</i> | 52 | <i>cilostazol</i> | 80 | CLINIMIX E 2.75%/D5W SULF FREE..... | 81 |
| CAYSTON..... | 15 | CIMDUO..... | 70 | CLINIMIX E 4.25%/D10W SUL FREE..... | 81 |
| <i>caziant (28)</i> | 102 | <i>cimetidine hcl</i> | 169 | CLINIMIX E 4.25%/D5W SULF FREE..... | 81 |
| <i>cefaclor</i> | 13 | <i>cinacalcet</i> | 194, 195 | CLINIMIX E 5%/D15W SULFIT FREE..... | 81 |
| <i>cefadroxil</i> | 13 | CINQAIR..... | 205 | CLINIMIX E 5%/D20W SULFIT FREE..... | 81 |
| <i>cefazolin</i> | 13 | CINRYZE..... | 78 | CLINIMIX E 8%-D10W SULFITEFREE..... | 81 |
| <i>cefazolin in dextrose (iso-os)</i> | 13 | <i>ciprofloxacin</i> | 18 | CLINIMIX E 8%-D14W SULFITEFREE..... | 82 |
| <i>cefdinir</i> | 13, 14 | <i>ciprofloxacin hcl</i> | 18, 165 | <i>clobazam</i> | 38 |
| <i>cefepime</i> | 14 | <i>ciprofloxacin in 5 % dextrose</i> | 18 | <i>clobetasol</i> | 115 |
| <i>cefixime</i> | 14 | <i>ciprofloxacin-dexamethasone</i> | 165 | <i>clobetasol-emollient</i> | 115 |
| <i>cefotaxime</i> | 14 | <i>citalopram</i> | 44 | <i>clomipramine</i> | 44 |
| <i>cefoxitin</i> | 14 | <i>clarithromycin</i> | 15 | <i>clonazepam</i> | 10 |
| <i>cefpodoxime</i> | 14 | CLENPIQ..... | 172 | <i>clonidine</i> | 82 |
| <i>cefprozil</i> | 14 | CLICKFINE PEN NEEDLE.... | 123 | <i>clonidine hcl</i> | 82 |
| <i>ceftazidime</i> | 14 | <i>clindamycin hcl</i> | 12 | <i>clopidogrel</i> | 80 |
| <i>ceftriaxone</i> | 14 | <i>clindamycin in 5 % dextrose</i> | 12 | <i>clorazepate dipotassium</i> | 10 |
| <i>cefuroxime axetil</i> | 14 | <i>clindamycin pediatric</i> | 12 | <i>clotrimazole</i> | 52 |
| <i>cefuroxime sodium</i> | 14 | <i>clindamycin phosphate</i> 12, 55, 113 | | <i>clotrimazole-betamethasone</i> | 52 |
| <i>celecoxib</i> | 6 | <i>clindamycin-benzoyl peroxide</i> | 113 | <i>clozapine</i> | 64 |
| <i>cephalexin</i> | 14 | CLINIMIX 5%/D15W SULFITE FREE..... | 80 | <i>c-nate dha</i> | 209 |
| CERDELGA..... | 163 | CLINIMIX 4.25%/D10W SULF FREE..... | 81 | COARTEM..... | 60 |
| <i>cevimeline</i> | 110 | CLINIMIX 4.25%/D5W SULFIT FREE..... | 81 | <i>codeine sulfate</i> | 3 |
| <i>chateal eq (28)</i> | 102 | CLINIMIX 5%-D20W(SULFITE-FREE)..... | 81 | <i>codeine-butalbital-asa-caff</i> ... 3 | |
| <i>chloramphenicol sod succinate</i> | 12 | CLINIMIX 6%-D5W (SULFITE-FREE)..... | 81 | <i>colchicine</i> | 54 |
| <i>chlordiazepoxide hcl</i> | 10 | | | | |
| <i>chlorhexidine gluconate</i> | 111 | | | | |
| <i>chloroquine phosphate</i> | 60 | | | | |
| <i>chlorothiazide sodium</i> | 91 | | | | |
| <i>chlorpromazine</i> | 64 | | | | |
| <i>chlorthalidone</i> | 91 | | | | |
| <i>chlorzoxazone</i> | 207 | | | | |
| <i>cholestyramine (with sugar)</i> | 92 | | | | |

| | | | | | |
|---|---------------|------------------------------------|----------|---------------------------------------|------------|
| <i>colesevelam</i> | 93 | <i>cyclosporine</i> | 182, 183 | DERMACEA NON-WOVEN | 126 |
| <i>colestipol</i> | 93 | <i>cyclosporine modified</i> | 182 | DESCOVY..... | 70 |
| <i>colistin (colistimethate na)</i> ... | 12 | <i>cyproheptadine</i> | 54 | <i>desipramine</i> | 44 |
| COMBIVENT RESPIMAT ... | 204 | CYRAMZA..... | 22 | <i>desmopressin</i> | 179 |
| COMETRIQ..... | 22 | <i>cyred eq</i> | 102 | <i>desog-e.estradiol/e.estradiol</i> | 103 |
| COMFORT EZ INSULIN | | CYSTARAN..... | 164 | | 103 |
| SYRINGE..... | 123, 124, 125 | D | | <i>desogestrel-ethinyl estradiol</i> | 103 |
| COMFORT EZ PEN NEEDLES | | <i>d5 % and 0.9 % sodium</i> | | | 103 |
| | 124 | <i>chloride</i> | 199 | <i>desoximetasone</i> | 115 |
| COMFORT EZ PRO SAFETY | | <i>d5 %-0.45 % sodium chloride</i> | 199 | <i>desvenlafaxine succinate</i> | 44 |
| PEN NDL | 124, 125 | | 199 | <i>dexamethasone</i> | 177 |
| COMFORT TOUCH PEN | | <i>dabigatran etexilate</i> | 76 | <i>dexamethasone sodium phos</i> | 177 |
| NEEDLE..... | 125, 126 | <i>dalfampridine</i> | 97 | (pf)..... | 177 |
| COMPLERA | 70 | <i>danazol</i> | 175 | <i>dexamethasone sodium</i> | 167, 177 |
| <i>completenate</i> | 209 | <i>dantrolene</i> | 207 | <i>phosphate</i> | 167, 177 |
| <i>compro</i> | 58 | DANYELZA..... | 22 | <i>dexmethylphenidate</i> | 97 |
| <i>constulose</i> | 170 | <i>dapsone</i> | 57 | <i>dextroamphetamine sulfate</i> | 97 |
| COPAXONE..... | 96 | DAPTACEL (DTAP PEDIATRIC) | | <i>dextroamphetamine-</i> | 97 |
| COPIKTRA | 22 | (PF)..... | 189 | <i>amphetamine</i> | 97 |
| CORLANOR..... | 89 | <i>daptomycin</i> | 12 | <i>dextrose 10 % in water (d10w)</i> | 82 |
| CORTROPHIN GEL | 179 | <i>darunavir</i> | 70 | | 82 |
| COSENTYX | 182, 196 | <i>dasetta 1/35 (28)</i> | 102 | <i>dextrose 5 % in water (d5w)</i> | 82 |
| COSENTYX (2 SYRINGES) . | 182 | <i>dasetta 7/7/7 (28)</i> | 102 | DIACOMIT..... | 38 |
| COSENTYX PEN (2 PENS) . | 182 | DAURISMO..... | 22 | <i>diazepam</i> | 10, 11, 38 |
| COSENTYX UNOREADY PEN | | <i>daysee</i> | 102 | <i>diazepam intensol</i> | 11 |
| | 182 | <i>deblitane</i> | 102 | <i>diazoxide</i> | 196 |
| COTELLIC..... | 22 | <i>decitabine</i> | 22 | <i>diclofenac potassium</i> | 6 |
| CREON | 163 | <i>deferasirox</i> | 174 | <i>diclofenac sodium</i> | 6, 7, 167 |
| <i>cromolyn</i> | 164, 170, 205 | <i>deferiprone</i> | 174 | <i>diclofenac-misoprostol</i> | 7 |
| <i>cryselle (28)</i> | 102 | DELSTRIGO..... | 70 | <i>dicloxacillin</i> | 17 |
| CURAD GAUZE PAD | 126 | DENGVAXIA (PF) | 189 | <i>dicyclomine</i> | 170 |
| CURITY ALCOHOL SWABS | 112 | <i>denta 5000 plus</i> | 111 | <i>didanosine</i> | 70 |
| CURITY GAUZE | 126 | <i>dentagel</i> | 111 | DIFICID | 15 |
| <i>cyclobenzaprine</i> | 207 | DEPO-SUBQ PROVERA | 104 | <i>difluprednate</i> | 167 |
| <i>cyclopentolate</i> | 164 | | 180 | <i>digitek</i> | 89 |
| <i>cyclophosphamide</i> | 22 | DERMACEA | 126 | | |

| | | | | | |
|--------------------------------------|----------|---------------------------------------|----------|--------------------------------------|---------------|
| <i>digox</i> | 89 | DROPLET INSULIN SYRINGE | | EASY TOUCH FLIPLOCK | |
| <i>digoxin</i> | 89, 90 | | 127, 128 | SYRINGE..... | 131 |
| <i>dihydroergotamine</i> | 56 | DROPLET MICRON PEN | | EASY TOUCH INSULIN | |
| <i>diltiazem hcl</i> | 88, 89 | NEEDLE | 128 | SAFETY SYR..... | 131 |
| <i>dilt-xr</i> | 89 | DROPLET PEN NEEDLE..... | 128 | EASY TOUCH INSULIN | |
| <i>dimenhydrinate</i> | 58 | DROPSAFE ALCOHOL PREP | | SYRINGE..... | 131, 132, 133 |
| <i>dimethyl fumarate</i> | 97 | PADS..... | 112 | EASY TOUCH LUER LOCK | |
| DIPENTUM..... | 194 | DROPSAFE INSULIN SYRINGE | | INSULIN..... | 132 |
| <i>diphenhydramine hcl</i> | 55 | | 128, 129 | EASY TOUCH PEN NEEDLE | |
| <i>diphenoxylate-atropine</i> | 170 | DROPSAFE PEN NEEDLE.... | 129 | | 132 |
| <i>dipyridamole</i> | 80 | <i>drospirenone-ethinyl estradiol</i> | | EASY TOUCH SAFETY PEN | |
| <i>disopyramide phosphate</i> | 86 | | 103 | NEEDLE..... | 133 |
| <i>disulfiram</i> | 9 | DROXIA..... | 80 | EASY TOUCH SHEATHLOCK | |
| <i>divalproex</i> | 38 | <i>droxidopa</i> | 83 | INSULIN..... | 131, 132 |
| <i>dofetilide</i> | 86 | DUAVEE..... | 175 | EASY TOUCH UNI-SLIP..... | 133 |
| <i>donepezil</i> | 43 | <i>duloxetine</i> | 44 | <i>ec-naproxen</i> | 7 |
| DOPTELET (10 TAB PACK) ... | 78 | DUPIXENT PEN | 183 | <i>econazole</i> | 52 |
| DOPTELET (15 TAB PACK) ... | 78 | DUPIXENT SYRINGE..... | 183 | EDARBI | 83 |
| DOPTELET (30 TAB PACK) ... | 78 | <i>dutasteride</i> | 174 | EDARBYCLOR..... | 83 |
| <i>dorzolamide</i> | 198 | E | | EDURANT | 70 |
| <i>dorzolamide-timolol</i> | 199 | EASY COMFORT ALCOHOL | | <i>efavirenz</i> | 70 |
| <i>dotti</i> | 175 | PAD | 112 | <i>efavirenz-emtricitabin-tenofo</i> | |
| DOVATO | 70 | EASY COMFORT INSULIN | | | 71 |
| <i>doxazosin</i> | 82 | SYRINGE | 129, 130 | <i>efavirenz-lamivu-tenofo</i> | |
| <i>doxepin</i> | 44 | EASY COMFORT PEN | | <i>disop</i> | 71 |
| <i>doxorubicin</i> | 22 | NEEDLES..... | 130 | EGRIFTA SV | 179 |
| <i>doxorubicin, peg-liposomal</i> .. | 22 | EASY COMFORT SAFETY PEN | | <i>electrolyte-148</i> | 199 |
| <i>doxy-100</i> | 19 | NEEDLE | 129 | ELIGARD..... | 23 |
| <i>doxycycline hyclate</i> | 19 | EASY GLIDE INSULIN | | ELIGARD (3 MONTH) | 23 |
| <i>doxycycline monohydrate</i> | 19 | SYRINGE | 130, 131 | ELIGARD (4 MONTH) | 23 |
| DRIZALMA SPRINKLE..... | 44 | EASY GLIDE PEN NEEDLE.. | 131 | ELIGARD (6 MONTH) | 23 |
| <i>dronabinol</i> | 58 | EASY TOUCH | 132, 133 | <i>elinest</i> | 103 |
| <i>droperidol</i> | 58 | EASY TOUCH ALCOHOL PREP | | ELIQUIS | 76 |
| DROPLET INSULIN SYR(HALF | | PADS..... | 112 | ELIQUIS DVT-PE TREAT 30D | |
| UNIT)..... | 126, 127 | EASY TOUCH FLIPLOCK | | START..... | 76 |
| | | INSULIN | 132 | ELLA..... | 103 |

| | | | | | |
|--------------------------------------|--------|---------------------------------------|---------|--|--------|
| ELMIRON..... | 196 | <i>epinastine</i> | 164 | <i>etravirine</i> | 71 |
| ELREXFIO..... | 23 | <i>epinephrine</i> | 90 | EUCRISA..... | 115 |
| <i>eluryng</i> | 103 | <i>epitol</i> | 38 | <i>everolimus (antineoplastic)</i> .. | 24 |
| EMBRACE PEN NEEDLE.... | 133, | EPIVIR HBV..... | 71 | <i>everolimus</i> | |
| 134 | | EPKINLY..... | 23 | (<i>immunosuppressive</i>)..... | 183 |
| EMCYT..... | 23 | <i>eplerenone</i> | 95 | EVOTAZ..... | 71 |
| EMEND..... | 59 | EPRONTIA..... | 38 | EVRYSDI..... | 196 |
| EMGALITY PEN..... | 56 | ERBITUX..... | 23 | EXEL INSULIN..... | 134 |
| EMGALITY SYRINGE..... | 56 | <i>ergoloid</i> | 43 | <i>exemestane</i> | 24 |
| EMSAM..... | 44 | ERIVEDGE..... | 23 | EXKIVITY..... | 24 |
| <i>emtricitabine</i> | 71 | ERLEADA..... | 23 | EXTENCILLINE..... | 17 |
| <i>emtricitabine-tenofovir (tdf)</i> | 71 | <i>erlotinib</i> | 23 | EYSUVIS..... | 168 |
| EMTRIVA..... | 71 | <i>errin</i> | 103 | <i>ezetimibe</i> | 93 |
| <i>emzahn</i> | 103 | <i>ertapenem</i> | 16 | <i>ezetimibe-simvastatin</i> | 93 |
| <i>enalapril maleate</i> | 85 | <i>ery pads</i> | 113 | F | |
| <i>enalaprilat</i> | 85 | <i>erythromycin</i> | 15, 165 | <i>falmina (28)</i> | 103 |
| <i>enalapril-hydrochlorothiazide</i> | | <i>erythromycin ethylsuccinate</i> | 15 | <i>famciclovir</i> | 76 |
| | 85 | <i>erythromycin with ethanol</i> | 114 | <i>famotidine</i> | 169 |
| ENBREL..... | 183 | <i>escitalopram oxalate</i> | 45 | <i>famotidine (pf)</i> | 169 |
| ENBREL MINI..... | 183 | <i>esomeprazole magnesium</i> | 169 | <i>famotidine (pf)-nacl (iso-os)</i> | |
| ENBREL SURECLICK..... | 183 | <i>esomeprazole sodium</i> | 169 | | 169 |
| <i>endocet</i> | 3 | <i>estarylla</i> | 103 | FANAPT..... | 64 |
| ENGERIX-B (PF)..... | 189 | <i>estradiol</i> | 176 | FARXIGA..... | 47 |
| ENGERIX-B PEDIATRIC (PF) | | <i>estradiol valerate</i> | 176 | FASENRA..... | 205 |
| | 189 | <i>estradiol-norethindrone acet</i> | | FASENRA PEN..... | 205 |
| <i>enilloring</i> | 103 | | 176 | <i>febuxostat</i> | 54 |
| <i>enoxaparin</i> | 76, 77 | <i>eszopiclone</i> | 208 | <i>felbamate</i> | 38, 39 |
| <i>enpresse</i> | 103 | <i>ethambutol</i> | 57 | FEMRING..... | 176 |
| <i>enskyce</i> | 103 | <i>ethosuximide</i> | 38 | <i>fenofibrate</i> | 93 |
| <i>entacapone</i> | 62 | <i>ethynodiol diac-eth estradiol</i> | | <i>fenofibrate micronized</i> | 93 |
| <i>entecavir</i> | 76 | | 103 | <i>fenofibrate nanocrystallized</i> | 93 |
| ENTRESTO..... | 83 | <i>etodolac</i> | 7 | <i>fenofibric acid (choline)</i> | 93 |
| ENTRESTO SPRINKLE..... | 83 | <i>etonogestrel-ethinyl estradiol</i> | | <i>fentanyl</i> | 4 |
| <i>enulose</i> | 170 | | 103 | <i>fentanyl citrate</i> | 4 |
| EPCLUSA..... | 75 | ETOPOPPOS..... | 23 | FERRIPROX..... | 174 |
| EPIDIOLEX..... | 38 | <i>etoposide</i> | 24 | | |

| | | |
|---|---------------------------------------|--|
| FERRIPROX (2 TIMES A DAY) | <i>fluticasone propionate</i> | GAMMAPLEX (WITH |
| 174 | 168, 202, 203 | SORBITOL)..... 183 |
| <i>fesoterodine</i> 173 | <i>fluticasone propion-salmeterol</i> | GARDASIL 9 (PF)..... 189 |
| FETZIMA.....45 |203 | <i>gatifloxacin</i> 165 |
| FIASP FLEXTOUCH U-100 | <i>fluvastatin</i> 93 | GATTEX 30-VIAL..... 171 |
| INSULIN.....49 | <i>fluvoxamine</i> 45 | GAUZE PAD..... 135 |
| FIASP PENFILL U-100 | <i>folivane-ob</i>209 | <i>gavilyte-c</i> 172 |
| INSULIN.....49 | <i>fondaparinux</i> 77 | <i>gavilyte-g</i> 172 |
| FIASP U-100 INSULIN.....49 | <i>fosamprenavir</i> 71 | <i>gavilyte-n</i> 172 |
| <i>finasteride</i> 174 | <i>fosaprepitant</i> 59 | GAVRETO.....24 |
| <i>fin golimod</i>97 | <i>foscarnet</i> 74 | <i>gefitinib</i>25 |
| FINTEPLA.....39 | <i>fosinopril</i> 85 | <i>gemfibrozil</i>93 |
| FIRMAGON KIT W DILUENT | <i>fosinopril-hydrochlorothiazide</i> | <i>generlac</i> 171 |
| SYRINGE.....24 | 85 | <i>gengraf</i> 184 |
| FLEBOGAMMA DIF..... 183 | <i>fosphenytoin</i> 39 | <i>gentak</i> 165 |
| <i>flecainide</i>86 | FOTIVDA..... 24 | <i>gentamicin</i>11, 114, 165 |
| <i>floruridine</i>24 | FREESTYLE PRECISION..... 134, | <i>gentamicin sulfate (ped) (pf)</i> |
| <i>fluconazole</i>53 | 135 |11 |
| <i>fluconazole in nacl (iso-osm)</i> | FRUZAQLA..... 24 | <i>gentamicin sulfate (pf)</i> 11 |
|52 | FULPHILA..... 78 | GENVOYA.....71 |
| <i>flucytosine</i>53 | <i>fulvestrant</i> 24 | GILENYA.....97 |
| <i>fludrocortisone</i> 177 | <i>furosemide</i> 91, 92 | GILOTRIF.....25 |
| <i>flumazenil</i>97 | FUZEON..... 71 | <i>glatiramer</i>97 |
| <i>flunisolide</i> 168 | FYARRO..... 24 | <i>glatopa</i>98 |
| <i>fluocinolone</i> 115 | <i>fyavolv</i> 176 | GLEOSTINE.....25 |
| <i>fluocinolone acetonide oil</i> . 168 | FYCOMPA..... 39 | <i>glimepiride</i>51 |
| <i>fluocinonide</i> 115 | G | <i>glipizide</i>51 |
| <i>fluocinonide-emollient</i> 116 | <i>gabapentin</i> 39 | <i>glipizide-metformin</i>51 |
| <i>fluoride (sodium)</i> 111 | GALAFOLD.....163 | <i>glutamine (sickle cell)</i> 196 |
| <i>fluorometholone</i> 168 | <i>galantamine</i> 43 | <i>glyburide</i>52 |
| <i>fluorouracil</i> 24, 112 | GAMIFANT..... 183 | <i>glyburide micronized</i>52 |
| <i>flouxetine</i>45 | GAMMAGARD LIQUID..... 183 | <i>glyburide-metformin</i>52 |
| <i>fluphenazine decanoate</i>64 | GAMMAGARD S-D (IGA < 1 | <i>glycopyrrolate</i> 171 |
| <i>fluphenazine hcl</i>64, 65 | MCG/ML)..... 183 | <i>glydo</i> 8 |
| <i>flurbiprofen</i> 7 | GAMMAPLEX..... 184 | GLYXAMBI.....47 |
| <i>flurbiprofen sodium</i> 168 | | <i>granisetron (pf)</i>59 |

| | | | | | |
|---|----------|---|---------------|---|--------|
| <i>granisetron hcl</i> | 59 | HUMIRA | 184 | I | |
| GRANIX..... | 78 | HUMIRA PEN..... | 184 | <i>ibandronate</i> | 195 |
| <i>griseofulvin microsized</i> | 53 | HUMIRA PEN CROHNS-UC- HS START | 184 | IBRANCE | 25 |
| <i>guanfacine</i> | 83, 98 | HUMIRA PEN PSOR-UVEITS- ADOL HS..... | 184 | <i>ibu</i> | 7 |
| GVOKE..... | 197 | HUMIRA(CF)..... | 185 | <i>ibuprofen</i> | 7 |
| GVOKE HYPOPEN 2-PACK | 196 | HUMIRA(CF) PEDI CROHNS STARTER | 184 | <i>icatibant</i> | 90 |
| GVOKE PFS 1-PACK SYRINGE | 196 | HUMIRA(CF) PEN | 184 | <i>iclevia</i> | 104 |
| GVOKE PFS 2-PACK SYRINGE | 196 | HUMIRA(CF) PEN CROHNS- UC-HS..... | 184 | ICLUSIG | 25 |
| H | | HUMIRA(CF) PEN PEDIATRIC UC | 184 | IDHIFA | 25 |
| HAEGARDA..... | 78 | HUMIRA(CF) PEN PSOR-UV- ADOL HS..... | 184 | <i>ifosfamide</i> | 25 |
| <i>hailey</i> | 104 | HUMULIN R U-500 (CONC) INSULIN | 50 | ILEVRO..... | 168 |
| <i>hailey 24 fe</i> | 104 | HUMULIN R U-500 (CONC) KWIKPEN | 50 | <i>imatinib</i> | 25 |
| <i>hailey fe 1.5/30 (28)</i> | 104 | <i>hydralazine</i> | 90 | IMBRUVICA..... | 25, 26 |
| <i>hailey fe 1/20 (28)</i> | 104 | <i>hydrochlorothiazide</i> | 92 | IMDELLTRA | 26 |
| <i>halobetasol propionate</i> | 116 | <i>hydrocodone-acetaminophen</i> | 4 | <i>imipenem-cilastatin</i> | 16 |
| <i>haloette</i> | 104 | <i>hydrocodone-ibuprofen</i> | 4 | <i>imipramine hcl</i> | 45 |
| <i>haloperidol</i> | 65 | <i>hydrocortisone</i> | 116, 177, 194 | <i>imiquimod</i> | 112 |
| <i>haloperidol decanoate</i> | 65 | <i>hydrocortisone butyrate</i> | 116 | IMJUDO..... | 26 |
| <i>haloperidol lactate</i> | 65 | <i>hydrocortisone valerate</i> | 116 | IMLYGIC | 26 |
| HARVONI | 75 | <i>hydrocortisone-acetic acid</i> | 165 | IMOVAX RABIES VACCINE (PF)..... | 189 |
| HAVRIX (PF)..... | 189 | <i>hydromorphone</i> | 4 | IMPAVIDO..... | 60 |
| HEALTHWISE INSULIN SYRINGE..... | 135 | <i>hydromorphone (pf)</i> | 4 | INBRIJA | 62 |
| HEALTHWISE PEN NEEDLE | 135, 136 | <i>hydroxychloroquine</i> | 60 | <i>incassia</i> | 104 |
| HEALTHY ACCENTS UNIFINE PENTIP | 136 | <i>hydroxyurea</i> | 25 | INCONTROL ALCOHOL PADS | 112 |
| <i>heather</i> | 104 | <i>hydroxyzine hcl</i> | 55 | INCONTROL PEN NEEDLE | 136 |
| <i>heparin (porcine)</i> | 77 | <i>hydroxyzine pamoate</i> | 197 | INCRELEX..... | 179 |
| <i>heparin, porcine (pf)</i> | 77 | | | <i>indapamide</i> | 92 |
| HEPLISAV-B (PF) | 189 | | | <i>indomethacin</i> | 7 |
| HERCEPTIN HYLECTA..... | 25 | | | INFANRIX (DTAP) (PF)..... | 190 |
| HERZUMA | 25 | | | <i>infliximab</i> | 185 |
| HIBERIX (PF) | 189 | | | INGREZZA | 98 |
| | | | | INGREZZA INITIATION PK(TARDIV) | 98 |
| | | | | INGREZZA SPRINKLE..... | 98 |

| | | | | | |
|---------------------------------------|--------|-------------------------------------|-----|-------------------------------------|--------|
| INLYTA..... | 26 | ISENTRESS HD | 71 | <i>junel 1.5/30 (21)</i> | 104 |
| INPEN (FOR HUMALOG) | | <i>isibloom</i> | 104 | <i>junel 1/20 (21)</i> | 104 |
| BLUE | 136 | ISOLYTE S PH 7.4 | 200 | <i>junel fe 1.5/30 (28)</i> | 104 |
| INPEN (NOVOLOG OR FIASP) | | ISOLYTE-P IN 5 % DEXTROSE | | <i>junel fe 1/20 (28)</i> | 104 |
| BLUE | 136 | | 200 | <i>junel fe 24</i> | 105 |
| INQOVI..... | 26 | ISOLYTE-S..... | 200 | JUXTAPID | 93 |
| INREBIC..... | 26 | <i>isoniazid</i> | 57 | JYLAMVO..... | 26 |
| <i>insulin asp prt-insulin aspart</i> | | <i>isosorbide dinitrate</i> | 95 | JYNNEOS (PF) | 190 |
| | 50 | <i>isosorbide mononitrate</i> | 95 | K | |
| <i>insulin aspart u-100</i> | 50 | <i>isosorbide-hydralazine</i> | 95 | <i>kalliga</i> | 105 |
| INSULIN SYR/NDL U100 HALF | | <i>isradipine</i> | 91 | KALYDECO | 205 |
| MARK..... | 136 | <i>itraconazole</i> | 53 | <i>kariva (28)</i> | 105 |
| INSULIN SYRINGE | 121 | IV PREP WIPES | 112 | <i>kelnor 1/35 (28)</i> | 105 |
| INSULIN SYRINGE | | <i>ivabradine</i> | 90 | <i>kelnor 1/50 (28)</i> | 105 |
| MICROFINE | 120 | <i>ivermectin</i> | 60 | KERENDIA | 95 |
| INSULIN SYRINGE | | IWILFIN | 26 | KESIMPTA PEN | 98 |
| NEEDLELESS..... | 120 | IXCHIQ (PF) | 190 | <i>ketoconazole</i> | 53 |
| INSULIN SYRINGE-NEEDLE U- | | IXIARO (PF)..... | 190 | <i>ketorolac</i> | 7, 168 |
| 100 120, 134, 136, 137, 146, | | J | | KEVZARA | 185 |
| 151, 154, 155 | | <i>jaimiess</i> | 104 | KEYTRUDA | 26 |
| INSUPEN PEN NEEDLE | 137, | JAKAFI | 26 | KIMMTRAK | 26 |
| 138 | | <i>jantoven</i> | 77 | KINERET | 185 |
| INTELENCE..... | 71 | JANUMET | 47 | KINRIX (PF)..... | 190 |
| INTRALIPID | 82 | JANUMET XR | 47 | <i>kionex (with sorbitol)</i> | 171 |
| INVEGA HAFYERA | 65 | JANUVIA..... | 47 | KISQALI | 27 |
| INVEGA SUSTENNA..... | 65, 66 | JARDIANCE..... | 47 | KISQALI FEMARA CO-PACK27 | |
| INVEGA TRINZA..... | 66 | <i>jasmiel (28)</i> | 104 | KLISYRI | 113 |
| INVELTYS | 168 | <i>javygtor</i> | 163 | <i>klor-con m10</i> | 200 |
| INVIRASE | 71 | JAYPIRCA | 26 | <i>klor-con m15</i> | 200 |
| IPOL..... | 190 | JEMPERLI..... | 26 | <i>klor-con m20</i> | 200 |
| <i>ipratropium bromide</i> .164, 204 | | <i>jencycla</i> | 104 | KLOXXADO | 9 |
| <i>ipratropium-albuterol</i> | 204 | JENTADUETO..... | 47 | KOSELUGO..... | 27 |
| <i>irbesartan</i> | 83 | JENTADUETO XR..... | 47 | <i>kosher prenatal plus iron</i> .. | 209 |
| <i>irbesartan-</i> | | <i>jinteli</i> | 176 | KOURZEQ..... | 111 |
| <i>hydrochlorothiazide</i> | 83 | <i>juleber</i> | 104 | KRAZATI..... | 27 |
| ISENTRESS..... | 71, 72 | JULUCA..... | 72 | KRINTAFEL | 60 |

| | | | | | |
|---------------------------------------|--------|---------------------------------------|----------|-------------------------------------|---------|
| <i>kurvelo (28)</i> | 105 | <i>levocarnitine (with sugar)</i> .. | 197 | LOKELMA..... | 171 |
| KYNMOBI | 62 | <i>levocetirizine</i> | 55 | LONSURF..... | 28 |
| L | | <i>levofloxacin</i> | 18, 165 | <i>loperamide</i> | 171 |
| <i>l norgest/e.estradiol-e.estrad</i> | | <i>levofloxacin in d5w</i> | 18 | <i>lopinavir-ritonavir</i> | 72 |
| | 105 | <i>levonest (28)</i> | 105 | LOQTORZI..... | 28 |
| <i>labetalol</i> | 87 | <i>levonorgest-eth.estradiol-iron</i> | | <i>lorazepam</i> | 11 |
| <i>lacosamide</i> | 39 | | 105 | LORBRENA..... | 28 |
| <i>lactulose</i> | 171 | <i>levonorgestrel-ethinyl estrad</i> | | <i>loryna (28)</i> | 106 |
| <i>lagevrio (eua)</i> | 76 | | 106 | <i>losartan</i> | 83 |
| <i>lamivudine</i> | 72 | <i>levonorg-eth estrad triphasic</i> | | <i>losartan-hydrochlorothiazide</i> | |
| <i>lamivudine-zidovudine</i> | 72 | | 106 | | 84 |
| <i>lamotrigine</i> | 39 | <i>levora-28</i> | 106 | LOTEMAX..... | 168 |
| <i>lanreotide</i> | 179 | <i>levothyroxine</i> | 181 | LOTEMAX SM | 168 |
| <i>lansoprazole</i> | 170 | LEXIVA..... | 72 | <i>loteprednol etabonate</i> | 168 |
| <i>lapatinib</i> | 27 | LIBERVANT | 40 | <i>lovastatin</i> | 94 |
| <i>larin 1.5/30 (21)</i> | 105 | <i>lidocaine</i> | 8, 9 | <i>low-ogestrel (28)</i> | 106 |
| <i>larin 1/20 (21)</i> | 105 | <i>lidocaine (pf)</i> | 8, 86 | <i>loxapine succinate</i> | 66 |
| <i>larin 24 fe</i> | 105 | <i>lidocaine hcl</i> | 8 | <i>lo-zumandimine (28)</i> | 106 |
| <i>larin fe 1.5/30 (28)</i> | 105 | <i>lidocaine viscous</i> | 9 | <i>lubiprostone</i> | 171 |
| <i>larin fe 1/20 (28)</i> | 105 | <i>lidocaine-prilocaine</i> | 9 | LUMAKRAS | 28 |
| <i>latanoprost</i> | 199 | <i>linezolid</i> | 12 | LUMIGAN | 199 |
| LAZCLUZE | 27 | <i>linezolid in dextrose 5%</i> | 12 | LUNSUMIO | 28 |
| <i>leflunomide</i> | 185 | LINZESS | 171 | LUPRON DEPOT | 179 |
| <i>lenalidomide</i> | 27 | <i>liothyronine</i> | 181 | LUPRON DEPOT (3 MONTH) | |
| LENTOCILIN S | 17 | LISCO..... | 138 | | 28, 179 |
| LENVIMA | 27 | <i>lisinopril</i> | 85 | LUPRON DEPOT (4 MONTH) | |
| <i>lessina</i> | 105 | <i>lisinopril-hydrochlorothiazide</i> | | | 28 |
| <i>letrozole</i> | 28 | | 85 | LUPRON DEPOT (6 MONTH) | |
| <i>leucovorin calcium</i> | 197 | LITE TOUCH INSULIN PEN | | | 28 |
| LEUKERAN..... | 28 | NEEDLES | 138 | <i>lurasidone</i> | 66 |
| LEUKINE..... | 78 | LITE TOUCH INSULIN | | <i>lutra (28)</i> | 106 |
| <i>leuprolide</i> | 28 | SYRINGE | 138, 139 | LYBALVI..... | 66 |
| <i>leuprolide (3 month)</i> | 28 | <i>lithium carbonate</i> | 98 | <i>lyleq</i> | 106 |
| <i>levetiracetam</i> | 39, 40 | <i>lithium citrate</i> | 98 | <i>lyllana</i> | 176 |
| <i>levobunolol</i> | 199 | LIVALO | 93 | LYNPARZA | 28 |
| <i>levocarnitine</i> | 197 | <i>lojaimiess</i> | 106 | LYSODREN..... | 29 |

| | | | | | |
|---------------------------------------|----------|------------------------------------|-------|---------------------------------------|----------|
| <i>minoxidil</i> | 95 | <i>mycophenolate mofetil (hcl)</i> | 185 | NERLYNX..... | 29 |
| <i>mirtazapine</i> | 45 | | 185 | NEULASTA ONPRO..... | 78 |
| <i>misoprostol</i> | 170 | <i>mycophenolate sodium</i> | 185 | <i>nevirapine</i> | 72 |
| <i>mitoxantrone</i> | 29 | <i>mynatal</i> | 209 | <i>newgen</i> | 209 |
| M-M-R II (PF) | 190 | <i>mynatal advance</i> | 209 | NEXLETOL | 94 |
| <i>m-natal plus</i> | 209 | <i>mynatal plus</i> | 209 | NEXLIZET | 94 |
| <i>modafinil</i> | 208 | <i>mynatal-z</i> | 209 | <i>niacin</i> | 94 |
| <i>moexipril</i> | 85 | <i>mynate 90 plus</i> | 209 | <i>niacor</i> | 94 |
| <i>molindone</i> | 66 | MYRBETRIQ..... | 173 | <i>nicardipine</i> | 91 |
| <i>mometasone</i> | 116, 168 | N | | NICOTROL..... | 10 |
| <i>mondoxyne nl</i> | 19 | <i>nabumetone</i> | 8 | NICOTROL NS..... | 10 |
| MONOJECT INSULIN SAFETY | | <i>nafcilin</i> | 17 | <i>nifedipine</i> | 91 |
| SYRING | 141 | <i>naloxone</i> | 9, 10 | <i>nikki (28)</i> | 107 |
| MONOJECT INSULIN | | <i>naltrexone</i> | 10 | <i>nilutamide</i> | 29 |
| SYRINGE..... | 141, 142 | <i>naproxen</i> | 8 | NINLARO..... | 30 |
| MONOJECT SYRINGE..... | 141 | <i>naratriptan</i> | 56 | <i>nitazoxanide</i> | 60 |
| MONOJECT ULTRA | | NATACYN | 166 | <i>nitisinone</i> | 163 |
| COMFORT INSULIN | 157 | <i>nateglinide</i> | 48 | <i>nitrofurantoin macrocrystal</i> | 13 |
| <i>mono-lynyah</i> | 107 | NATPARA..... | 195 | <i>nitrofurantoin monohyd/m-</i> | |
| <i>montelukast</i> | 203 | NAYZILAM..... | 40 | <i>cryst</i> | 13 |
| <i>morphine</i> | 5 | <i>nebivolol</i> | 87 | <i>nitroglycerin</i> | 95, 197 |
| MORPHINE | 5 | <i>necon 0.5/35 (28)</i> | 107 | <i>niva-plus</i> | 209 |
| <i>morphine concentrate</i> | 5 | <i>nefazodone</i> | 45 | NIVESTYM | 79 |
| MOUNJARO | 48 | <i>neomycin</i> | 11 | <i>nizatidine</i> | 170 |
| MOVANTIK..... | 171 | <i>neomycin-bacitracin-poly-hc</i> | | NORDITROPIN FLEXPRO .. | 179 |
| <i>moxifloxacin</i> | 18, 165 | | 166 | <i>norelgestromin-ethin.estradiol</i> | |
| <i>moxifloxacin-sod.ace,sul-</i> | | <i>neomycin-bacitracin-</i> | | | 107 |
| <i>water</i> | 18 | <i>polymyxin</i> | 166 | <i>norethindrone (contraceptive)</i> | |
| <i>moxifloxacin-sod.chloride(iso)</i> | | <i>neomycin-polymyxin b gu.</i> | 114 | | 107 |
| | 18 | <i>neomycin-polymyxin b-</i> | | <i>norethindrone acetate</i> | 181 |
| MRESVIA (PF)..... | 190 | <i>dexameth</i> | 166 | <i>norethindrone ac-eth estradiol</i> | |
| MULTAQ..... | 86 | <i>neomycin-polymyxin-</i> | | | 107, 176 |
| <i>mupirocin</i> | 114 | <i>gramicidin</i> | 166 | <i>norethindrone-e.estradiol-iron</i> | |
| MVASI..... | 29 | <i>neomycin-polymyxin-hc</i> | 166 | | 107 |
| <i>mycophenolate mofetil</i> | 185 | <i>neo-polycin</i> | 166 | <i>norgestimate-ethinyl estradiol</i> | |
| | | <i>neo-polycin hc</i> | 166 | | 107 |

| | | |
|--------------------------------------|--------|-----------------------------------|
| NORMOSOL-M IN 5 % | | OMNIPOD CLASSIC PODS |
| DEXTROSE | 200 | (GEN 3) |
| <i>nortrel 0.5/35 (28)</i> | 107 | 142 |
| <i>nortrel 1/35 (21)</i> | 108 | OMNIPOD DASH INTRO KIT |
| <i>nortrel 1/35 (28)</i> | 108 | (GEN 4) |
| <i>nortrel 7/7/7 (28)</i> | 108 | 142 |
| <i>nortriptyline</i> | 45 | OMNIPOD DASH PDM KIT |
| NORVIR | 72 | (GEN 4) |
| NOVOFINE 30 | 142 | 142 |
| NOVOFINE 32 | 142 | OMNIPOD DASH PODS (GEN |
| NOVOFINE PLUS | 142 | 4) |
| NOVOLIN 70/30 U-100 | | 142 |
| INSULIN | 50 | OMNIPOD GO PODS |
| NOVOLIN 70-30 FLEXPEN U- | | 143 |
| 100 | 50 | OMNIPOD GO PODS 10 |
| NOVOLIN N FLEXPEN | 50 | UNITS/DAY |
| NOVOLIN N NPH U-100 | | 142 |
| INSULIN | 50 | OMNIPOD GO PODS 15 |
| NOVOLIN R FLEXPEN | 50 | UNITS/DAY |
| NOVOLIN R REGULAR U100 | | 143 |
| INSULIN | 51 | OMNIPOD GO PODS 20 |
| NOVOTWIST | 142 | UNITS/DAY |
| NOXAFIL | 53 | 143 |
| NUBEQA | 30 | OMNIPOD GO PODS 25 |
| NUCALA | 206 | UNITS/DAY |
| NULOJIX | 185 | 143 |
| NUPLAZID | 66 | OMNIPOD GO PODS 30 |
| NURTEC ODT | 56 | UNITS/DAY |
| NUTRILIPID | 82 | 143 |
| <i>nyamyc</i> | 53 | OMNIPOD GO PODS 40 |
| <i>nylia 1/35 (28)</i> | 108 | UNITS/DAY |
| <i>nylia 7/7/7 (28)</i> | 108 | 143 |
| <i>nymyo</i> | 108 | <i>ondansetron</i> |
| <i>nystatin</i> | 53 | 59 |
| <i>nystatin-triamcinolone</i> | 54 | <i>ondansetron hcl</i> |
| <i>nystop</i> | 54 | 59 |
| | | <i>ondansetron hcl (pf)</i> |
| | | 59 |
| | | ONTRUZANT |
| | | 30 |
| | | ONUREG |
| | | 30 |
| | | OPDIVO |
| | | 30 |
| | | OPDUALAG |
| | | 30 |
| | | OPSUMIT |
| | | 208 |
| | | <i>oralone</i> |
| | | 111 |
| | | ORENCIA |
| | | 186 |
| | | ORENCIA (WITH MALTOSE) |
| | | |
| | | 185 |
| | | ORENCIA CLICKJECT |
| | | 186 |
| | | ORFADIN |
| | | 163 |
| | | ORGOVYX |
| | | 180 |
| NYVEPRIA | 79 | |
| O | | |
| <i>obstetrix dha</i> | 210 | |
| <i>obstetrix dha prenatal duo</i> | 210 | |
| <i>o-cal prenatal</i> | 210 | |
| OCALIVA | 171 | |
| OCREVUS | 100 | |
| OCTAGAM | 185 | |
| <i>octreotide acetate</i> | 180 | |
| ODEFSEY | 72 | |
| ODOMZO | 30 | |
| OFEV | 206 | |
| <i>ofloxacin</i> | 166 | |
| OGIVRI | 30 | |
| OGSIVEO | 30 | |
| OJEMDA | 30 | |
| OJJAARA | 30 | |
| <i>olanzapine</i> | 66, 67 | |
| <i>olmesartan</i> | 84 | |
| <i>olmesartan-amlodipin-</i> | | |
| <i>hcthiamid</i> | 84 | |
| <i>olmesartan-</i> | | |
| <i>hydrochlorothiazide</i> | 84 | |
| <i>olopatadine</i> | 165 | |
| OLUMIANT | 185 | |
| <i>omega-3 acid ethyl esters</i> ... | 94 | |
| <i>omeprazole</i> | 170 | |
| OMNIPOD 5 G6 INTRO KIT | | |
| (GEN 5) | 142 | |
| OMNIPOD 5 G6 PODS (GEN | | |
| 5) | 142 | |
| OMNIPOD 5 G6-G7 INTRO | | |
| KT(GEN5) | 142 | |
| OMNIPOD 5 G6-G7 PODS | | |
| (GEN 5) | 142 | |

| | | | | | |
|---------------------------------------|--------|--|----------------------------|---|----------|
| ORLISSA..... | 180 | <i>pemetrexed disodium</i> | 31 | <i>pimecrolimus</i> | 116 |
| ORKAMBI..... | 206 | PEMRYDI RTU..... | 31 | <i>pimozide</i> | 67 |
| ORSERDU | 30 | PEN NEEDLE..... | 134, 143, 144, 146 | <i>pimtrea (28)</i> | 108 |
| <i>oseltamivir</i> | 74 | PEN NEEDLE, DIABETIC..... | 125, 140, 143, 145, 146 | <i>pindolol</i> | 87 |
| OSMOLEX ER | 62 | PEN NEEDLE, DIABETIC, SAFETY | 147 | <i>pioglitazone</i> | 48 |
| OTEZLA | 186 | PENBRAYA (PF)..... | 191 | <i>pioglitazone-metformin</i> | 48 |
| OTEZLA STARTER | 186 | PENBRAYA MENACWY COMPONENT(PF)..... | 191 | PIP PEN NEEDLE | 144 |
| <i>oxandrolone</i> | 175 | PENBRAYA MENB COMPONENT (PF)..... | 191 | <i>piperacillin-tazobactam</i> | 17 |
| <i>oxazepam</i> | 11 | <i>penicillamine</i> | 174 | PIQRAY..... | 31 |
| <i>oxcarbazepine</i> | 40 | <i>penicillin g potassium</i> | 17 | <i>pirfenidone</i> | 206 |
| OXLUMO | 197 | <i>penicillin g procaine</i> | 17 | <i>pirmella</i> | 108 |
| <i>oxybutynin chloride</i> | 173 | <i>penicillin v potassium</i> | 17 | <i>piroxicam</i> | 8 |
| <i>oxycodone</i> | 5 | PENTACEL (PF)..... | 191 | PLASMA-LYTE A..... | 200 |
| <i>oxycodone-acetaminophen</i> ... | 5 | <i>pentamidine</i> | 60, 61 | PLEGRIDY | 100 |
| OXYCONTIN..... | 5 | PENTIPS..... | 144 | <i>pnv 29-1</i> | 210 |
| <i>oxymorphone</i> | 5 | <i>pentoxifylline</i> | 80 | <i>pnv-dha + docusate</i> | 210 |
| OZEMPIC | 48 | <i>perindopril erbumine</i> | 85 | <i>pnv-omega</i> | 210 |
| P | | <i>periogard</i> | 111 | <i>podofilox</i> | 113 |
| <i>pacerone</i> | 86 | <i>permethrin</i> | 117 | <i>polycin</i> | 167 |
| <i>paclitaxel protein-bound</i> | 31 | <i>perphenazine</i> | 67 | <i>polymyxin b sulfate</i> | 13 |
| <i>paliperidone</i> | 67 | PERSERIS..... | 67 | <i>polymyxin b sulf-trimethoprim</i> | 167 |
| PALYNZIQ | 163 | <i>pfizerpen-g</i> | 17 | POMALYST..... | 31 |
| PANRETIN | 113 | <i>phenelzine</i> | 46 | <i>portia 28</i> | 108 |
| <i>pantoprazole</i> | 170 | <i>phenobarbital</i> | 40 | <i>posaconazole</i> | 54 |
| <i>paricalcitol</i> | 195 | <i>phenylephrine hcl</i> | 83 | <i>potassium chloride</i> | 200, 201 |
| <i>paroex oral rinse</i> | 111 | <i>phenytoin</i> | 40 | <i>potassium chloride-0.45 %</i> <i>nacl</i> | 201 |
| <i>paromomycin</i> | 60 | <i>phenytoin sodium</i> | 40 | <i>potassium citrate</i> | 201 |
| <i>paroxetine hcl</i> | 45, 46 | <i>phenytoin sodium extended</i> | 40 | <i>pr natal 400</i> | 210 |
| PAXLOVID | 74 | <i>philith</i> | 108 | <i>pr natal 400 ec</i> | 210 |
| <i>pazopanib</i> | 31 | PIFELTRO..... | 72 | <i>pr natal 430</i> | 210 |
| PEDIARIX (PF)..... | 190 | <i>pilocarpine hcl</i> | 111, 199 | <i>pr natal 430 ec</i> | 210 |
| PEDVAX HIB (PF)..... | 190 | | | PRALUENT PEN | 94 |
| PEGASYS..... | 75 | | | <i>pramipexole</i> | 62 |
| <i>peg-electrolyte soln</i> | 172 | | | <i>prasugrel</i> | 80 |
| PEMAZYRE | 31 | | | | |
| <i>pemetrexed</i> | 31 | | | | |

| | | | | | |
|---------------------------------------|----------|--------------------------------------|------------|--------------------------------------|-----|
| <i>pravastatin</i> | 94 | PRIFTIN | 57 | PROQUAD (PF) | 191 |
| <i>prazosin</i> | 83 | PRIMAQUINE..... | 61 | PROSOL 20 % | 82 |
| <i>prednicarbate</i> | 116 | <i>primidone</i> | 41 | <i>protamine</i> | 80 |
| <i>prednisolone</i> | 178 | PRIORIX (PF) | 191 | <i>protriptyline</i> | 46 |
| <i>prednisolone acetate</i> | 168 | PRIVIGEN | 186 | PULMOZYME | 163 |
| <i>prednisolone sodium</i> | | PRO COMFORT ALCOHOL | | PURE COMFORT ALCOHOL | |
| <i>phosphate</i> | 168, 178 | PADS..... | 113 | PADS..... | 113 |
| <i>prednisone</i> | 178 | PRO COMFORT INSULIN | | PURE COMFORT PEN NEEDLE | |
| <i>pregabalin</i> | 40, 41 | SYRINGE | 144 | | 145 |
| PREHEVBRIO (PF) | 191 | PRO COMFORT PEN NEEDLE | | PURE COMFORT SAFETY PEN | |
| PREMARIN | 176, 177 | | 145 | NEEDLE..... | 145 |
| PREMPHASE..... | 177 | <i>probenecid</i> | 54 | PURIXAN..... | 31 |
| PREMPRO..... | 177 | <i>probenecid-colchicine</i> | 54 | <i>pyrazinamide</i> | 57 |
| <i>prena1 true</i> | 210 | <i>procainamide</i> | 86 | <i>pyridostigmine bromide</i> | 197 |
| <i>prenaissance</i> | 210 | <i>prochlorperazine</i> | 59 | <i>pyrimethamine</i> | 61 |
| <i>prenaissance plus</i> | 210 | <i>prochlorperazine edisylate</i> . | 59, | Q | |
| <i>prenatabs fa</i> | 210 | 67 | | QINLOCK | 31 |
| <i>prenatal 19</i> | 210 | <i>prochlorperazine maleate</i> | 59 | QUADRACEL (PF)..... | 191 |
| <i>prenatal 19 (with docusate)</i> | | <i>proctosol hc</i> | 116 | <i>quetiapine</i> | 67 |
| | 210 | <i>proctozone-hc</i> | 116 | <i>quinapril</i> | 85 |
| <i>prenatal low iron</i> | 210 | PRODIGY INSULIN SYRINGE | | <i>quinapril-hydrochlorothiazide</i> | |
| <i>prenatal plus</i> | 211 | | 145 | | 85 |
| <i>prenatal plus (calcium carb)</i> | | <i>progesterone</i> | 181 | <i>quinidine gluconate</i> | 86 |
| | 210 | <i>progesterone micronized</i> ... | 181 | <i>quinidine sulfate</i> | 86 |
| <i>prenatal vitamin plus low iron</i> | | PROGRAF | 186 | <i>quinine sulfate</i> | 61 |
| | 211 | PROLASTIN-C..... | 206 | QULIPTA | 56 |
| <i>prenatal-u</i> | 211 | PROLIA..... | 195 | R | |
| <i>preplus</i> | 211 | PROMACTA..... | 79 | RABAVERT (PF)..... | 191 |
| <i>pretab</i> | 211 | <i>promethazine</i> | 55, 59, 60 | <i>rabeprazole</i> | 170 |
| PRETOMANID..... | 57 | <i>promethegan</i> | 60 | <i>raloxifene</i> | 177 |
| <i>prevalite</i> | 94 | <i>propafenone</i> | 86 | <i>ramipril</i> | 85 |
| PREVENT DROPSAFE PEN | | <i>proparacaine</i> | 165 | <i>ranolazine</i> | 90 |
| NEEDLE..... | 144 | <i>propranolol</i> | 88 | <i>rasagiline</i> | 62 |
| PREVYMIS..... | 74, 75 | <i>propranolol-</i> | | RASUVO (PF)..... | 186 |
| PREZCOBIX | 72 | <i>hydrochlorothiazid</i> | 88 | RAVICTI | 172 |
| PREZISTA..... | 72, 73 | <i>propylthiouracil</i> | 181 | RAYALDEE | 195 |

| | | | | | |
|---------------------------------------|--------|------------------------------------|----------|---------------------------------------|--------|
| <i>reclipsen (28)</i> | 108 | RITUXAN HYCELA..... | 32 | <i>select-ob (folic acid)</i> | 211 |
| RECOMBIVAX HB (PF)..... | 192 | <i>rivastigmine</i> | 43 | <i>selegiline hcl</i> | 62 |
| RELENZA DISKHALER..... | 75 | <i>rivastigmine tartrate</i> | 43 | <i>selenium sulfide</i> | 114 |
| RELEUKO..... | 79 | <i>rizatriptan</i> | 56 | SELZENTRY..... | 73 |
| RELION NEEDLES..... | 146 | <i>r-natal ob</i> | 211 | SEMGLEE(INSULIN | |
| RELION PEN NEEDLES..... | 146 | ROCKLATAN..... | 199 | GLARGINE-YFGN)..... | 51 |
| <i>repaglinide</i> | 48 | <i>roflumilast</i> | 206 | SEMGLEE(INSULIN GLARG- | |
| REPATHA PUSHTRONEX..... | 94 | <i>ropinirole</i> | 62 | YFGN)PEN..... | 51 |
| REPATHA SURECLICK..... | 94 | <i>rosadan</i> | 114 | <i>se-natal 19 chewable</i> | 211 |
| REPATHA SYRINGE..... | 94 | <i>rosuvastatin</i> | 94 | SEREVENT DISKUS..... | 204 |
| RESTASIS..... | 169 | ROTARIX..... | 192 | SEROSTIM..... | 180 |
| RESTASIS MULTIDOSE..... | 168 | ROTATEQ VACCINE..... | 192 | <i>sertraline</i> | 46 |
| RETACRIT..... | 79 | ROZLYTREK..... | 32 | <i>setlakin</i> | 108 |
| RETEVMO..... | 31, 32 | RUBRACA..... | 32 | <i>sevelamer carbonate</i> | 173 |
| RETROVIR..... | 73 | <i>rufinamide</i> | 41 | <i>sevelamer hcl</i> | 173 |
| <i>revonto</i> | 207 | RUKOBIA..... | 73 | SEZABY..... | 41 |
| REXULTI..... | 67 | RUXIENCE..... | 32 | <i>sf 5000 plus</i> | 111 |
| REYATAZ..... | 73 | RYBELSUS..... | 48 | <i>sharobel</i> | 108 |
| REZLIDHIA..... | 32 | RYBREVANT..... | 32 | SHINGRIX (PF)..... | 192 |
| REZUROCK..... | 186 | RYDAPT..... | 32 | SIGNIFOR..... | 180 |
| RHOPRESSA..... | 199 | RYTELO..... | 32 | <i>sildenafil (pulm.hypertension)</i> | |
| RIABNI..... | 32 | S | | | 208 |
| <i>ribavirin</i> | 76 | SAFESNAP INSULIN SYRINGE | | <i>silver sulfadiazine</i> | 114 |
| RIDAURA..... | 186 | | 146, 147 | SIMBRINZA..... | 199 |
| <i>rifabutin</i> | 57 | SAFETY PEN NEEDLE..... | 147 | <i>simliya (28)</i> | 108 |
| <i>rifampin</i> | 58 | <i>sajazir</i> | 90 | <i>simpesse</i> | 108 |
| <i>rilpivirine</i> | 73 | SANTYL..... | 113 | <i>simvastatin</i> | 94, 95 |
| <i>riluzole</i> | 100 | <i>sapropterin</i> | 163 | <i>sirolimus</i> | 186 |
| <i>rimantadine</i> | 75 | SAVELLA..... | 100 | SIRTURO..... | 58 |
| RINVOQ..... | 186 | SCSEMBLIX..... | 32 | SKY SAFETY PEN NEEDLE..... | 147 |
| RINVOQ LQ..... | 186 | <i>scopolamine base</i> | 60 | SKYRIZI..... | 187 |
| <i>risedronate</i> | 195 | SECUADO..... | 68 | <i>sodium chloride 0.45 %</i> | 201 |
| <i>risperidone</i> | 68 | SECURESAFE INSULIN | | <i>sodium chloride 0.9 %</i> | 201 |
| <i>risperidone microspheres</i> | 67, | SYRINGE..... | 147 | <i>sodium fluoride-pot nitrate</i> | |
| 68 | | SECURESAFE PEN NEEDLE..... | 147 | | 111 |
| <i>ritonavir</i> | 73 | <i>select-ob</i> | 211 | <i>sodium oxybate</i> | 208 |

| | | | | | |
|-------------------------------------|-----|------------------------------------|----------|---------------------------------------|----------|
| <i>sodium phenylbutyrate</i> | 172 | <i>subvenite</i> | 41 | SYMDEKO..... | 206 |
| <i>sodium polystyrene sulfonate</i> | | <i>sucalfate</i> | 170 | SYMLINPEN 120..... | 48 |
| | 172 | <i>sulfacetamide sodium</i> | 167 | SYMLINPEN 60..... | 48 |
| <i>sodium,potassium,mag</i> | | <i>sulfacetamide sodium (acne)</i> | | SYMPAZAN..... | 41 |
| <i>sulfates</i> | 172 | | 114 | SYMTUZA..... | 73 |
| <i>solifenacin</i> | 173 | <i>sulfacetamide-prednisolone</i> | | SYNAREL..... | 180 |
| SOLQUA 100/33 | 51 | | 167 | SYNJARDY..... | 48 |
| SOLTAMOX..... | 32 | <i>sulfadiazine</i> | 18 | SYNJARDY XR | 49 |
| SOLU-CORTEF ACT-O-VIAL | | <i>sulfamethoxazole-</i> | | SYNRIBO..... | 33 |
| (PF)..... | 178 | <i>trimethoprim</i> | 18, 19 | SYRINGE WITH NEEDLE, | |
| SOMATULINE DEPOT..... | 180 | <i>sulfasalazine</i> | 194 | SAFETY..... | 147 |
| SOMAVERT..... | 180 | <i>sulindac</i> | 8 | T | |
| <i>sorafenib</i> | 33 | <i>sumatriptan</i> | 56 | TABLOID | 33 |
| <i>sorine</i> | 88 | <i>sumatriptan succinate</i> ... | 56, 57 | TABRECTA..... | 33 |
| <i>sotalol</i> | 88 | <i>sumatriptan-naproxen</i> | 57 | <i>tacrolimus</i> | 117, 187 |
| <i>sotalol af</i> | 88 | <i>sunitinib malate</i> | 33 | <i>tadalafil (pulm. hypertension)</i> | |
| SPIRIVA RESPIMAT | 204 | SUNLENCA..... | 73 | | 208 |
| SPIRIVA WITH HANDIHALER | | SUNOSI..... | 208 | TAFINLAR..... | 33 |
| | 204 | SURE COMFORT ALCOHOL | | TAGRISSO..... | 33 |
| <i>spironolactone</i> | 92 | PREP PADS..... | 113 | TAKHZYRO..... | 197, 198 |
| SPRAVATO..... | 46 | SURE COMFORT INS. SYR. U- | | TALTZ AUTOINJECTOR..... | 187 |
| <i>sprintec (28)</i> | 108 | 100..... | 147 | TALTZ SYRINGE..... | 187 |
| SPRITAM..... | 41 | SURE COMFORT INSULIN | | TALVEY | 33 |
| SPRYCEL..... | 33 | SYRINGE | 147, 148 | TALZENNA..... | 33 |
| <i>sps (with sorbitol)</i> | 172 | SURE COMFORT PEN NEEDLE | | <i>tamoxifen</i> | 33 |
| <i>sronyx</i> | 109 | | 148 | <i>tamsulosin</i> | 174 |
| <i>ssd</i> | 114 | SURE COMFORT SAFETY PEN | | <i>tarina 24 fe</i> | 109 |
| <i>stavudine</i> | 73 | NEEDLE | 147 | <i>tarina fe 1-20 eq (28)</i> | 109 |
| STELARA | 187 | SURE-FINE PEN NEEDLES | 148, | <i>taron-c dha</i> | 211 |
| STERILE PADS | 147 | 149 | | <i>taron-prex prenatal-dha</i> | 211 |
| STIOLTO RESPIMAT..... | 204 | SURE-JECT INSULIN SYRINGE | | TASCENSO ODT | 100 |
| STIVARGA..... | 33 | | 149 | TASIGNA..... | 33 |
| STRENSIQ..... | 163 | SURE-PREP ALCOHOL PREP | | <i>tasimelteon</i> | 208 |
| <i>streptomycin</i> | 11 | PADS..... | 113 | <i>tazarotene</i> | 117 |
| STRIBILD | 73 | SUTAB | 172 | TAZORAC | 117 |
| STRIVERDI RESPIMAT | 205 | <i>syeda</i> | 109 | <i>taztia xt</i> | 89 |

| | | | | | |
|--------------------------------------|----------|--------------------------------------|---------|---|----------|
| TAZVERIK..... | 33 | <i>theophylline</i> | 205 | TRADJENTA | 49 |
| TDVAX | 192 | THINPRO INSULIN SYRINGE | | <i>tramadol</i> | 6 |
| TECHLITE INSULIN SYRINGE | | | 151 | <i>tramadol-acetaminophen</i> | 6 |
| | 150 | <i>thioridazine</i> | 68 | <i>trandolapril</i> | 85 |
| TECHLITE INSULN SYR(HALF | | <i>thiothixene</i> | 68 | <i>trandolapril-verapamil</i> | 85 |
| UNIT)..... | 149 | <i>tiadylt er</i> | 89 | <i>tranexamic acid</i> | 80 |
| TECHLITE PEN NEEDLE..... | 150 | <i>tiagabine</i> | 41 | <i>tranylcypromine</i> | 46 |
| TECHLITE PLUS PEN NEEDLE | | TIBSOVO | 34 | TRAVASOL 10 % | 82 |
| | 150 | TICE BCG | 34 | <i>travoprost</i> | 199 |
| TECVAYLI | 34 | TICOVAC | 192 | TRAZIMERA | 34 |
| TEFLARO | 15 | <i>tigecycline</i> | 19 | <i>trazodone</i> | 46 |
| <i>telmisartan</i> | 84 | <i>timolol maleate</i> | 88, 199 | TRECATOR | 58 |
| <i>telmisartan-</i> | | <i>tiopronin</i> | 174 | TRELEGY ELLIPTA..... | 205 |
| <i>hydrochlorothiazid</i> | 84 | TIVDAK | 34 | TRELSTAR | 34 |
| <i>temazepam</i> | 11 | TIVICAY..... | 73 | TREMFYA..... | 187 |
| TEMIXYS..... | 73 | TIVICAY PD..... | 74 | <i>tretinoin</i> | 117 |
| TENIVAC (PF) | 192 | <i>tizanidine</i> | 207 | <i>tretinoin (antineoplastic)</i> | 34 |
| <i>tenofovir disoproxil fumarate</i> | | <i>tobramycin</i> | 12, 167 | <i>triamcinolone acetonide</i> ... 111, | 117, 178 |
| | 73 | <i>tobramycin in 0.225 % nacl</i> 12 | | <i>triamterene-</i> | |
| TEPMETKO | 34 | <i>tobramycin sulfate</i> | 12 | <i>hydrochlorothiazid</i> | 92 |
| <i>terazosin</i> | 174 | <i>tobramycin-dexamethasone</i> | | <i>tridacaine ii</i> | 9 |
| <i>terbinafine hcl</i> | 54 | | 167 | <i>trientine</i> | 174 |
| <i>terbutaline</i> | 205 | <i>tolterodine</i> | 173 | <i>tri-estarylla</i> | 109 |
| <i>terconazole</i> | 55 | TOPCARE CLICKFINE..... | 151 | <i>trifluoperazine</i> | 68 |
| <i>teriflunomide</i> | 100 | TOPCARE ULTRA COMFORT | | <i>trifluridine</i> | 167 |
| <i>teriparatide</i> | 195 | | 152 | <i>trihexyphenidyl</i> | 62 |
| TERUMO INSULIN SYRINGE | | <i>topiramate</i> | 41 | TRIJARDY XR | 49 |
| | 150, 151 | <i>toposar</i> | 34 | TRIKAFTA..... | 206 |
| <i>testosterone</i> | 175 | <i>toremifene</i> | 34 | <i>tri-legest fe</i> | 109 |
| <i>testosterone cypionate</i> | 175 | <i>torpenz</i> | 34 | <i>tri-linyah</i> | 109 |
| <i>testosterone enanthate</i> | 175 | <i>toremide</i> | 92 | <i>tri-lo-estarylla</i> | 109 |
| TETANUS,DIPHThERIA TOX | | TOUJEO MAX U-300 | | <i>tri-lo-marzia</i> | 109 |
| PED(PF)..... | 192 | SOLOSTAR | 51 | <i>tri-lo-mili</i> | 109 |
| <i>tetrabenazine</i> | 100 | TOUJEO SOLOSTAR U-300 | | <i>tri-lo-sprintec</i> | 109 |
| <i>tetracycline</i> | 19 | INSULIN | 51 | <i>trimethoprim</i> | 13 |
| THALOMID..... | 198 | TRACLEER | 208 | | |

| | | | | | |
|--------------------------------|----------|--------------------------|---------------|---------------------------|----------|
| <i>tri-mili</i> | 109 | TUKYSA..... | 34 | ULTRA FLO INSUL SYR(HALF | |
| <i>trimipramine</i> | 46 | <i>tulana</i> | 110 | UNIT) | 157 |
| TRINTELLIX..... | 46 | TURALIO..... | 35 | ULTRA FLO INSULIN SYRINGE | |
| <i>tri-nymyo</i> | 109 | <i>turqoz (28)</i> | 110 | | 158 |
| <i>tri-sprintec (28)</i> | 109 | TWINRIX (PF) | 193 | ULTRA FLO PEN NEEDLE . | 157, |
| TRIUMEQ..... | 74 | <i>tyblume</i> | 110 | 158 | |
| TRIUMEQ PD..... | 74 | TYBOST | 198 | ULTRA THIN PEN NEEDLE | 158 |
| <i>triveen-duo dha</i> | 211 | TYMLOS..... | 195 | ULTRACARE INSULIN | |
| <i>trivora (28)</i> | 109 | TYPHIM VI | 193 | SYRINGE..... | 158 |
| <i>tri-vylibra</i> | 109 | TYSABRI | 187 | ULTRACARE PEN NEEDLE | 158, |
| <i>tri-vylibra lo</i> | 109 | U | | 159 | |
| TRIZIVIR..... | 74 | UBRELVY | 57 | ULTRA-THIN II (SHORT) INS | |
| TROGARZO..... | 74 | UDENYCA | 80 | SYR..... | 159 |
| TROPHAMINE 10 %..... | 82 | UDENYCA AUTOINJECTOR | 79 | ULTRA-THIN II (SHORT) PEN | |
| <i>trosipium</i> | 173 | UDENYCA ONBODY..... | 79 | NDL..... | 159 |
| TRUE COMFORT ALCOHOL | | ULTICARE..... | 155, 156 | ULTRA-THIN II INS PEN | |
| PADS | 113 | ULTICARE INSULIN SYRINGE | | NEEDLES..... | 159 |
| TRUE COMFORT INSULIN | | | 154, 155 | ULTRA-THIN II INSULIN | |
| SYRINGE..... | 152 | ULTICARE INSULN SYR(HALF | | SYRINGE..... | 159 |
| TRUE COMFORT PEN NEEDLE | | UNIT)..... | 154 | UNIFINE PEN NEEDLE..... | 159 |
| | 152, 153 | ULTICARE PEN NEEDLE..... | 155 | UNIFINE PENTIPS | 143, 160 |
| TRUE COMFORT PRO | | ULTICARE SAFETY PEN | | UNIFINE PENTIPS MAXFLOW | |
| ALCOHOL PADS | 113 | NEEDLE | 155 | | 160 |
| TRUE COMFORT PRO INS | | ULTIGUARD SAFEPACK- | | UNIFINE PENTIPS PLUS..... | 160 |
| SYRINGE..... | 152, 153 | INSULIN SYR | 156 | UNIFINE PENTIPS PLUS | |
| TRUE COMFORT SAFE | | ULTIGUARD SAFEPACK-PEN | | MAXFLOW..... | 160 |
| INSULIN SYRG..... | 152, 153 | NEEDLE | 156 | UNIFINE PROTECT | 161 |
| TRUE COMFORT SAFETY PEN | | ULTILET ALCOHOL SWAB. | 113 | UNIFINE SAFECONTROL... | 161 |
| NEEDLE..... | 152 | ULTILET INSULIN SYRINGE | | UNIFINE SAFECONTROL PEN | |
| TRUEPLUS INSULIN | 154 | | 137, 156, 157 | NEEDLE..... | 161 |
| TRUEPLUS PEN NEEDLE... | 153, | ULTILET PEN NEEDLE..... | 157 | UNIFINE ULTRA PEN NEEDLE | |
| 154 | | ULTRA CMFT INS SYR (HALF | | | 161 |
| TRULICITY..... | 49 | UNIT)..... | 135, 147 | UPTRAVI | 208, 209 |
| TRUMENBA..... | 192 | ULTRA COMFORT INSULIN | | <i>ursodiol</i> | 172 |
| TRUQAP | 34 | SYRINGE | 129, 135, 157 | UZEDY | 68, 69 |
| TRUXIMA..... | 34 | | | | |

| | | |
|--|--------|--|
| V | | |
| <i>valacyclovir</i> | 76 | |
| VALCHLOR..... | 113 | |
| <i>valganciclovir</i> | 76 | |
| <i>valproate sodium</i> | 41 | |
| <i>valproic acid</i> | 41 | |
| <i>valproic acid (as sodium salt)</i> | 41 | |
| <i>valsartan</i> | 84 | |
| <i>valsartan-hydrochlorothiazide</i> | 84 | |
| VALTOCO | 42 | |
| <i>vancomycin</i> | 13 | |
| VANFLYTA..... | 35 | |
| VANISHPOINT INSULIN SYRINGE..... | 161 | |
| VANISHPOINT SYRINGE ... | 161 | |
| VAQTA (PF)..... | 193 | |
| <i>varenicline</i> | 10 | |
| VARIVAX (PF) | 193 | |
| VASCEPA | 95 | |
| VEGZELMA..... | 35 | |
| VELCADE..... | 35 | |
| <i>velivet triphasic regimen (28)</i> | 110 | |
| VELPHORO..... | 173 | |
| VELTASSA..... | 172 | |
| VEMLIDY..... | 74 | |
| VENCLEXTA | 35 | |
| VENCLEXTA STARTING PACK | 35 | |
| <i>venlafaxine</i> | 46 | |
| <i>venlafaxine besylate</i> | 46 | |
| <i>verapamil</i> | 89 | |
| VERIFINE INSULIN SYRINGE | 162 | |
| VERIFINE PEN NEEDLE | 162 | |
| VERIFINE PLUS PEN NEEDLE | 162 | |
| VERIFINE PLUS PEN NEEDLE- SHARP | 162 | |
| VERQUVO | 90 | |
| VERSACLOZ | 69 | |
| VERSALON..... | 163 | |
| VERZENIO..... | 35 | |
| <i>vestura (28)</i> | 110 | |
| V-GO 20 | 163 | |
| V-GO 30 | 163 | |
| V-GO 40 | 163 | |
| <i>vienva</i> | 110 | |
| <i>vigabatrin</i> | 42 | |
| <i>vigadrone</i> | 42 | |
| <i>vigoder</i> | 42 | |
| <i>vilazodone</i> | 46 | |
| <i>vinate care</i> | 211 | |
| <i>vinorelbine</i> | 35 | |
| <i>viorele (28)</i> | 110 | |
| VIRACEPT | 74 | |
| VIREAD | 74 | |
| <i>virt-c dha</i> | 211 | |
| <i>virt-nate dha</i> | 211 | |
| <i>virt-pn dha</i> | 211 | |
| <i>virt-pn plus</i> | 211 | |
| <i>vitafol gummies</i> | 211 | |
| <i>vitafol nano</i> | 212 | |
| <i>vitafol-ob+dha</i> | 212 | |
| VITRAKVI..... | 35 | |
| VIZIMPRO | 35 | |
| VOCABRIA | 74 | |
| <i>volnea (28)</i> | 110 | |
| VONJO | 35 | |
| <i>voriconazole</i> | 54 | |
| VOSEVI | 75 | |
| VOWST..... | 198 | |
| <i>vp-ch-pnv</i> | 212 | |
| <i>vp-pnv-dha</i> | 212 | |
| VRAYLAR | 69 | |
| VUMERITY..... | 101 | |
| <i>vyfemla (28)</i> | 110 | |
| <i>vylibra</i> | 110 | |
| VYZULTA..... | 199 | |
| W | | |
| <i>warfarin</i> | 77 | |
| WEBCOL..... | 113 | |
| WELIREG | 35 | |
| <i>wera (28)</i> | 110 | |
| WINREVAIR..... | 207 | |
| <i>wixela inhub</i> | 203 | |
| X | | |
| XALKORI | 35, 36 | |
| XARELTO..... | 78 | |
| XARELTO DVT-PE TREAT 30D START..... | 77 | |
| XATMEP | 36 | |
| XCOPRI..... | 42 | |
| XCOPRI MAINTENANCE PACK..... | 42 | |
| XCOPRI TITRATION PACK ... | 42 | |
| XELJANZ | 188 | |
| XELJANZ XR..... | 188 | |
| XERMELO..... | 172 | |
| XGEVA | 195 | |
| XHANCE..... | 169 | |
| XIFAXAN | 13 | |
| XIGDUO XR..... | 49 | |
| XIIDRA | 169 | |
| XOFLUZA | 75 | |
| XOLAIR..... | 207 | |

| | | | | | |
|--------------------------|-----|-----------------------------------|--------|----------------------------------|-----|
| XOSPATA..... | 36 | ZARXIO | 80 | <i>zoledronic acid-mannitol-</i> | |
| XPOVIO | 36 | <i>zatean-pn dha</i> | 212 | <i>water</i> | 196 |
| XTAMPZA ER..... | 6 | <i>zatean-pn plus</i> | 212 | ZOLINZA | 37 |
| XTANDI | 36 | ZEGALOGUE AUTOINJECTOR | | <i>zolmitriptan</i> | 57 |
| <i>xulane</i> | 110 | | 198 | <i>zolidem</i> | 208 |
| XULTOPHY 100/3.6..... | 51 | ZEGALOGUE SYRINGE..... | 198 | ZONISADE..... | 42 |
| XYOSTED | 175 | ZEJULA | 36, 37 | <i>zonisamide</i> | 42 |
| Y | | ZELBORAF | 37 | <i>zovia 1-35 (28)</i> | 110 |
| <i>yargesa</i> | 164 | <i>zenatane</i> | 113 | ZTALMY..... | 43 |
| YERVOY | 36 | ZENPEP | 164 | ZTLIDO | 9 |
| YF-VAX (PF) | 193 | <i>zidovudine</i> | 74 | <i>zumandimine (28)</i> | 110 |
| YONSA | 36 | <i>zingiber</i> | 212 | ZURZUVAE..... | 46 |
| <i>yuvaferm</i> | 177 | <i>ziprasidone hcl</i> | 69 | ZYDELIG | 37 |
| Z | | <i>ziprasidone mesylate</i> | 69 | ZYKADIA | 37 |
| <i>zafemy</i> | 110 | ZIRABEV | 37 | ZYLET | 167 |
| <i>zafirlukast</i> | 203 | ZIRGAN..... | 167 | ZYNLONTA | 37 |
| <i>zaleplon</i> | 208 | ZOLADEX | 37 | ZYNYZ..... | 37 |
| <i>zarah</i> | 110 | <i>zoledronic acid</i> | 196 | ZYPREXA RELPREVV | 69 |

This formulary was updated on September 25, 2024. For more recent information or other questions, please contact PHP Pharmacy Customer Service at (888) 436-5018 (TTY users should call 711), 24 hours a day, seven days a week, or visit www.php-ca.org/for-members/drug-benefit/formulary.